



TRENT CONSERVATION COALITION
SOURCE PROTECTION REGION


Ganaraska Source Protection Plan

Approved October 23, 2014

Effective January 1, 2015

Updated September 1, 2023

Ganaraska Region Source Protection Area



Made possible through the support
of the Government of Ontario

www.trentsourceprotection.on.ca

SUMMARY OF AMENDMENTS

The following list highlights amendments made to the Ganaraska Source Protection Plan since its approval on October 23, 2014. These amendments were made under Section 51 or 36 of the *Clean Water Act*. A complete list of amendments can be found in Appendix 7.

- A table for Policy Codes Summarized by Implementing Body and Compliance/Target Date was added as Appendix 6.
- The complete list of amendments pursuant to Section 51 of Ontario Regulation 287/07 of the *Clean Water Act* was added as Appendix 7.
- A footnote was added to Section 4.6.2 "...In the Assessment Report a transport pathway for groundwater means 3m from the top of the aquifer used as the municipal drinking water source and penetrates/short circuits aquitard".
- A sentence was added to Policy OT-2(3) describing the notification requirement for transport pathways as required by Section 27(3) of O.Reg 287/07.
- To allow for policy clarity, the text of Policy G-11(1) was amended to include "other relevant documentation" and "reasonable" to the policy text.
- To allow for policy clarity, the text of Policy G-9(2) was amended from "Forward applications" to "Direct proponents applying".
- The sentence indicating policies are applicable to any WHPA and IPZ regardless of vulnerability score was removed from the section 4.6 header.
- An amendment was made in the section 4.6.2 header to remove WHPA-D as it cannot achieve a score high enough to be considered a significant threat.
- Updates to Appendix 3 Lists for applicability of Local (L-2) policies.
- An amendment was made to the Ganaraska Assessment Report Maps 4-13, 4-14 and 4-15 to remove potential contaminant pathways upstream of modeled pipeline threat as the contaminant pathways are downstream of modeled pipeline threat points. Missing modeled pipeline threat locations were also added.
- An amendment was made to add "handling" to the storage of fuel policies.
- Amendments were made to remove reference to threat circumstance numbers.
- Amendments were made to accurately identify policies applicable to intake protection zones and applicable wellhead protection areas.

This source protection plan was prepared on behalf of the Trent Conservation Coalition Source Protection Committee under the Clean Water Act, 2006.

TRENT CONSERVATION COALITION SOURCE PROTECTION COMMITTEE

Formatted: Left: 2.54 cm, Right: 2.54 cm, Bottom: 2.54 cm, Header distance from edge: 1.25 cm, Footer distance from edge: 1.25 cm

Deleted: (as per s.22(1)(1) of the *Clean Water Act, 2006*, the Assessment Report is a component of the Ganaraska Source Protection Plan)

Deleted: are current as of December 21, 2021 pursuant to

Deleted: of Ontario Regulation 287/07

Deleted: , and were not intended to change the intent of the policy.

Deleted:

Deleted: a

Deleted: I

Deleted: P

Deleted: Z

Deleted: W

Deleted: P

Deleted: A

Membership as of date of Plan Approval (October 23, 2014)

Jim Hunt (Chair)

Municipal

Dave Burton, *KHSPA municipalities*
Rob Franklin (Bruce Craig to June 2011), *GRSPA municipalities*
Dave Golem, *CVSPA municipalities*
Rosemary Kelleher-MacLennan, *LTSPA municipalities*
Gerald McGregor, *KHSPA municipalities*
Mary Smith, *OPSPA municipalities*
Richard Straka, *OPSPA municipalities*

Commercial/Industrial

Monica Berdin, *Recreation/Tourism*
Edgar Cornish, *Agriculture*
Kerry Doughty, *Aggregate/Mining*
Robert Lake, *Economic Development*
Glenn Milne, *Agriculture*
Bev Spencer, *Agriculture*
Dave Workman (Rick Johnson to June 2009), *Commercial/Industrial*

Other Interests

Alanna Boulton, *Trent-Severn Waterway*
William Cornfield, *Drinking Water Expert*
Roberta Drew, *Public/Rural*
Michael Gibbs (Matt Taft to September 2010), *Public/Urban*
Terry Rees, *Waterfront Landowner*
Wayne Stiver, *Drinking Water Expert*
Alix Taylor (Mary Jane Conboy to March 2010), *Environmental Non-Governmental Organization*

First Nations

Darla Blodgett, *Hiawatha First Nation*
Pam Crowe, *Alderville First Nation* (to June 2012)
Mae Whetung (Tracey Taylor to July 2008, Wanita Dokis to November 2008), *Curve Lake First Nation*

Liaison

Atul Jain: acting (Anne Alexander / Tom Cathcart: acting), *Health Unit*
Wendy Lavender (Debbie Scanlon to January 2009, Wendy Lavender to June 2011, Clare Mitchell 2011 to 2012), *Ministry of the Environment and Climate Change*, Glenda Rodgers (Jim Kelleher to September 2010), *Source Protection Authority*

Current Membership (as of August 11, 2022)

Municipal

Lori Burt, *OPSPA municipalities*

The Trent Conservation Coalition Source Protection Committee is a locally based committee comprised of 28 representatives from municipal government, First Nations, the commercial/industrial/agriculture sectors, and other interests. The committee's role is to develop source protection plans that establish policies for preventing, managing, or eliminating threats to sources of drinking water. In developing the plans, the committee members commit to the following:

- *Basing policies on the best available science, and where there is uncertainty, being mindful of the precautionary approach;*
- *Considering and incorporating local and traditional knowledge;*
- *Consulting with all stakeholders and in particular with impacted landowners, businesses, and municipalities;*
- *Ensuring that concerns from the public, as well as all stakeholders are heard and taken into consideration;*
- *Considering all economic impacts;*
- *Making decisions that are fair and reasonable through an open and transparent process; and*
- *Advocating for ongoing provincial funding to provide financial assistance to landowners, business owners, municipalities, and agencies for stewardship and other implementation measures.*

Deleted: 1

Bonnie Clark, *OPSPA municipalities*
Brent Devolin, *KHSPA municipalities*
Doug Elmslie, *KHSPA municipalities*
Rob Franklin, *GRSPA municipalities*
Rosemary Kelleher-MacLennan, *LTSPA municipalities*
George Offshack, *CVSPA municipalities*

Commercial/Industrial

Cyndy Broughton, *Recreation/Tourism*
Jessica Ferri, *Aggregate/Mining*
Robert Lake, *Economic Development*
Faye Langmaid, *Economic Development*
Glenn Milne, *Agriculture*
Bev Spencer, *Agriculture*
Dave Workman, *Commercial/Industrial*

Other Interests

Alanna Boulton, *Trent-Severn Waterway*
Rene Gagnon, *Drinking Water Expert*
Michael Gibbs, *Public/Urban*
Alexander Hukowich, *Drinking Water Expert*
Terry Rees, *Waterfront Landowner*
Richard Straka, *Public/Rural*
Alix Taylor, *Environmental Non- Governmental Organization*

First Nations

Darla Blodgett, *Hiawatha First Nation*
Kristin Muskratt, *First Nation Youth Representative*
Tracey Taylor, *Curve Lake First Nation*

Liaison

Julie Ingram, *Health Unit*
Mary Wooding, *Ministry of the Environment, Conservation and Parks*
Rhonda Bateman, *Source Protection Authority 2010), Source Protection Authority*

Deleted: LTS

ACKNOWLEDGEMENTS

The committee would like to thank staff of the following organizations for their contributions in preparing the Ganaraska Source Protection Plan for the Ganaraska Region Source Protection Area.

Conservation Authorities

- Crowe Valley Conservation Authority
- Ganaraska Region Conservation Authority
- Kawartha Region Conservation Authority
- Lower Trent Region Conservation Authority
- Otonabee Region Conservation Authority

Consultants & Others

- XCG Consultants Ltd.
- EarthFX Inc.
- GENIVAR (formerly Jagger Hims Ltd.)
- AECOM Canada Ltd.
- University of Guelph, School of Engineering
- Harden Environmental Services Ltd.
- Lake Ontario Collaborative
- Dr. Ray Dewey
- Stantec Consulting Ltd.
- IBI Group
- Greenland International Consulting Ltd.
- Intera Engineering Ltd.
- Bruce W. Kitchen, P. Eng., Consultant
- Peterborough Utilities Services Inc.
- Trent University
- Conservation Authorities Moraine Coalition
- Trent-Severn Waterway
- Ontario Ministry of the Environment, [Conservation and Parks](#),
- Ontario Ministry of Natural Resources and Forestry
- Conservation Ontario

Deleted: and Climate Change

Municipalities

The following municipalities are located, either in part or entirely, within the Ganaraska Region Source Protection Area. There has been ongoing communication with municipalities throughout the source protection planning process. Many have been involved with the development of the Ganaraska Source Protection Plan.

- Township of Alnwick/Haldimand
- Township of Cavan Monaghan
- Municipality of Clarington
- Town of Cobourg
- Regional Municipality of Durham
- Township of Hamilton
- City of Kawartha Lakes
- County of Northumberland
- Township of Otonabee-South Monaghan
- County of Peterborough
- Municipality of Port Hope

TRENT CONSERVATION COALITION SOURCE PROTECTION REGION

The Trent Conservation Coalition Source Protection Region extends across the Trent and Ganaraska River watersheds, covering a 14,500 square kilometre area stretching from Algonquin Park to the Bay of Quinte and Lake Ontario. Five conservation authorities within this region have worked with the source protection committee, local municipalities, and other stakeholders to facilitate the development of the Trent and Ganaraska Source Protection Plans.



Crowe Valley Conservation Authority



Ganaraska Region Conservation Authority



Kawartha Region Conservation Authority



Lower Trent Region Conservation Authority



Otonabee Region Conservation Authority

Executive summary

This document is a source protection plan prepared to address significant drinking water threats in the Ganaraska Region Source Protection Area (a separate plan has been developed for the Crowe Valley, Kawartha-Haliburton, Lower Trent, and Otonabee-Peterborough Source Protection Areas). This plan has been prepared in accordance with the requirements of the *Clean Water Act, 2006*. Except where noted, this document follows the version of the Technical Rules that was approved in December 2021.

The scope, purpose, and objectives of this plan can be found in Chapter 1. Chapter 2 provides the background to the source protection program and outlines contextual information relevant to understanding the policies described in Chapter 4. Chapter 3 discusses administration, including compliance, legal effect, amendments and implementation of the policies. Chapter 4 contains a set of general policies and specific policies that have been developed by the Trent Conservation Coalition Source Protection Committee to fulfill the objectives of the plan. Chapter 4 is organized by prescribed drinking water threats and, in addition to the policies themselves, provides a summary of the circumstances that are considered in the determination of whether or not a particular instance of an activity is a significant drinking water threat. Local threats and other policies are also included in Chapter 4.

A number of appendices are included in this plan. This plan builds on the technical information reported in the Ganaraska Assessment Report (2011), which can be found in Appendix 1. Appendix 2 includes 6 policy applicability maps that illustrate where the policies apply for each municipal drinking water system in the Ganaraska Region Source Protection Area. The lists in Appendix 3 summarize the legal effect of the policies in the plan. Appendix 4 outlines the policies by implementing body, and is intended to be a quick reference for users of this plan. Appendix 5 contains a summary of all consultation activities undertaken during the preparation of the terms of reference, the assessment report, and the source protection plan. Appendix 6 summarizes the policy codes by the implementing body and compliance /target date. Lastly, Appendix 7 summarizes the minor amendments made to the plan under Section 51 of O.Reg 287/07.

This plan is to be treated as a living, evolving document, that is frequently subject to amendments and updates to improve and adapt to new science and technical rules as they arise.

Deleted: ¶

Deleted: the

Commented [PL1]: Appendices will need to be updated later in the S.36 process.

Table of Contents

Acknowledgements

Executive Summary

Table of Contents

Commented [PL2]: Whole TOC to be updated later

List of Tables

List of Acronyms

CHAPTER 1: Introduction	1
1.1 Scope and Purpose of the Source Protection Plan	1
1.2 Plan Objectives	1
CHAPTER 2: Background	2
2.1 Drinking Water Source Protection in Ontario	2
2.1.1 Importance of Source Protection Planning	2
2.1.2 Ontario's <i>Clean Water Act, 2006</i>	2
2.2 The Source Protection Planning Process	3
2.2.1 Trent Conservation Coalition Source Protection Region	3
2.2.2 Source Protection Authorities	4
2.2.3 Source Protection Committee	4
2.2.4 Key Deliverables	4
2.3 Drinking Water Threats	5
2.3.1 Delineation and Scoring of Vulnerable Areas	5
2.3.2 Drinking Water Threats	6
2.3.2.1 Prescribed Drinking Water Threats	6
2.3.2.2 <u>Locally Defined Prescribed</u> Drinking Water Threats	7
2.3.2.3 Conditions	8
2.3.2.4 Drinking Water Issues	8
2.4 Development of the Source Protection Plan	8
2.4.1 Policy Development Process	8
2.4.2 Policy Tools	9
2.4.3 Mandatory Policies	10
2.4.4 Optional Policies	11
2.4.5 Explanatory Document	11
2.4.6 Consultation Opportunities	12
2.4.7 Matters Impacting Boundary Municipalities	12
CHAPTER 3: Administration	14
3.1 Compliance	14
3.1.1 Legal Effect of Policies	14
3.1.2 Effective, Compliance and Target Date	16
3.1.3 Amendment to this Plan	17
3.2 Implementation	17
3.2.1 Enforcement	18
3.2.2 Annual Progress Report	18
3.2.3 Financial Considerations	19
CHAPTER 4: Policies	20
4.1 Policy Format	20

4.1.1	Threat Summary	20
4.1.2	Policy Header	20
4.1.3	Policy Components	21
4.2	Policy Applicability Maps	22
4.3	General Policies	23
4.3.1	Transition Policy and Definition of “Existing”/“Future”	24
4.3.2	Policies to Address Significant Drinking Water Threats	26
4.4	Policies for Prescribed Drinking Water Threats	37
4.4.1	Sewage Systems	37
4.4.2	Agriculture	51
4.4.3	Fuel Handling and Storage	58
4.4.4	Road Salt	61
4.4.5	Waste Disposal	67
4.4.6	DNAPLs and Organic Solvents	70
4.4.7	Non-Agricultural Source Material	73
4.4.8	Snow Storage	76
4.4.9	Aircraft De-icing	78
4.4.10	Conveyance of Oil By Way of A Pipeline	80
		80
4.5	Other Policies	84
4.5.1	Transportation Corridors	84
4.5.2	Transport Pathways	86
4.5.3	Extension of Education Programs to Indigenous Communities	89
4.5.4	Collection of Climate Change Data	90
4.5.5	Collaboration with Adjacent Jurisdictions	91

- Deleted: 4.5 Local Threats
- Deleted: 4.5.1 . Conveyance of Oil By Way of a Pipeline
- Deleted: 6
- Deleted: 6
- Deleted: 6
- Deleted: 6
- Deleted: First Nations
- Deleted: 6
- Deleted: 6

Glossary
Appendices

- Appendix 1: Assessment Report (October 2011, Updated 2014, Updated 2018)**
- Appendix 2: Policy Applicability Maps**
- Appendix 3: Applicable Legal Provision of Policies**
- Table 1: Prescribed Instruments which apply to Source Protection Plan Policies in Lists C and D**
- Table 2: Policy Summary Matrix**
- Appendix 4: Policies by Implementer and Policy Applicability Table**
- Appendix 5: Summary of Consultation Activities**
- Appendix 6: Policy Codes Summarized by Implementing Body and Compliance/Target Date**
- Appendix 7: Summary of Amendments (made under Section 51 of O.Reg 287/07)**

list of tables

Table 2.1	Summary of Policy Tools
Table 2.2	Consultation Opportunities Related to Policy Development

Commented [PL3]: Check Later

Table 3.1	Legal Effect of Policies by Policy Tool and Implementing Body
Table 3.2	Description of the Types of Legal Effect Provided Under the <i>Clean Water Act, 2006</i>
Table 3.3	Effective Date and Compliance/Target Date for Source Protection Policies by Policy Tool
Table 4.1	Policy Letter Codes
Table 4.2	Policy Tool Abbreviations
Table 4.3	Legal Effect Abbreviations
Table 4.4	Meanings of Policy Applicability Map Colours by Type of Vulnerable Area
Table 4.5	Summary of Sewage Threats
Table 4.6	Summary of Threats Associated with Agriculture
Table 4.7	Summary of Threat Circumstances for Waste Disposal Threats
Table 4.8	Summary of DNAPL and Organic Solvent Threats

list of acronyms

ASMC	Agricultural Source Materials
BTEX	Benzene, Toluene, Ethylbenzene, and Xylene
D-2, 4	Dichlorophenoxy Acetic Acid
DNAPL	Dense Non-Aqueous Phase Liquid
<i>E. coli</i>	<i>Escherichia coli</i>
GUDI	Groundwater under Direct Influence of Surface Water
ICA	Issue Contributing Area
IPZ	Intake Protection Zone
MCPA	2-methyl-4-chlorophenoxyacetic acid
MCPB	4-(4-chloro-2-methylphenoxy) butanoic acid
MMAH	Ministry of Municipal Affairs and Housing
MNDMNRF	Ministry of Northern Development, Mines, Natural Resources and Forestry
MOECP	Ministry of the Environment, Conservation and Parks
MTO	Ministry of Transportation
NASM	Non-Agricultural Source Material
NPRI	National Pollutant Release Inventory
ODWSP	Ontario Drinking Water Stewardship Program
OMAFRA	Ontario Ministry of Agriculture, Food and Rural Affairs
PAH	Polycyclic Aromatic Hydrocarbons
PCB	Polychlorinated biphenyl
PCE	Tetrachloroethylene
RMO	Risk Management Official
RMP	Risk Management Plan
SPA	Source Protection Area or Source Protection Authority (depending on context)
SPC	Source Protection Committee
SPR	Source Protection Region
SDWT	Significant Drinking Water Threat
TCC	Trent Conservation Coalition
WHPA	Wellhead Protection Area

Commented [PL4]: Check Later

CHAPTER 1: INTRODUCTION

This introductory chapter identifies the scope and purpose of the source protection plan (1.1) as well as providing the objectives of the plan (1.2).

1.1 SCOPE AND PURPOSE OF THE SOURCE PROTECTION PLAN

This document contains policies that apply to the Ganaraska Region Source Protection Area. The Crowe Valley, Kawartha-Haliburton, Lower Trent, and Otonabee-Peterborough source protection areas have been grouped into the Trent Source Protection Plan to maintain a focus on the Trent River watershed. The Ganaraska Source Protection Plan has been prepared in accordance with the *Clean Water Act, 2006*, the *General Regulation under the Act (O. Reg 287/07)*, and the *Ganaraska Region Source Protection Area Terms of Reference*. The *Clean Water Act, 2006* sets out a basic regulatory framework for communities to follow in developing an approach to protecting their municipal water supplies.

Deleted: the Ganaraska Source Protection Plan

Deleted: for

Deleted: This report

Formatted: Font: Not Italic

1.2 PLAN OBJECTIVES

The policies in this plan have been written to achieve the objectives identified in the *General Regulation* under the *Act*. These objectives are as follows:

1. To protect existing and future drinking water sources in the source protection area.
2. To ensure that, for every area identified in an assessment report as an area where an activity is or would be a significant drinking water threat,
 - the activity never becomes a significant drinking water threat, or
 - if the activity is occurring when the source protection plan takes effect, the activity ceases to be a significant drinking water threat.

CHAPTER 2: background

This chapter provides background information and context to the remainder of the Ganaraska Source Protection Plan. It describes the importance of source protection planning in Ontario (2.1), provides an overview of the source protection planning process in the Trent Conservation Coalition Source Protection Region (2.2), defines drinking water threats (2.3), and describes the steps taken to develop policies contained within the plan (2.4).

4.1 DRINKING WATER SOURCE PROTECTION IN ONTARIO

This section establishes the importance of source protection planning (2.1.1) and provides a brief history of the *Clean Water Act, 2006* (2.1.2). The scope of this Plan is the protection of existing and future municipal drinking water sources in the Ganaraska Region Source Protection Area. This stage of source protection planning has addressed the management of anthropogenic activities with the potential to cause an impact to water quality and quantity, as opposed to those that are naturally occurring.

2.1.1 IMPORTANCE OF SOURCE PROTECTION PLANNING

In May 2000, the drinking water supply in Walkerton, Ontario was compromised and became contaminated by the deadly bacteria *Escherichia coli* O157:H7 (*E. coli*). A number of people died and

thousands became ill. In response to these events, the Government of Ontario established the Walkerton Commission of Inquiry. The purpose of the inquiry was to make recommendations to ensure the safety of water supplies in the Province of Ontario.

The Walkerton Inquiry stated that an approach using multiple barriers to prevent contamination to drinking water supplies would be the best line of defense. This multiple barrier approach includes a number of practices to protect drinking water. Some of these practices include robust water treatment, secure distribution systems, frequent water testing, training, and source protection planning.

Source protection planning is the first line of defense in this multiple barrier approach, and seeks to prevent the contamination and overuse of surface water and groundwater sources of municipal drinking water. This is achieved by evaluating threats to these drinking water sources and establishing policies to prevent, manage, or eliminate the threats.

2.1.2 ONTARIO'S CLEAN WATER ACT, 2006

The *Clean Water Act, 2006* was passed by the Government of Ontario to establish a framework for drinking water source protection across the Province. The purpose of the *Clean Water Act, 2006* is to protect Ontario's existing and future municipal drinking water sources as part of an overall commitment to safeguard human health and the environment. A key focus of the legislation is the preparation of locally developed terms of reference, science-based assessment reports, and source protection plans. The Act also assigns responsibilities, prescribes research and technical studies, and provides regulations in support of the development and implementation of source protection plans. The Act complements the existing roles and responsibilities that local municipalities have in place to protect and distribute municipal drinking water to residents in their jurisdiction.

The Act also mandates existing conservation authorities to perform the powers of source protection authorities for the purpose of source protection planning in a source protection area. Source protection areas are administrative divisions that are based on watershed boundaries. In many parts of Ontario, two or more source protection areas work collaboratively to form a source protection region.

4.2 THE SOURCE PROTECTION PLANNING PROCESS

This section describes the framework of the source protection planning process. It provides an overview of the Trent Conservation Coalition Source Protection Region (2.2.1), source protection authorities (2.2.2), the source protection committee (2.2.3), and describes the key deliverables of the program (2.2.4).

2.2.1 TRENT CONSERVATION COALITION SOURCE PROTECTION REGION

Deleted: p

The Trent Conservation Coalition Source Protection Region has been established in accordance with the Act as a partnership among the Crowe Valley, Ganaraska Region, Kawartha-Haliburton, Lower Trent, and Otonabee-Peterborough Source Protection Authorities. The Lower Trent Source Protection Authority acts as the lead for all five source protection authorities. The Trent Conservation Coalition Source Protection Region covers an area of approximately 14,500 square kilometres (km²) and includes the entire Trent River watershed and two additional watersheds: the Ganaraska Region Source Protection Area, which drains into Lake Ontario (except for a small portion that drains into Rice Lake), and the southern portion of the Lower Trent Source Protection Area, which drains into both Lake Ontario and the Bay of Quinte. The source protection region also includes land outside of conservation authority jurisdiction.

The Ganaraska Region Source Protection Area covers 930 km² of land that extends from the Wilmot Creek watershed in the west to the Cobourg Creek watershed in the east, and from the crest of the Oak Ridges Moraine and Rice Lake in the north to Lake Ontario in the south. The major watersheds include Wilmot Creek, Graham Creek, the Ganaraska River, Gages Creek, and Cobourg Creek, all of which originate on the Oak Ridges Moraine. All of the watersheds drain directly to Lake Ontario, except for 114 km² in the northeast corner that drains to Rice Lake, which is part of the larger Trent River watershed.

Drinking water systems in the Ganaraska Region Source Protection Area include municipal systems of various sizes that draw raw water from both groundwater and surface water sources. Municipal residential drinking water systems serve major residential developments. Small municipal residential systems serve fewer than 101 private residences, and large municipal residential systems serve more than 100 private residences.



The five source protection areas that make up the Trent Conservation Coalition Source Protection Region

Approximately 43% of the population of the Trent source protection areas is served by 46 municipal residential drinking water systems, which include 31 groundwater systems and 15 surface water systems. Approximately 70% of the population in the Ganaraska Region Source Protection Area obtain their drinking water from 6 municipal residential drinking water systems, which include 3 groundwater systems and 3 Lake Ontario based surface water systems.

Deleted: About

Deleted: One additional groundwater system is planned within the region.

Deleted: About

Deleted: (43,321 people)

2.2.2 SOURCE PROTECTION AUTHORITIES

Source protection authorities are administrative bodies mandated to satisfy the requirements of the Act in a source protection area. They are generally composed of the conservation authority boards of directors that are made up of representatives appointed by councils of the municipalities that form the

conservation authority. Where the jurisdiction of a source protection authority has been expanded to include areas outside of the jurisdiction of a conservation authority, the source protection authority includes additional representation from the municipalities included in this expanded area.

2.2.3 SOURCE PROTECTION COMMITTEE

The *Act* assigns responsibilities to a source protection committee made up of individuals selected to represent municipal, economic, general public, and First Nations interests across the Trent Conservation Coalition Source Protection Region. The composition and operation of the committee are prescribed under *O. Reg. 288/07* of the *Act*. The Chair was appointed by the Minister of the Environment and Climate Change on August 20, 2007 and the source protection committee was established in November 2007 following an open public process. In addition to the Chair, there are twenty-seven members: seven municipal representatives, seven representatives from the economic/industrial sector, seven members representing other interests, and three First Nations representatives. Three non-voting liaison members also sit on the committee to represent the Ministry of the Environment, Conservation and Parks, source protection authorities, and health units/departments. A list of source protection committee members can be found at the beginning of this document.

2.2.4 KEY DELIVERABLES

Source protection planning under the *Act* requires the development of three key deliverables: a terms of reference, assessment report, and source protection plan.

The *terms of reference* outlines the work plan, timeline, and responsibilities for the development of the assessment report and source protection plan, as well as lists the drinking water systems that are within its scope. A terms of reference for each source protection area in the Trent Conservation Coalition Source Protection Region was completed, publicly reviewed, and approved by the Ministry of the Environment, Conservation and Parks in January 2009.

Deleted: has been

The *assessment report* is a technical document developed in accordance with the terms of reference that identifies and evaluates threats to drinking water quality and quantity. The assessment report accomplishes this by compiling all relevant data on the applicable source protection areas and by applying scientific methodologies to assess the vulnerability of the municipal drinking water systems identified in the terms of reference. The methods used to complete the assessment report are outlined in the Technical Rules prepared by the Ministry of the Environment, Conservation and Parks. The most recent version of the Technical Rules was approved in December 2021. The Ganaraska Assessment Report was originally approved in October 2011 and is updated as required.

The *source protection plan* builds on the findings of the assessment report by establishing policies to manage, prevent or eliminate significant threats to drinking water quality and identifies who is responsible to take action. The plan also sets timelines for implementation. Where possible, the source protection plan builds on current projects, programs and processes and recognizes or reinforces existing management practices relevant to drinking water source protection.

The Terms of Reference for the Ganaraska Region Source Protection Area, Ganaraska Assessment Report, and Ganaraska Source Protection Plan are available on the Trent Conservation Coalition website

(www.trentsourceprotection.on.ca) or in hardcopy at the Ganaraska Region Conservation Authority office.

4.3 DRINKING WATER THREATS

Drinking water threats are activities that have the potential to impact the quality or quantity of drinking water sources. Drinking water quality and quantity threats are prescribed under the *Clean Water Act, 2006*. Policies in this source protection plan primarily addresses activities that are *significant* drinking water quality threats since no water quantity threats were identified in either the Trent River or Ganaraska Region watersheds. The *Clean Water Act, 2006* describes a comprehensive process by which activities are determined to be significant, moderate, or low drinking water threats based on the type of vulnerable area in which the activity is undertaken, the vulnerability score of that area, and the nature of the activity. This section provides a summary of the process of delineating and assigning vulnerability scores to vulnerable areas (2.3.1) and identifies the types of activities that can be considered significant drinking water threats (2.3.2).

Deleted: only

2.3.1 DELINEATION AND SCORING OF VULNERABLE AREAS

The Ganaraska Assessment Report documents the results of several technical studies that delineated the areas around municipal drinking water sources that are the most vulnerable to contamination and establishes vulnerability scores for each of these areas. The vulnerable areas delineated around surface water intakes are called *intake protection zones* (IPZ), and those delineated around groundwater wells are called *wellhead protection areas* (WHPA). These areas are further subdivided based on factors described below. Maps of intake protection zones and wellhead protection areas are provided in the Ganaraska Assessment Report for each drinking water system in the Ganaraska Region Source Protection Area.

Intake Protection Zones

Intake protectiozone 1 (IPZ-1) is the area immediately adjacent to the intake. This zone is considered the most vulnerable area for surface water intakes, due to its proximity to the intake, contaminants of concern entering the area would experience little to no dilution before reaching the intake. For the three surface water intakes in the Ganaraska Region Source Protection Area, which are located in Lake Ontario, this zone is delineated as a 1 kilometre radius around the intake crib. Where the IPZ-1 abuts land, it is extended perpendicular to the shoreline to the greater of 120 meters or the Ganaraska Region Conservation Authority regulation limit.

Deleted: P

Deleted: Z

The Intake Protection Zone 2 (IPZ-2) acts as a secondary protective zone that extends upstream of the IPZ-1. The IPZ-2 is defined as the area that may contribute water to an intake within a time of travel determined by water treatment plant operators to be sufficient for responding to a contamination event. Generally, this time frame is a minimum of 2 hours. The IPZ-2 also extends onto land from Lake Ontario and watercourses similar to the IPZ-1, but also considers transport pathways such as storm sewers and tile drains.

Intake Protection Zone 3 (IPZ-3) for a Great Lakes intake is an area that may contribute contaminants to an intake during extreme events. For the Ganaraska Region Source Protection Area intakes, an extreme event has been modeled to be a spill from a fuel pipeline that runs through the area, north of Highway

401. If a spill were to occur, the intakes associated with the Cobourg Water Treatment Plant, Newcastle Drinking Water System, and Municipality of Port Hope Water Treatment Plant could be impacted.

Wellhead Protection Areas

Wellhead protection areas are delineated based on the length of time it takes for water to move from the ground surface, underground to the well. This delineation helps to identify the length of time it would take most contaminants to travel from the location of a spill or leak to the associated well. Once a contaminant comes into contact with a permeable surface, it will percolate through the layers of soil until it reaches an aquifer where it is then transported to the municipal well. The wellhead protection areas are as follows:

- WHPA-A: The area within a 100-metre radius from a wellhead, considered the most vulnerable area for groundwater intakes.
- WHPA-B: The area within which the time of travel to the well (within the aquifer) is up to and including 2 years (excluding WHPA-A).
- WHPA-C: The area within which the time of travel to the well (within the aquifer) is up to and including 5 years (excluding WHPA-A and WHPA-B).
- WHPA-D: The area within which the time of travel to the well (within the aquifer) is up to and including 25 years (excluding WHPA-A, WHPA-B, and WHPA-C).
- WHPA-E: This area is only delineated where a well is influenced by surface water (*i.e.*, the well is considered GUDI – groundwater under the direct influence of surface water). WHPA-E is delineated the same way as the IPZ-2 for a surface water intake from the point of interaction between the aquifer and the surface water body. If the point of interaction is not known, the WHPA-E is delineated from the point in the surface water body that is nearest to the well. There are no WHPA-E delineations within the Ganaraska Region Source Protection Area.

Each IPZ and WHPA has a vulnerability score that reflects its vulnerability to contamination. Vulnerability scores are based on a comprehensive risk assessment process set out in the Technical Rules [with 10 being the highest](#). Vulnerable areas and their corresponding vulnerability scores provide the basis for identifying where activities are or could be water quality threats. Most activities can only be considered significant threats if undertaken in the vulnerable area closest to the drinking water source [with a vulnerability score of 8 or higher. The one exception is Dense Non-Aqueous Phase Liquids \(DNAPLs\) that](#) can be a significant threat in WHPA-A, WHPA-B and WHPA-C.

Deleted: (e.g., WHPA-A or IPZ-1). However, in some cases an activity can be a significant threat beyond these areas (e.g.,

Deleted:)

2.3.2 DRINKING WATER THREATS

The *Clean Water Act, 2006* identifies [22](#) activities that are prescribed to be drinking water threats. Other potential drinking water threats include conditions related to past activities and drinking water issues. Each of these types of drinking water threats is explained in this section.

Deleted: 21

Deleted: and allows source protection committees to add additional activities as "local threats"

2.3.2.1 PRESCRIBED DRINKING WATER THREATS

The activities prescribed to be drinking water threats under the *Clean Water Act, 2006* are those considered to be manmade. These activities as listed in the *Act* are provided below. Activities 1-18 and

21-22 are potential threats to water quality, and activities 19 and 20 are potential threats to water quantity¹.

- 1) The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the *Environmental Protection Act*.
- 2) The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.
- 3) The application of agricultural source material to land.
- 4) The storage of agricultural source material.
- 5) The management of agricultural source material.
- 6) The application of non-agricultural source material to land.
- 7) The handling and storage of non-agricultural source material.
- 8) The application of commercial fertilizer to land.
- 9) The handling and storage of commercial fertilizer.
- 10) The application of pesticide to land.
- 11) The handling and storage of pesticide.
- 12) The application of road salt.
- 13) The handling and storage of road salt.
- 14) The storage of snow.
- 15) The handling and storage of fuel.
- 16) The handling and storage of a dense non-aqueous phase liquid.
- 17) The handling and storage of an organic solvent.
- 18) The management of runoff that contains chemicals used in the de-icing of aircraft.
- 19) An activity that takes water from an aquifer or a surface water body without returning the water taken to the same aquifer or surface water body.
- 20) An activity that reduces the recharge of an aquifer.
- 21) The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.
- 22) [The establishment and operation of a liquid hydrocarbon pipeline \(see section 2.3.2.2 for more information\).](#)

Each prescribed drinking water threat has a set of circumstances that determine whether a particular instance of the activity is a significant, moderate, or low drinking water threat in each type of vulnerable area. These circumstances reflect various aspects of the activity. For some activities, there are separate sets of circumstances that determine if the activity is a chemical threat or a pathogen threat. *Chemical* threats are the aspects of an activity that can result in chemical contamination of a drinking water source and include a wide variety of substances. A *pathogen* threat is a micro-organism that causes disease, and often come from human or animal waste. Some activities are both *chemical* and *pathogen* threats. A synopsis of the circumstances that are considered to determine if a particular instance of an activity is identified as significant can be found in Chapter 4, [the 2021 Table of Drinking water threats can be found at https://swpip.ca/](#).

Deleted: .

¹ The water budget process that was completed for the Ganaraska Assessment Report did not identify any subwatersheds that were sufficiently stressed to allow activities 19 and 20 to become significant drinking water threats in the Ganaraska Region Source Protection Area.

2.3.2.2 PRESCRIBED DRINKING WATER THREATS DEFINED BY MODELLING

Threats not listed in the *Clean Water Act, 2006*, prior to 2018 were allowed to be included in the Ganaraska Assessment Report with approval from the Ministry of the Environment, Conservation and Parks only after a source protection committee has proven, using scientific methods and professional judgment, that the activity had the ability to impact human health as it relates to water quality. Due to the potential for contamination resulting from a pipeline oil spill, the following activity was approved as a prescribed drinking water threat circumstance in the Ganaraska Region Source Protection Area prior to the activity (listed in 2.3.2.1) being added in 2018 as a prescribed drinking water threat:

- The conveyance of oil by way of a pipeline that crosses a body of open water and would be designated as transmitting or distributing “liquid hydrocarbons,” including “crude oil,” “condensate,” or “liquid petroleum products,” and not including “natural gas liquids” or “liquefied petroleum gas,” within the meaning of the *Oil and Gas Pipeline Systems Regulation (O. Reg. 210/01)* under the *Technical Standards and Safety Act*, or is subject to the *National Energy Board Act*.

2.3.2.3 CONDITIONS

The *Clean Water Act, 2006* allows for the identification of threats as a result of historical activities. If a contaminant is measured at unacceptable levels, and the source of the contaminant is no longer controlled by regulations, then it is considered a condition. To be considered a drinking water threat, there must be documented evidence of the condition, and the condition must meet a number of criteria set out by the Technical Rules. No conditions were identified in the Ganaraska Assessment Report.

2.3.2.4 DRINKING WATER ISSUES

Drinking water issues exist where the concentration of a contaminant at a surface water intake or well related to a drinking water system may indicate a deterioration of the quality of the water for use as a source of drinking water. Only issues that are the result of anthropogenic (human) activity are considered significant threats under the *Clean Water Act, 2006*. No issues were identified in the Ganaraska Assessment Report.

4.4 DEVELOPMENT OF THE SOURCE PROTECTION PLAN

This section outlines the process by which the Trent Conservation Coalition Source Protection Committee developed the source protection policies found in this Plan (2.4.1). A review of the policy tools available to the source protection committee is provided (2.4.2). An overview of the mandatory (2.4.3) and optional (2.4.4) policies is also included. The explanatory document that accompanies this plan is described (2.4.5), and a summary of the consultation activities undertaken to comply with the *Clean Water Act, 2006* follows (2.4.6). Lastly, a review of matters impacting boundary municipalities is discussed (2.4.7).

2.4.1 POLICY DEVELOPMENT PROCESS

The Trent Conservation Coalition Source Protection Committee began preparation of the Ganaraska Source Protection Plan in early 2011. Each source protection area in the Trent Conservation Coalition Source Protection Region has a corresponding municipal working group that is made up of representatives from the municipalities located within that source protection area. The Chair of each of

Deleted: LOCAL

Deleted: can

Deleted:

Deleted: s

Deleted: n

Deleted: local

Deleted: local

these groups sits on the source protection committee. The committee worked with the municipal working groups to develop the policies required for the source protection plan.

For each of the 19 prescribed drinking water quality threats and the local threat, the municipal working groups first reviewed early policy concepts and provided feedback on these concepts to the Source Protection Committee. *Draft* source protection policies were then created based on the feedback from the committee. Next, the *draft* source protection policies were reviewed by the municipal working groups who again submitted feedback to the committee. Once the *draft* source protection policies were formulated they were circulated for pre-consultation to the identified implementing bodies. Following pre-consultation, the committee reviewed the written comments received from municipalities, agencies, provincial government, as well as others listed as responsible for implementation. These comments indicated support for or against a particular approach chosen by the committee. Following discussion of this feedback, the committee decided to either amend or maintain the policies for inclusion in the *Draft* Proposed Trent and Ganaraska Source Protection Plans.

Comments received on the *Draft* Proposed Ganaraska Source Protection Plan were discussed by the committee following the 37 day consultation period. In the majority of cases where suggestions for improved policy text were received, the committee agreed with the amendments. The committee also made changes to at least one of its policy approaches. Once the committee had agreed with the amendments to the plan, it was forwarded to the Ganaraska Source Protection Authority as the Proposed Ganaraska Source Protection Plan, to be posted for the final consultation period. All written comments received by the source protection authorities during this final 31 day consultation period were submitted with the Proposed Trent Source Protection Plan to the Minister of the Environment and Climate Change for consideration.

In 2013 the Ministry of the Environment and Climate Change completed a comprehensive policy review of the source protection plans across the Province. The policies underwent a final review and revision as a result of comments received following this process. The original Ganaraska Source Protection Plan was approved on October 23, 2014 and came into effect on January 1, 2015.

Deleted: , Conservation and Parks

Deleted: p

In order to address changes to the Technical Rules and make improvements to the Ganaraska Source Protection Plan periodic updates are required. These can be achieved through Section 36 of the *Clean Water Act, 2006* that allows for the review and amendments to the Ganaraska Assessment Report and Ganaraska Source Protection Plan. The Ministry of Environment, Conservation and Parks approved the most recent Section 36 Amendments on XXXX.

2.4.2 POLICY TOOLS

The committee's desired outcome for all source protection policies fell within one of two categories: to manage or to prohibit the drinking water threat. Further, some general policy approaches were taken to address a variety of activities. The *Clean Water Act, 2006* provides the committee with a wide range of approaches or "tools" to rely on as a means of achieving their desired outcome. Some tools rely on voluntary participation (*e.g.*, education and outreach, incentive programs), while others regulate a particular activity.

A summary of the tools available to the committee for developing source protection policies is given in Table 2.1. These tools may be seen as a spectrum, ranging from **less restrictive** tools, such as education and outreach, to **more restrictive** tools, such as prohibition and risk management plans.

Deleted: what are sometimes called “soft”

Deleted: hard”

The first three approaches given in the table are new authorities provided under the *Clean Water Act, 2006* that were created to address the gaps where significant threats could not be addressed by existing tools. The next four tools rely on existing legal powers or authorities by those that would ultimately be responsible for implementing the policies (i.e., Province, municipalities, conservation authorities, and other public bodies). Prescribed Instruments are a group of existing regulatory instruments that address a number of activities (i.e., Nutrient Management Plans, Environmental Compliance Approvals). Land use planning policies utilize existing municipal powers under the *Planning Act* and the *Condominium Act* to control the use and development of land. The final group, “other”, relies on other existing legislative authorities already granted to the body responsible for implementing the policy (e.g., *Municipal Act* authority) and other ways of dealing with threats authorized in section 26 of the *General Regulation* under the *Clean Water Act, 2006*.

Deleted: p

Table 2.1: Summary of Policy Tools

Tools		Explanation	
More Restrictive	Prohibition (section 57)	Prohibits an activity from taking place.	Part IV Powers under the <i>Clean Water Act, 2006</i>
	Risk Management Plans (section 58)	Risk management plans (RMPs) are site specific, locally negotiated plans that consist of a series of risk management measures and operational practices that address the threat, reflecting current practices where appropriate.	
	Restricted Land Uses (section 59)	Provides municipalities with an administrative procedure to avoid inadvertently approving development applications and building permits for activities that would conflict with Part IV policies in the source protection plan.	
	Prescribed Instruments	Provincial permits or approval documents issued for an activity in a vulnerable area can be amended to include requirements to help manage associated risks to the raw water supply. Alternatively, a policy could prohibit the issuance of or revoke such an instrument.	Existing Approaches
	Land Use Planning Approaches	The use of municipal planning tools and processes to regulate future development.	
Less Restrictive	Incentive Programs	Creation of incentive programs to encourage participation in initiatives to reduce risks to sources of drinking water.	Existing Approaches
	Education and Outreach	Programs that will help raise awareness about why and how drinking water sources should be protected.	
	Other	<p>“Other” tools include the following:</p> <ul style="list-style-type: none"> • Specify the actions to be taken to implement the source protection plan policies or to achieve the plan’s objectives; • Establish stewardship programs; • Specify and promote best management practices; • Establish pilot programs; and • Govern research. 	

2.4.3 MANDATORY POLICIES

The *Clean Water Act, 2006* specifies the required content for the source protection plan. Mandatory policies can be separated into two groups: those written to address existing and future significant threats, and monitoring policies.

For areas where an activity is or would be a significant drinking water threat, policies must be included in the plan to ensure that the activity ceases to be or does not become significant. For each of these

significant drinking water threat policies, a corresponding monitoring policy was written to ensure that the policies are being implemented.

These monitoring policies outline the requirement for the implementer of drinking water threat policies to report annually on the activities carried out in the preceding year to implement the policies.

Deleted: must be

2.4.4 OPTIONAL POLICIES

The *Clean Water Act, 2006* and the *General Regulation* under the *Act* also identify a number of optional policies that can be included a source protection plan at the discretion of a source protection committee. The types of optional policies are as follows:

- For areas where a condition resulting from a past activity is a significant threat, policies intended to ensure the condition ceases to be significant;
- Policies to address activities and conditions identified as moderate and low threats;
- Policies governing:
 - Incentive programs and education and outreach programs, including for drinking water systems not in the terms of reference;
 - Spills prevention, contingency or response plans along highways, railways or shipping lanes within intake protection zones or wellhead protection areas;
 - Climate change data collection;
 - Transport pathways; and
 - Monitoring moderate or low threats elsewhere in the source protection region.

The Source Protection Committee has chosen to only include the following optional content in this source protection plan: policies addressing education and outreach program for First Nations drinking water systems, spills prevention, climate change data collection, incentive programs, and transport pathways. These policies can be found in Section 4.6.

Deleted: s

Deleted: p

Deleted: c

2.4.5 EXPLANATORY DOCUMENT

An explanatory document must be prepared and submitted with the source protection plan and any subsequent amendments as outlined in section 40 of the *General Regulation* under *Act*. The purpose of this document is to provide the rationale for the policies included in the plan and to explain the source protection committee’s policy decisions. The document allows stakeholders, the general public, municipalities, and the Minister of the Environment Conservation and Parks to understand the context and history behind the policies. This document must accompany the Trent and Ganaraska Source Protection Plans for public consultation purposes.

Deleted: and Climate Change

The Minister will use the explanatory document to assist in understanding the rationale for the policies in the plan and any subsequent amendments, but it is neither formally reviewed nor approved by the Minister.

Deleted: The explanatory document was updated following the first formal consultation period to reflect how policies were changed as a result of comments received. Prior to submission to the Minister, the explanatory document will be forwarded with the Proposed Ganaraska Source Protection Plan to the Ganaraska Source Protection Authority. The Ganaraska Source Protection Authority will then submit the Proposed Ganaraska Source Protection Plan and the accompanying explanatory document to the Minister along with their own comments, if any, and any additional comments or municipal resolutions (made under section 24 of the *Act*) received by the Authority. ¶

Deleted: The Minister may request changes to the proposed source protection plan before it is approved. If changes are made to the plan, the explanatory document must also be updated to reflect those changes to the plan.

The explanatory document must include the following content (where applicable):

- An explanation of the source protection committee’s policy decisions;
- The reasons why the section 57 prohibition tool was used to address the threat of an existing activity;
- A statement indicating that the committee is of the opinion that non-regulatory measures are sufficient to address significant threats, when used as a stand-alone policy tool;
- A summary of pre-consultation comments received and an explanation of how they affected policy development;
- A summary of how financial implications may have affected policy decisions; and
- An explanation of how climate change considerations may have impacted policies.

2.4.6 CONSULTATION OPPORTUNITIES

The source protection planning process is transparent and interactive. The *Clean Water Act, 2006* and the *General Regulation* under the *Act* identify four consultation periods that are intended to engage stakeholders and people who are directly impacted by the plan. These consultation opportunities are described in Table 2.3. Section 28 of the *General Regulation* requires the plan to include a summary of all consultation activities undertaken during the preparation of the terms of reference, the assessment report, and the source protection plan. This summary can be found in Appendix 5.

Deleted: that
Deleted: 2

Table 2.2: Consultation Opportunities Related to Policy Development

Consultation Opportunity	Description
Notice of Plan Preparation	Source protection committees are required by section 19 of the <i>General Regulation</i> to formally give notice in their source protection region/area when they begin preparing the source protection plans.
Pre-Consultation	Refers to the legislated requirement detailed in sections 35 to 39 of the <i>General Regulation</i> to send notices to persons or bodies responsible for implementing policies and to government ministries that have obligations under the <i>Clean Water Act, 2006</i> .
Formal Consultation (Draft Proposed Ganaraska Source Protection Plan)	The committee must publish a <i>draft</i> source protection plan on the Internet and make it available for review and comment by the public for a minimum period of 35 days (section 41 of the <i>General Regulation</i>). Further, the committee <u>may</u> give notice and hold at least one public meeting at a location in the source protection region/area at least 21 days after making the plan available to the public.
Formal Consultation (Proposed Ganaraska Source Protection Plan)	The committee must publish the proposed source protection plan on the Internet for inspection by the public for a minimum period of 30 days.

Deleted: must

2.4.7 MATTERS IMPACTING BOUNDARY MUNICIPALITIES

The Trent Conservation Coalition Source Protection Committee has worked collaboratively with the three adjacent source protection regions (South Georgian Bay-Lake Simcoe, CTC, and Quinte) as source protection policies evolved. The primary intent of this working relationship was to ensure a consistent approach to addressing significant drinking water threats among the four source protection regions whenever possible. The policies of adjacent source protection regions were considered on an ongoing basis by the source protection committee during the policy development process. Further, meetings were held between staff of adjacent source protection regions and municipalities regarding policy consistency for municipalities that are located within more than one source protection region. It is recognized that municipalities with shared boundaries will have additional challenges during implementation where policy approaches are different across source protection regions.

Chapter 3: Administration

This chapter discusses compliance with and implementation of this source protection plan. The compliance section (3.1) addresses the legal effect of the policies and the dates when these policies take effect. The implementation section (3.2) focuses on implementing the plan and includes some discussion of financial considerations.

3.1 COMPLIANCE

This section includes a discussion of the types of legal effect (3.1.1), the timelines for compliance (3.1.2), and a description of the circumstances in which a source protection plan can be amended (3.1.3).

3.1.1 LEGAL EFFECT OF POLICIES

Legal effect refers to the legal authority given by the *Clean Water Act, 2006* to each policy and the standard by which it is to be implemented. The legal effect of a particular policy is determined by the type of threat being addressed (i.e., significant, moderate, or low), the policy tool, and the implementing body.

There are three legal effects outlined in the *Clean Water Act, 2006* for the policies throughout this plan:

- 1) Must Conform – legally binding, decisions made by implementing bodies are required to conform or comply with policies for significant threats, meaning that the decision must be in accordance with the provisions of the significant drinking water threat policy.
- 2) Have Regard To – legally binding, decisions are required to have regard to policies for moderate and low threats, meaning that the decision must consider the policy and give it appropriate weight with other factors.
- 3) Strategic (non-legally binding) – other types of policies that have been developed to achieve the Plans’ objectives that are equally essential to achieving the Plan’s objectives but are not given legal effect by the Act, such as policies respecting stewardship programs, pilot programs, research, outreach and education, and, in several instances, policies that specify actions for public bodies. Under the Act, these policies are not legally enforceable, nor do they create legal duties. Rather, accountability for these policies is achieved through methods other than courts or tribunals, such as through the periodic progress reports on the Plan mandated under the Act.

A summary of the legal effect as it relates to the implementing bodies identified in the policies in this source protection plan is provided in Table 3.1. A description of the types of legal effect as it applies to the various implementing bodies is provided in Table 3.2. Appendix 3 contains various lists that designate the appropriate legal provisions of each policy as outlined in the *Clean Water Act, 2006*. Reference to each list in Appendix 3 is provided in Table 3.2.

Deleted: The *Clean Water Act, 2006* allows for more than one type of legal effect, e.g., “must conform/comply with” and “have regard to” which are legally binding, and “strategic” which is not legally binding. Taking a strategic approach to protect sources of drinking water is widely used to implement several policies in this source protection plan.

Table 3.1: Legal Effect of Policies by Policy Tool and Implementing Body

Policy Tool	Implementing Body		
	Province	Municipality, Risk Management Official, Local Board, Conservation Authority, or Source Protection Authority	Other Bodies
SIGNIFICANT THREAT POLICIES – ACTIVITIES			
Part IV Tools ¹	N/A	<u>Must Conform</u>	N/A
Prescribed Instruments	<u>Must Conform</u>	N/A	N/A
Land Use Planning Approaches	N/A ³	<u>Must Conform</u>	N/A
Education and Outreach / Incentive Programs	Strategic	<u>Must Conform</u>	Strategic
Other ²			
MONITORING POLICIES			
All Policy Tools	<u>Must Conform</u> ↓	<u>Must Conform</u> ↓	<u>Must Conform</u> ↓
OTHER			
Transport Pathways	Strategic	Strategic	Strategic
Extension of Education and Outreach Programs			
Climate Change Data Collection			
Collaboration with Other Jurisdictions			
Spill Prevention, Contingency or Response Plans along Highways, Railways or Shipping Lanes			

Deleted: Conform/Comply With

Deleted: Conform/Comply With

Deleted: Conform/Comply With

Deleted: Conform/Comply With

Deleted: onform/Comply With

Deleted: Conform/Comply With

¹ Part IV Tools are Prohibition (section 57), Risk Management Plans (section 58), and Restricted Land Uses (section 59)

² Other approaches include: specify the action to be taken to implement the source protection plan or to achieve the plan’s objectives; establish stewardship programs; specify and promote best management practices; and govern research.

N/A Not applicable

³ It is acknowledged that the Ministry of Municipal Affairs and Housing has a role in approving updates to Official Plans made to achieve conformity with the source protection plan

Table 3.2: Description of the Types of Legal Effect Provided under the Clean Water Act, 2006

Legal Effect	Reference (Appendix 3)	Description of Legal Effect
Must Conform	List A	The Act requires decisions under the <i>Planning Act</i> and <i>Condominium Act, 1998</i> to conform with significant threat/condition policies.
	List C	The Act requires decisions related to prescribed instruments to conform with significant threat/condition policies.
	List E	The Act requires municipalities, local boards, source protection authorities or conservation authorities to comply with any obligations imposed on it to address a significant drinking water threat/condition, regardless of the particular tool or approach used in the policy.
	List F	The source protection plan must designate a public body to carry out monitoring required by the Act and these public bodies must conform with the obligations set out in the monitoring policies.
	Lists G, H, I	Persons carrying out significant threat activities must conform with policies that use Part IV powers under the Act.
Have Regard to	List B	The Act requires decisions under the <i>Planning Act</i> and <i>Condominium Act, 1998</i> to have regard to moderate and low threat/condition policies.
	List D	The Act requires decisions related to prescribed instruments to have regard to moderate and low threat/condition policies.
Strategic	List J	Significant, moderate, and low threat/condition policies to be implemented by bodies other than municipalities, local boards or source protection authorities and which do not rely on Part IV tools, prescribed instruments, or <i>Planning Act</i> tools.
		Other permitted policies governing: <ul style="list-style-type: none"> • Incentive programs and education and outreach programs, including for systems not in the terms of reference; • The update of spills prevention, contingency or response plans along highways, railways, or shipping lanes; • Climate change data collection; and • Transport pathways in WHPA or IPZ.
	List K	Optional monitoring policies to be implemented by bodies other than municipalities, local boards, source protection authorities, or conservation authorities.
		Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or source protection authorities

Deleted: Must Conform/ Comply

3.1.2 EFFECTIVE, COMPLIANCE AND TARGET DATES

The only policy tool with a default effective date under the *Clean Water Act 2006* is Prohibition (Section 57), whereas all other policy tools are effective on the date the Source Protection Plan takes effect (January 1st 2015). The effective date is the date specified in the Notice of Approval posted on the

Environmental Bill of Rights Registry by the Minister of the Environment, Conservation and Parks. The effective dates for policy tools used in this source protection plan are summarized in Table 3.3.

Policy tools have various Compliance or Target Dates summarized in Table 3.3. Compliance dates are for Must Comply legally binding policies, and is the date by which the particular policy must be conformed to. Target dates are for Strategic policies, and are by which the dates the particular policy should be conformed to.

Table 3.3: Effective Date and Compliance/Target Date for Source Protection Policies by Policy Tool

Policy Tool	¹ Effective Date	² Compliance/ Target Date
Prohibition (section 57)	180 days after the notice of approval for this source protection plan is posted on the Environmental Bill of Rights Registry	
Risk Management Plans (section 58)	January 1 st , 2015	Established within <u>two</u> years <u>when the Risk Management Official becomes aware of the activity.</u>
Restricted Land Uses (section 59)		Immediate when plan takes effect
Land Use Planning		Within five years
Monitoring Policies		Annual
Specify Actions		Various – see policy text
Other policy tools		

Deleted: As determined by RMO

Deleted: five

Deleted: (

Deleted: provisions initiated within two years)

¹ **Effective Date** – the date determined by the Minister of Environment, Conservation and Parks upon which the Ganaraska Source Protection Plan is deemed to be in effect. (see 3.1.2)

² **Compliance/Target Date** – the date by which implementing bodies must conform to policies. (see 3.1.2)

3.1.3 AMENDMENTS TO THIS PLAN

This source protection plan will come into effect on the Effective Date specified in the Notice of Approval posted on the Environmental Bill of Rights Registry., Amendments are permitted in accordance with the situations prescribed by the *Clean Water Act, 2006* and the *General Regulation*. These situations are as follows:

- 1) The Ganaraska Region Source Protection Authority, after consulting with the source protection committee, may propose amendments to the Ganaraska Source Protection Plan.
- 2) The Minister of the Environment, Conservation and Parks may order an amendment to the Ganaraska Source Protection Plan.
- 3) When issuing the approval for the Ganaraska Source Protection Plan, the Minister of the Environment, Conservation and Parks can specify the date by which the plan and the Ganaraska Assessment Report should be updated.

3.2 IMPLEMENTATION

This section discusses the enforcement of the contents of this source protection plan (3.2.1), the annual review (3.2.2), and refers to the provisions in the Act that are in place to finance various aspects of the source protection planning process (3.2.3).

Deleted: Any planning document is strengthened by its ability to be implemented once approved.

3.2.1 ENFORCEMENT

Many of the policies in this source protection plan will be implemented through other existing plans and instruments. Details of how a particular policy will be implemented and enforced, as well as the consequences for non-compliance, therefore, differ depending on the particular plan or instrument being used. Occurrences of non-compliance are anticipated to be rare, given an understanding of the importance of protecting drinking water by all parties involved. Nevertheless, the following clauses give an overview of compliance requirements; however they do not replace the details set out in the *Clean Water Act, 2006*:

- If a municipality fails to bring its Official Plan into conformity with the significant threat policies included in this source protection plan by the date specified, the Province has the authority to compel a municipality to complete this conformity exercise. The Province may also, by order, amend a municipal Official Plan or Zoning By-law so that it conforms to the source protection policies.
- With respect to Prescribed Instruments, there are various methods of enforcement, depending on the governing statute.
- If an individual or business will not voluntarily agree to a Risk Management Plan, the Risk Management Official can establish it on their behalf. The Risk Management Inspector has the authority to take actions to achieve compliance if there is failure to comply with a Risk Management Plan or order that a person cease engaging in an activity prohibited under Part IV of the Clean Water Act, 2006. If an individual or a corporation is found guilty of an offence under the *Clean Water Act, 2006*, he or she may incur financial penalties.
- Obstructing or providing false information to an employee or agent of a source protection authority or municipality is also subject to the penalties outlined in the *Clean Water Act, 2006*.

Deleted: p

Deleted: p

Deleted: If an owner of a property subject to a risk management plan does not fulfill his or her obligations, the Environmental Review Tribunal Process could be triggered. ¶

3.2.2 ANNUAL PROGRESS REPORT

The *Clean Water Act, 2006* requires that source protection authorities prepare an annual progress report describing the measures taken to address existing and future significant drinking water threats, the results of monitoring, and the progress that has been achieved in meeting the source protection plan's objectives. The annual progress report will rely on the following sources for information:

- Monitoring results associated with implementation of the policies;
- Annual reports prepared by the Risk Management Official;
- Information collected outside of the *Clean Water Act, 2006* (i.e., raw water intake data collected by municipalities under the *Safe Drinking Water Act*);

- Information collected from certain public bodies (i.e., technical studies, records related to a drinking water threat); and
- Information gathered from property inspection (section 88 of the *Clean Water Act, 2006* provides the source protection authority power to enter property for the purpose of gathering information to prepare an annual progress report).

Further details on what information must be included in the annual progress report can be found in section 46 of the *Clean Water Act, 2006* and the *General Regulation*.

The annual progress report will be submitted to the source protection committee with the opportunity to provide comments. The report, along with any comments from the committee, will then be submitted to the Minister of the Environment Conservation and Parks by May 1, each year, allowing them to monitor progress of this source protection plan against its objectives.

Deleted: and Climate Change

Deleted: , 2018

The annual progress report will provide a basis for future amendments to this source protection plan and will serve as important information in evaluating the implementation of the source protection program.

3.2.3 FINANCIAL CONSIDERATIONS

Municipalities, residents, the Province, and persons undertaking activities that are significant drinking water threats share the responsibility for ensuring the safety of drinking water sources and are responsible for financing the implementation of the source protection plan. The Province of Ontario has provided funding to develop the source protection program since 2005, including capacity building at each conservation authority and costs related to the technical studies that form the foundation of the Ganaraska Source Protection Plan. Municipalities have been a key participant in the source protection planning processes since its inception. As a result, in-kind costs have been borne by municipalities in the Ganaraska Source Protection Area to assist in the development of the Ganaraska Source Protection Plan.

Deleted: p

The explanatory document discusses in further detail how financial implications were considered during policy development. Within the *Act*, some provisions are set out for financing various aspects of source protection, including stewardship programs and application of fees for Part IV policies. As stated in the *Act*, fees can be applied to applications received under sections 58, 59 or 60 of the *Clean Water Act, 2006*, for agreeing to or establishing a risk management plan under section 56 or 58, for issuing a notice under section 59, for accepting a risk assessment under section 60, or for entering property or exercising any other powers under section 62. It is acknowledge that cost recovery mechanisms are not available for all policies contained within the Ganaraska Source Protection Plan. Therefore, all implementing bodies will bear some costs for implementation.

Section 97 of the *Clean Water Act, 2006* established the Ontario Drinking Water Stewardship Program. When funding is available from the Province, this program provides financial assistance to landowner, business and municipalities approved as a result of an application process. Landowners, businesses and municipalities directly impacted by the future implementation of the Ganaraska Source Protection Plan have previously been eligible for funding. The program has also provided for education and outreach programs to raise awareness of the importance and opportunities for individuals to take actions to protect sources of drinking water, and some funding for selected municipalities to acquire land adjacent to municipal drinking water systems.

Deleted: T

Deleted: has

Deleted: d

CHAPTER 4: policies

This chapter contains policies developed to address significant drinking water threats for the Ganaraska Region Source Protection Area. Sections 4.1 and 4.2 describe the content and layout of the policies and the supporting policy applicability mapping. Sections 4.3 through 4.6 provide the policies themselves; these include general policies that apply to all significant drinking water threats (4.3), policies that apply to prescribed activities (4.4), and other policies that are permitted under the *Clean Water Act, 2006* (4.5).

Deleted: policies that apply to the local threat added by the source protection committee (4.5)

Deleted: 6

4.1 POLICY FORMAT

This section is intended to provide the reader with all the details necessary to interpret the policies in the Ganaraska Source Protection Plan. For each of the prescribed drinking water threats, a threat summary is provided (4.1.1). The policy header identifies the policy number and the applicable area to which the policy applies (4.1.2). Each of the components of the policies contained in the Ganaraska Source Protection Plan is described in Section 4.1.3.

2.1.3 THREAT SUMMARY

This section, located ahead of the policy description, is a summary of the various circumstances of an activity that are considered to determine if the activity is or would be a significant drinking water threat. The threat summary is provided for convenience, and the [Technical Rules and Table of Drinking Water Threats \(https://swpip.ca/\)](https://swpip.ca/) should be consulted for purposes of determining whether a particular circumstance of an activity applies to the associated policy or policies.

Deleted: Tables of Drinking Water Threats

2.1.4 POLICY HEADER

Each policy begins with a header that indicates the policy number and applicable area of each policy. A sample header and a description of each of its components are given below.

Sample Header: Policy No. _____ Applicable Area:  surface water
groundwater

Threat Subcategory	Applicable Policies	Applicable Area
		WHPA A-D

Policy No. Each policy has a unique alphanumeric identifier (e.g., S-1). The letter reference is a code that indicates the drinking water threat addressed by the policy or, in some cases, the applicable group of policies. Letter codes are given in Table 4.1. The number reference is a sequential number used within each set of letter codes.

Map Colours: The coloured blocks at the right side of the policy header indicate the corresponding coloured area on the policy applicability maps for wellhead protection areas (groundwater) (see Section 4.2). Policy applicability maps for drinking water systems within the Ganaraska Region Source Protection Area are provided in Appendix 2. Note that this colouration represents areas where the policy would apply in at least one threat

circumstance.

For intake protection zones (surface water) policy applicability is indicated by the words “modeled” or “IPZ-3”.

Table 4.1: Policy Letter Codes

Cod	Meaning of Code
G	General Policies (apply to various threats)
S	Sewage Systems
A	Agriculture
F	Fuel Handling and Storage
R	Road Salt
W	Waste Disposal
D	DNAPLs and Organic Solvents
N	Non-Agricultural Source Material
O	Snow Storage
P	Aircraft De-Icing
L	Locally Defined Prescribed Threat (Pipeline)
OT	Other Policies

2.1.5 POLICY COMPONENTS

This section gives the actual policy text, organized in tabular format.

Applicable Activities: Identifies the activity or activities to which the policy applies.

Applicable Policy Tool: Identifies the context in which the policy tool is to be used.

Policy No.: Identifies the code that indicates the drinking water threat addressed by the policy or, in some cases, the applicable group of policies.

Tool: Identifies the policy tool being applied to the activity (see Section 2.4.2). Each of the policy tools and their corresponding abbreviations are listed in Table 4.2.

Legal Effect: Indicates the legal effect of the policy (see Section 3.1.1). The abbreviations representing the legal effect of policies are listed in Table 4.3.

Implementer: Identifies the body responsible for implementation of the policy. Policies are listed by implementer in Appendix 4.

Existing/Future (E/F): Identifies whether the policy applies to existing or future activities. In some cases, policies apply to both existing and future instances of an activity.

Policy Text: Identifies the requirement(s) of the policy that will be undertaken by the implementing body. Where applicable, this component includes when the policy comes into effect (see Section 3.1.2).

Monitoring Policy: Identifies the applicable monitoring policy.

Table 4.2: Policy Tool Abbreviations

Abbreviation	Policy Tool
DEF	Definition
E & O	Education and Outreach
LUP	Land Use Planning
MON	Monitoring
PI	Prescribed Instrument
PRO	Prohibition
RES	Research
RLU	Restricted Land Use
RMP	Risk Management Plan
SA	Specify Action

Table 4.3: Legal Effect Abbreviations

Abbreviation	Legal Effect
MC	Must conform
S	Strategic

Deleted: comply /

4.2 POLICY APPLICABILITY MAPS

Policies apply to activities based on the type of vulnerable area within which the activity is or would be located or undertaken (*i.e.*, a wellhead protection area or an intake protection zone), the vulnerability score of that area, and the specific circumstances of the activity (see Sections 2.3.1 and 2.3.2 for more information about threat circumstances and vulnerability scores [or visit https://swpip.ca/](https://swpip.ca/)). To facilitate the understanding of where policies in this Plan may apply for a given activity, a policy applicability map has been developed for each drinking water system in the Ganaraska Region Source Protection Area ([Appendix 2](#)). Please note that the policy applicability maps for the three Lake Ontario systems only show the locations where threat policies apply. Policies that address modeled threats, a wastewater plant disinfection failure and a marina fuel storage spill, are described in section 4.4.1 and 4.4.3 respectively.

Each WHPA map shows the parts of the vulnerable area for the associated drinking water system where the vulnerability score is high enough for a significant drinking water threat to be possible in at least one circumstance. The coloured areas on the maps represent the vulnerability scores of the associated areas (with an exception for threats related to dense non-aqueous phase liquids (DNAPLs), which can be a

significant threat in the WHPA-C regardless of the vulnerability score of that area). The vulnerability scores associated with each colour are given in Table 4.4.

The policy header indicates the coloured parts of the applicability map where the associated policy would apply for the activities addressed by the policy. For example, in the sample wellhead protection area map and sample policy header shown in Figure 4.1, the policy related to the sample policy header would apply in the areas associated with the red portion of the map. In the sample intake protection zone map, that same policy would apply in the areas associated with both the yellow and orange portions of the map. Note that the policy applicability maps are given for convenience and that the Ganaraska Assessment Report maps should be consulted for approved vulnerability mapping.

Table 4.4: Meanings of Policy Applicability Map Colours by Type of Vulnerable Area

Type of Vulnerable Area	Map Colours and Vulnerability Scores		
Wellhead Protection Area	10	8	WHPA-C (2,4,6)

Sample Policy Header

groundwater  surface water 



Figure 4.1: Sample policy header and sample applicability maps for wellhead protection area (left) and intake protection zone (right).

4.3 GENERAL POLICIES


The following policies are general approaches to addressing activities that are or would be significant drinking water threats. These policies generally apply to more than one activity (i.e., prescribed drinking water threat). Applicable area headers are not provided for these policies since they universally apply to

coloured areas on the policy applicability maps where an existing activity is a significant drinking water threat or would be in the future.

4.3.1 TRANSITION POLICY AND DEFINITION OF “EXISTING”/“FUTURE”

POLICY G-1 TRANSITION PROVISIONS

Applicable Activities: This policy applies to all other policies in this source protection plan.

Policy No.	Tool	Legal Effect	Implementer	Policy Text
G-1(1)	DEF	MC	Various	A future significant drinking water threat is defined as the following: a) An activity that is proposed to commence after the date the Ganaraska Source Protection Plan takes effect and is not an existing activity.
G-1(2)	DEF	MC	Various	An existing significant drinking water threat is defined as the following: <u>a) A lawful activity on the property that has occurred prior to the date that the Ganaraska Source Protection Plan or any subsequent amendment takes effect, so long as it continues, and where there is an intention to continue such activity.</u> <u>b) An agricultural activity¹ that the Risk Management Official has been able to verify has been part of a regular farm rotation and has occurred at least once within the previous 10 years.</u> <u>c) A lawful activity on the property that is related to a development proposal where an application or amendment was made under the <i>Planning Act</i>, <i>Condominium Act</i>, or <i>Building Code Act</i>, on a day before the source protection plan or any subsequent amendment takes effect, and the approval of the application is pending or has been granted.</u> d) 

¹Agricultural activities include:

- 1) The application of agricultural source material to land;
- 2) The storage of agricultural source material;
- 3) The application of commercial fertilizer to land;
- 4) The handling and storage of commercial fertilizer;
- 5) The application of pesticide to land;
- 6) The handling and storage of pesticide; and
- 7) The use of land as livestock grazing or pasturing land, an outdoor confinement area, or a farm-animal yard.

Deleted: <#>An activity that has been engaged in prior to the date that the Ganaraska Source Protection Plan takes effect and continues to occur;[¶]
 <#>An agricultural activity¹ that has been engaged in at some time within the 10-year period prior to the date that the Ganaraska Source Protection Plan takes effect;[¶]
 <#>An activity that is related to a development proposal where an application was made under the *Planning Act*, *Condominium Act*, or *Building Code Act* on a day before the source protection plan takes effect, including but not limited to a matter listed in G-1(3); or[¶]
 <#>An activity that is related to an application made for the issuance or amendment of a Prescribed Instrument on a day before the source protection plan takes effect.

POLICY G-1 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	Policy Text
G-1(3)				Removed a)
G-1(4)	DEF	MC	Various	<p>The expansion of a significant drinking water threat is defined as the following: An increase in the scale of an activity already taking place on a property. The increase in scale may include, but is not limited to:</p> <ul style="list-style-type: none"> a) Increasing the area of land where an activity is taking place; b) Increasing the amount of effluent or discharge from an activity; c) Increasing the quantity of chemical or pathogen containing material handled or stored; or d) Increasing the quantity of chemical or pathogen containing material applied. <p>The expansion of existing and future activities will be managed using the tool specified by the relevant policy(ies) in this plan to ensure that the expansion of the activity does not increase the risk to drinking water.</p> <p>Where not otherwise specified in this Plan, an expansion, alteration or replacement of an activity that would be more protective of municipal drinking water sources shall be permitted.</p>

Deleted: Approval authority under the *Planning Act*

Deleted: DEF

Deleted: MC

Deleted: <#>For the purposes of G-1(2)c, a matter is deemed to have commenced prior to the date that the Ganaraska Source Protection Plan takes effect;¶
<#>In the case of a request for an official plan amendment, on the day the request is received;¶
<#>In the case of an official plan, an amendment to it or a repeal of it, on the day the bylaw adopting the plan, amendment or repeal is passed;¶
<#>In the case of a zoning bylaw or an amendment to it, on the day the bylaw is passed;¶
<#>In the case of an application for an amendment to a zoning bylaw, on the day the application is made;¶
<#>In the case of an application for an approval of development in a site plan control area under subsection 41 (4) of the *Planning Act*, on the day the application is made;¶
<#>In the case of an application for a minor variance under section 45 of the *Planning Act*, on the day the application is made;¶
<#>In the case of an application to amend or revoke an order under section 47 of the *Planning Act*, on the day the application is made;¶
<#>In the case of an application for the approval of a plan of subdivision under section 51 of the *Planning Act* or an application for the approval of, or an exemption from an approval of, a condominium under section 9 of the *Condominium Act, 1998*, on the day the application is made; or¶
<#>In the case of an application for a consent under section 53 of the *Planning Act*, on the day the application is made.

4.3.2 SUPPORTING POLICIES TO ADDRESS SIGNIFICANT DRINKING WATER THREATS

POLICY G-2: GENERAL PROVISIONS FOR POLICIES THAT USE PRESCRIBED INSTRUMENTS

Applicable Activities: Any of the following activities would be an existing or future significant drinking water threat, and a policy in this source protection plan specifies the use of a Prescribed Instrument:

- 22) Establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the *Environmental Protection Act*;
- 23) Establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage;
- 24) Application of agricultural source material to land;
- 25) Storage of agricultural source material;
- 26) Application of commercial fertilizer to land;
- 27) Application of pesticide to land;
- 28) Use of land as an outdoor confinement area or a farm-animal yard;
- 29) Application of non-agricultural source material to land; and
- 30) Handling and storage of non-agricultural source material.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-2(1)	PI	MC	OMAFRA MOECP	E/F	The Prescribed Instruments will include provisions to ensure that the expansion of the activity does not result in significant drinking water threats.	G-2(2)
G-2(2)	MON	MC	OMAFRA MOECP	E/F	<p>The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p> <ul style="list-style-type: none"> a) A summary of reviews completed during the calendar year on the Prescribed Instruments for existing significant drinking water threats, including a summary of the provisions included to ensure that the activity(ies) cease to be significant drinking water threats; b) A summary of reviews completed during the calendar year on the Prescribed Instruments for future activities, including a summary of the provisions included to ensure that the activity(ies) will not be significant drinking water threats; c) A summary of inspections carried out and any orders issued as a result of an inspection during the preceding calendar year; and d) Other content as specified in clauses S-3(3), A-2(2), and OT-1(7). 	N/A

POLICY G-3: LAND ACQUISITION IN VUNLERABLE AREAS

Applicable Activities: This policy applies to all activities that are listed as prescribed drinking water threats under the Clean Water Act, 2006 (General Regulation Section 1.1) and that are defined as existing or future significant drinking water threats. (These activities are listed in Section 2.3.2.1).

Deleted: All activities listed in section 1.1 of the *General Regulation* under the *Clean Water Act, 2006* that are existing significant drinking water threats or that would be future significant drinking water threats.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-3(1)	SA	MC	Municipality	E/F	To prevent the activity causing the threat, consider the purchase of properties located in the most vulnerable areas on an ongoing basis. Criteria for evaluating the feasibility of purchasing land can include, but are not limited to: <ul style="list-style-type: none"> a) The nature of any existing and potential future significant drinking water threats; b) The availability of the lands for purchase; and c) The availability of funds and financial feasibility. 	G-3(2)
G-3(2)	MON	MC	Municipality	E/F	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: <ul style="list-style-type: none"> a) A summary of any land purchases within a vulnerable area and how significant drinking water threats were eliminated as a result of the purchase. 	N/A

POLICY G-4: SUPPORT OF INCENTIVE PROGRAMS

Applicable Activities: This policy applies to all activities that are listed as prescribed drinking water threats under the Clean Water Act, 2006 (General Regulation Section 1.1) that are defined as existing or future significant drinking water threats, (These activities are listed in Section 2.3.2.1).

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-4(1)	SA	MC	Ganaraska Region Conservation Authority	E/F	Support and facilitate the implementation of incentive programs, such as the Ontario Drinking Water Stewardship Program, that promote and financially support the use of best management practices for activities that are or would be significant drinking water threats in the Ganaraska Region Source Protection Area on an ongoing basis.	G-4(3)
G-4(2)	SA	MC	Ganaraska Region Conservation Authority	E/F	Seek out incentive programs that promote and financially support the implementation of best management practices for activities that are or would be significant drinking water threats in the Ganaraska Region Source Protection Area on an ongoing basis.	G-4(3)
G-4(3)	MON	MC	Ganaraska Region Conservation Authority	E/F	The Ganaraska Region Conservation Authority shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) The number and nature of significant drinking water threats that have been addressed using funding or technical assistance from an incentive program in the preceding calendar year.	N/A

Deleted: All activities listed in section 1.1 of the *General Regulation* under the *Clean Water Act, 2006*, in addition to the local threat, that are existing significant drinking water threats or that would be future significant drinking water threats.

Deleted: existing

Deleted: (ODWSP)

POLICY G-5: EDUCATION AND OUTREACH PROGRAM

Applicable Activities: Any of the following activities is an existing significant drinking water threat or would be a future significant drinking water threat:

- a) Establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the *Environmental Protection Act*;
- b) Establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage;
- c) Application of agricultural source material to land;
- d) Storage of agricultural source material;
- e) Application of commercial fertilizer to land;
- f) Handling and storage of commercial fertilizer;
- g) Application of pesticide to land;
- h) Handling and storage of pesticide;
- i) Use of land as livestock grazing or pasturing land, an outdoor confinement area, or a farm-animal yard;
- j) Application of non-agricultural source material to land;
- k) Handling and storage of non-agricultural source material;
- l) Application of road salt;
- m) Handling and storage of road salt;
- n) Handling and storage of fuel;
- o) Handling and storage of a dense non-aqueous phase liquid;
- p) Handling and storage of an organic solvent;
- q) Storage of snow; and
- r) Conveyance of a liquid hydrocarbon by a pipeline.

Deleted: and

Deleted: .

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-5(1)	E & O	MC	Municipality	E/F	<p>Requirement for Educational Program</p> <p>Develop and implement an ongoing education and outreach program within two years. The program will seek to educate anyone engaging in an activity that is or would be a significant drinking water threat and may include, but is not limited to:</p> <ul style="list-style-type: none"> a) The location of vulnerable areas; b) Best management practices that can minimize or eliminate the impacts of the subject activities on the drinking water source; and c) Information regarding the opportunities for funding under the Ontario Drinking Water Stewardship Program, or other applicable incentive programs. 	G-5(7)

Deleted: (ODWSP)

POLICY G-5 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-5(2)	E & O	MC	Municipality	E/F	Consult with relevant provincial ministries, industry associations, and other relevant organizations during the development of the education and outreach programs required by (1).	G-5(7)
G-5(3)	E & O	MC	Municipality	E/F	Option for Alternate Implementing Body The municipality may enter into an agreement with the Ganaraska Region Conservation Authority or other third party that identifies the third party as the implementing body for the education and outreach program required by (1) and (2), and related reporting requirements (7).	G-5(7)
G-5(4)	E & O	MC	Municipality	E/F	Option for Harmonization with Existing Programs The education and outreach program required by (1) can be harmonized with existing education and outreach programs, such as the Ontario Drinking Water Stewardship Program (ODWSP), where this would result in an increase in efficiency or cost-effectiveness.	G-5(7)
G-5(5)	E & O	MC	Municipality	E/F	Specific Provisions for Fuel Storage Education Program Where an education and outreach program required by (1) is developed to address the storage of liquid fuel in a tank at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act</i> , 2000, the program will include, at a minimum: <ul style="list-style-type: none"> a) The mandatory requirements for fuel tank usage and maintenance; b) Best management practices for fuel tank usage and maintenance; c) Distribution of a sticker to be placed on oil tanks and fill pipes that indicates that the tank is located in a vulnerable area and provides a procedure to follow in the event of a fuel spill or leak, and a spill response contact number; and d) Coordinate with relevant associations to make use of existing stickers or to create a consistent product required to comply with (c). 	G-5(7)

POLICY G-5 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-5(6)	E & O	MC	Municipality	E/F	<p>Specific Provisions for Fuel Handling Education Program</p> <p>Where an education and outreach program required by (1) is developed to address the handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the <i>Technical Standards and Safety Act, 2000</i> or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the <i>Technical Standards and Safety Act, 2000</i>, the program will focus on source protection and emergency response.¹</p>	G-5(7)
G-5(7)	MON	MC	Municipality	E/F	<p>Reporting Requirements</p> <p>The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p> <ol style="list-style-type: none"> a) A summary of activities undertaken as part of the education and outreach program in the preceding calendar year. 	N/A

¹ As per S.1 O.Reg 213/01 *facility* means an installation where fuel oil or used oil, when such oil is used as a fuel, is handled, but does not include a facility referred to in *Ontario Regulation 217/01* (Liquid Fuels) and as per S.1 O.Reg 217/01: *facility* means a permanent or mobile retail outlet, bulk plant, marina, cardlock/keylock, private outlet or farm where gasoline or an associated product is handled other than in portable containers

POLICY G-6: SIGNAGE FOR VULNERABLE AREAS

Applicability: This policy applies to all municipal drinking water systems in the Ganaraska Region Source Protection Area.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-6(1)	E & O	S	MTO	E/F	In collaboration with the Ministry of the Environment, Conservation and Parks and in consultation with source protection authorities, design a sign to the appropriate Provincial standards to identify the locations of wellhead protection areas and intake protection zones.	G-6(5)
G-6(2)	E & O	S	MTO	E/F	Manufacture, install, and maintain the signs required by (1) along Provincial Highways within wellhead protection areas with a vulnerability score of 10 and/or within intake protection zones or a wellhead protection area <u>JCA</u> with a vulnerability score of 8 or higher.	G-6(5)
G-6(3)	E & O	MC	Municipality	E/F	Purchase, install, and maintain the signs designed by the Province in collaboration with the Ganaraska Region Source Protection Authority. <u>Municipalities shall determine the location of the signs. Where feasible, the signs will be placed, at a minimum, where municipally maintained roads are located within wellhead protection areas with a vulnerability score of 10 and/or intake protection zones or a wellhead protection area E with a vulnerability score of 8 or higher.</u>	G-6(5)
G-6(4)	E & O	MC	Municipality	E/F	If similar signs are already in place, the sign identified in (3) will be used for all future replacement of the existing signs.	N/A
G-6(5)	MON	MC	MTO Municipality	E/F	The municipality and the ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of measures taken to implement (1), (2), and/or (3) for the preceding calendar year.	N/A

Deleted: E

Deleted: The signs should be placed where municipal roads are located within wellhead protection areas with a vulnerability score of 10 and/or intake protection zones or a wellhead protection area E with a vulnerability score of 8 or higher.

Chapter 4: Policies

<u>G-6(6)</u>	<u>SA</u>	<u>S</u>	<u>Owner of the Pipeline</u>	<u>E/F</u>	<u>Sufficient liquid hydrocarbon pipeline identification signage should be posted, and visibly noticeable, when located in wellhead or intake protection areas.</u>	<u>L-2(8)</u>
---------------	-----------	----------	------------------------------	------------	---	---------------

POLICY G-7: MONITORING AND LAND USE PLANNING FOR POLICIES THAT USE SECTION 57 PROHIBITION

Applicable Policy Tool: This policy applies wherever a policy in this source protection plan designates an activity for the purpose of section 57 (Prohibition) of the *Clean Water Act, 2006*.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text
G-7(1)	MON	MC	RMO	E/F	The Risk Management Official will undertake the reporting requirements specified in section 65 of the <i>General Regulation</i> made under the <i>Clean Water Act, 2006</i> by February 1 each year for the preceding calendar year.
G-7(2)	LUP	MC	Approval authority under the <i>Planning Act</i>	F	<p>Land use <u>that includes the following activities¹</u> are not permitted where these <u>activities</u> would be a future significant drinking water threat, unless stated otherwise in this source protection plan:</p> <ul style="list-style-type: none"> a) <u>The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the <i>Environmental Protection Act</i> and the activity would not require a Prescribed Instrument.</u> b) The application or storage of agricultural source material; c) The management of agricultural source material (i.e., aquaculture); d) The application, handling, or storage of non-agricultural source material; e) The application, handling, or storage of commercial fertilizer; f) The application, handling, or storage of pesticide; g) The handling or storage of road salt; h) The storage of snow; i) The handling or storage of fuel; j) The handling or storage of a dense non aqueous phase liquid; k) The handling or storage of an organic solvent; or l) The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard.

Deleted: The following l
Deleted: y

¹The following policies relate to section 57 (prohibition) of the *Clean Water Act*: G-1(1-2,4); A-4(1); F-1; R-6; D-2; N-2; O-2; Q-2; and W-4(1).

POLICY G-8: GENERAL PROVISIONS FOR POLICIES THAT USE SECTION 58 RISK MANAGEMENT PLANS

Applicable Policy Tool: This policy applies wherever a policy in this source protection plan designates an activity for the purpose of section 58 (Risk Management Plan) of the *Clean Water Act, 2006*.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-8(1)	RMP	MC	RMO	E/F	<p>Timelines for Risk Management Plans</p> <p><u>If it is determined that an existing activity requires a risk management plan, the risk management plan must be established and complied with, within 2 years.</u></p> <p>a) ▾</p>	G-8(4)
G-8(2)	▾	▾	▾	▾	<p>Timelines for Risk Management Plans</p> <p><u>A future activity that requires a risk management plan cannot proceed until a risk management plan has been established and provisions in the risk management plan are complete.</u></p> <p>▾</p>	G-8(4)
G-8(3)	RMP	MC	RMO	E/F	<p>Miscellaneous Provisions for Risk Management Plans</p> <p>Risk Management Plans required by policies in this source protection plan must:</p> <ol style="list-style-type: none"> Address the portion of the property where the activity is a significant drinking water threat; Consider existing risk management measures being undertaken on the property; Include provisions to ensure that the expansion of any existing facilities, where applicable, does not result in significant drinking water threats; Include provisions for relocating the activity to the location on the property with the least risk, where applicable; Include provisions to address emergency response for occurrences that could result in a contamination event; and Include provisions to ensure that the Risk Management Official is notified of a change in ownership of the subject property, and to update the Risk Management Plan accordingly. <p>Where more than one significant drinking water threat has been identified on a property, a single Risk Management Plan can be developed to address the threats.</p>	G-8(4)

Deleted: <#>Risk Management Plans must be established within five years;¶
<#>The provisions of the Risk Management Plan must be initiated within two years following agreement with the Risk Management Official, unless otherwise specified in the risk management plan.

Deleted: RMP

Deleted: MC

Deleted: RMO

Deleted: E/F

Deleted: Prioritization of Risk Management Plans by Risk Management Official¶
Within one year, the Risk Management Official will prioritize the development of Risk Management Plans for all existing significant drinking water threats within their jurisdiction.

POLICY G-8 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-8(4)	MON	MC	RMO	E/F	Monitoring of Risk Management Plans The Risk Management Official will undertake the reporting requirements specified in section 65 of the <i>General Regulation</i> under the <i>Clean Water Act, 2006</i> by February 1 each year for the preceding calendar year.	N/A

POLICY G-9: SECTION 59 RESTRICTED LAND USES¹

Applicable Activities: This policy applies to all activities that are listed as prescribed drinking water threats under the *Clean Water Act, 2006* (*General Regulation Section 1.1*) and that are defined as existing or future significant drinking water threats. (These activities are listed in Section 2.3.2.1).

Deleted: Activities listed in section 1.1 of the *General Regulation* under the *Clean Water Act, 2006* that would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text
G-9(1)	RLU	MC	RMO	F	All land uses located in areas where an activity would be a significant drinking water threat that are also designated for the purposes of section 57 (Prohibition) or section 58 (Risk Management Plans) of the <i>Clean Water Act, 2006</i> , are designated as Restricted Land Uses for the purpose of section 59 of the <i>Clean Water Act, 2006</i> .
G-9(2)	SA	MC	Approval authority under the <i>Planning Act</i> and <i>Building Code Act</i>	F	Direct proponents applying for building permits related to the construction or change of use of a building, or applications related to the provisions of the <i>Planning Act</i> prescribed by the <i>Clean Water Act</i> ² , within areas identified in (1), to the Risk Management Official for the issuance of a notice under section 59 of the <i>Clean Water Act, 2006</i> .
G-9(3)	LUP	MC	Approval authority under the <i>Planning Act</i>	F	Add the section 59 notice from the Risk Management Official as an item required for a complete application under the <i>Planning Act</i> .

Deleted: ¹

¹ This is an administrative tool provided under Section 59 of the *Clean Water Act, 2006* used to identify where Section 58 risk management plans are required for future significant drinking water threats. An application for building or development cannot proceed until the Risk Management Official issues a notice stating that either (a) neither section 57 nor section 58 apply to the activities related to the application or (b) that section 58 applies and a risk management plan has been established for activities related to the application.

Chapter 4: Policies

² Prescribed provisions of the *Planning Act* are given in section 62 of O. Reg. 287/07 and include applications for: official plan and zoning bylaw amendments, development in site plan control areas, minor variances, approval of plans of subdivision, consents, and authorization of temporary uses.

POLICY G-10: GENERAL PROVISIONS FOR POLICIES THAT USE LAND USE PLANNING

Applicable Policies: This policy applies wherever a policy in this source protection plan affects decisions under the *Planning Act*.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-10(1)	LUP	MC	Approval authority under the <i>Planning Act</i>	E/F	Complete the required updates no later than at the time of the next 5-year review in accordance with section 26 of the <i>Planning Act</i> .	G-10(2)
G-10(2)	MON	MC	Approval authority under the <i>Planning Act</i>	E/F	Report by February 1 each year to the Ganaraska Region Source Protection Authority on how the requirements of the policy were achieved during the preceding calendar year. Where the approval authority is not the lower or single tier municipality, the report will be copied to the relevant municipality and the Source Protection Authority.	N/A

POLICY G-11: EMERGENCY RESPONSE PLANNING

Applicability: This policy applies to all activities that are listed as prescribed drinking water threats under the *Clean Water Act, 2006 (General Regulation Section 1.1)* that are defined as existing or future significant drinking water threats. (These activities are listed in Section 2.3.2.1).

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
G-11(1)	SA	MC	Municipality	E/F	<p><u>Municipalities shall update municipal emergency planning documents and any other relevant documentation to identify vulnerable areas where significant drinking water threats could occur, and outline reasonable actions to be implemented if an emergency situation compromises these areas.</u></p> <p><u>Municipalities should ensure they have effective and efficient internal communications protocols and training on these protocols to ensure that when a spill or emergency event is reported, the correct people within the municipalities are notified as soon as reasonably possible.</u></p>	G-11(2)

Deleted: All activities listed in section 1.1 of the *General Regulation* under the *Clean Water Act, 2006*, in addition to the local threat, that are existing significant drinking water threats or that would be future significant drinking water threats.

Chapter 4: Policies

					<p><u>Emergency management documents should:</u></p> <ul style="list-style-type: none"> • <u>be reviewed annually and when notified of changes to the Ganaraska Source Protection Plan, then be updated as necessary.</u> • <u>include an explanation of the purpose of the “Drinking Water Protection Zone” signs and identify their locations within the vulnerable areas.</u> 	
G-11(2)	MON	MC	Municipality	E/F	<p>The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to:</p> <p>a) A summary of how the requirement of this policy was achieved.</p>	N/A

Deleted: Update Municipal Master Emergency Plans and any other relevant documentation to identify vulnerable areas where significant drinking water threats can occur and outline reasonable actions to be implemented in the event that these areas are compromised.

4.4 POLICIES FOR PRESCRIBED DRINKING WATER THREATS

This section includes policies that address prescribed drinking water threats. These policies are grouped based on the type of activity that they address. In some cases, activities within a group are further subdivided into additional subcategories. *General* policies may also apply for these activities (see Section 4.3).

4.4.1 SEWAGE SYSTEMS

THREAT SUMMARY

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage is an activity prescribed to be a drinking water threat by the *Clean Water Act, 2006*. Given the variety of activities associated with sewage, this drinking water threat is divided into many subcategories. These subcategories are listed in Table 4.5. The table also indicates the policies that may apply to each subcategory and provides details regarding where a given instance of the subcategory is or would be significant based on the Technical Rules, 2021.

Table 4.5: Summary of Sewage Threats

Threat Subcategory <u>Sewage System or Sewage Works</u>	Applicable Policies ¹	Applicable Area ²	
		WHPA A-D	
<u>Industrial Effluent Discharge</u>	<u>S-2, S-3</u>	10	-
<u>Onsite Sewage Works</u>	S-1 to S-5	10	-
<u>Stormwater Management Facilities and Drainage Systems: Outfall from a stormwater management facility or a stormwater drainage system³</u>	S-1 to S-5, <u>S-8</u>	10	-
<u>Stormwater Management Facilities and Drainage Systems: Stormwater infiltration facility³</u>	<u>S-2, S-3, S-8</u>	10	-
<u>Wastewater Collection Facilities and Associated Parts: Sanitary sewers</u>	S-2, S-3, S- <u>6</u> , S- <u>7</u> , <u>S-8</u>	10	-
<u>Wastewater Collection Facilities and Associated Parts: Outfall of a combined sewer overflow or a sanitary overflow from a manhole or wet well.</u>	S-2, S-3, <u>S-8</u>	10	-
<u>Wastewater Collection Facilities and Associated Parts: Sewage pumping station or lift station wet well, a holding tank or a tunnel.</u>	S-2, S-3, <u>S-8</u>	10	-
<u>Wastewater Treatment Facilities and Associated Parts.</u>	S-2, S-3, S-9, S-10	10	-

¹ General policies may also apply for these activities (see Section 4.3).

² Indicates the minimum vulnerability score that would result in a significant threat in at least one threat circumstance (colour indicates the corresponding area on the policy applicability map – see Section 4.2).

³ Includes greenway terrace, soak way, infiltration trench, infiltration chamber, bioretention structure, vegetated filter strip, permeable pavement, grass or dry swale, perforated pipe system or pervious pipe, pervious catch basin, and an infiltration basin or gallery.

- Deleted:** systems
- Deleted:** several
- Deleted:** given
- Deleted:** and the associated circumstance numbers from the *Tables of Drinking Water Threats*, which give details regarding where and in what circumstances a given instance of the subcategory is or would be a significant, moderate, or low drinking water threat. The circumstances that determine if the subcategory is a significant drinking water threat are summarized below.
- Commented [PL5]:** Delete right column once score of 8 is removed.
- Deleted:** Septic System
- Deleted:** , S-9, S-10
- Deleted:** Septic System Holding Tank
- Deleted:** 9
- Deleted:** , S-10
- Deleted:** Sanitary Sewers and Related Pipes
- Deleted:** S-6, S-7, S-9, S-10
- Deleted:** Combined Sewer Discharge from a Stormwater Outlet to Surface Water
- Deleted:** 9
- Deleted:** -
- Deleted:** 10
- Deleted:** Industrial Effluent Discharge
- Deleted:** 9, S-10
- Deleted:** -
- Deleted:** Storage of Sewage
- Deleted:** 9, S-10
- Deleted:** 8
- Deleted:** Sewage Treatment Plant Bypass Discharge to Surface Water
- Deleted:** -
- Deleted:** Sewage Treatment Plant Effluent Discharges (Includes Lagoons)
- Deleted:** S-2, S-3, S-9, S-10
- Deleted:** -
- Deleted:** -
- Deleted:** Discharge of Untreated Stormwater from a Stormwater Retention Pond
- Deleted:** S-3, S-8, S-9, S-10
- Deleted:** 10
- Deleted:** -

MODELED SEWAGE THREAT SUMMARY

In 2013 additional Lake Ontario modeling work was undertaken which identified a significant drinking water threat to the Cobourg, Newcastle, and Port Hope surface water supplies as a result of wastewater plant disinfection failures. The addition of this significant drinking water threat results in Policies S-2 and S-6 being applicable to the three drinking water systems. Please refer to Chapter 4 of the Updated Ganaraska Assessment Report for additional information on the modeled wastewater plant disinfection failure threat.

INDUSTRIAL EFFLUENT DISCHARGE

The industrial effluent discharge subcategory includes systems that discharge to surface water or land and have as their primary function the collection, transmission, or treatment of industrial sewage. The circumstances that are considered to determine if the activity is a significant drinking water threat differ depending on whether the discharge from the system is a potential source of pathogens or of chemicals.

Where the discharge is a potential source of pathogens, the activity is considered a significant drinking water threat where its primary functions include conveying sewage from a meat plant. Where the discharge is a potential source of chemicals, the factors considered to determine if the activity is a significant drinking water threat are whether or not the system is part of a facility for which National Pollutant Release Inventory (NPRI) reporting is required.

ONSITE SEWAGE WORKS

The onsite sewage works threat subcategory includes leaching bed systems and their associated treatment units, holding tanks, earth pit privies, privy vaults, greywater systems, and cesspools. Onsite sewage works are regulated (i.e., Ontario Building Code Act or Ontario Water Resources Act). They can pose a threat of pathogens or chemicals to groundwater or surface water. The applicable legislation is usually based on the design capacity of the system. Small systems (those with a design capacity less than or equal to 10,000 L/day) are subject to approval under the Ontario Building Code Act. Small systems most frequently service individual residences in rural areas, hamlets or small villages that do not have municipal or communal sewage services. Large systems (those with a design capacity greater than 10,000 L/day) are subject to approval by the Ministry of the Environment, Conservation and Parks under the Ontario Water Resources Act.

STORMWATER MANAGEMENT FACILITIES AND DRAINAGE SYSTEMS: OUTFALL FROM A STORMWATER MANAGEMENT FACILITY OR A STORMWATER DRAINAGE SYSTEM

Significant drinking water threats for a stormwater management facility outfalls or a stormwater drainage system outfalls are determined by considering the predominant land use that the system serves and the percentage of impervious area of the drainage area.

STORMWATER MANAGEMENT FACILITIES AND DRAINAGE SYSTEMS: STORMWATER INFILTRATION FACILITY

A stormwater infiltration facility is a system that temporarily impounds rainfall and stormwater runoff and allows it to flow into and through soil rather than to surface water. It is designed to exfiltrate or infiltrate part or all of the "storm water" into the ground to reduce runoff, including a greenway terrace, a soak way, an infiltration trench, an infiltration chamber, a bioretention structure, a vegetated filter strip, a permeable pavement, a grass swale, a dry swale, a perforated pipe system or pervious pipe, a pervious catch basin, an infiltration basin, an infiltration gallery. Facilities identified as threats in this sub-category require Environmental Compliance Approvals.

Deleted: SEPTIC SYSTEM

Deleted: septic system

Deleted: The circumstances that are considered to determine if septic systems are significant threats are the legislation under which they

Deleted: and the potential for a spill from the holding tank to result in the presence

Deleted: a specific set of

Deleted: in

Deleted: Further, regardless of size, systems that cannot be located within the confines on a single property are subject to approval by the Ministry of the Environment, Conservation and Parks under the Ontario Water Resources Act. Schools, campgrounds, larger businesses and communal systems are examples of facilities that may require a large system. Lastly, there are rare cases where a septic system is not subject to the Ontario Building Code Act or the Ontario Water Resources Act.

Deleted: SEPTIC SYSTEM HOLDING TANK

The holding tank threat subcategory includes sewage systems that require or use a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage operator. Holding tanks are often used in areas where the installation of a septic system is not possible (e.g., where a property is not of sufficient size to accommodate the tile bed associated with a septic system). The circumstances that are considered to determine if holding tanks are significant threats are the legislation under which they are regulated (i.e., Ontario Building Code Act or Ontario Water Resources Act) and the potential for a spill from the holding tank to result in the presence of pathogens or a specific set of chemicals in groundwater or surface water.

Deleted: SANITARY SEWERS AND RELATED PIPES

Moved down [1]: The sanitary sewers and related pipes threat subcategory includes any part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works designed to carry out a designed bypass (there are separate threat circumstances for these exceptions). The circumstances that are considered to determine if a sewage collection system is a significant drinking water threat are the volume of sewage conveyed by the system per day and the potential for the discharge from the system to result in the presence of pathogens or a specific set of chemicals in groundwater or surface water.

Deleted: COMBINED SEWER DISCHARGE FROM A STORMWATER OUTLET TO SURFACE WATER

WASTEWATER COLLECTION FACILITIES AND ASSOCIATED PARTS: SANITARY SEWERS

Sanitary sewers include a force main, a combined sewer or partially separated sanitary sewer, a rising main or a gravity sanitary sewer that forms part of a wastewater collection facility, not including its appurtenances. The circumstances that are considered to determine if sanitary sewers and related pipes are a significant drinking water threat are the volume of sewage that the system is designed to convey per day and for pathogens, the potential for the discharge from the system to result in the presence of pathogens in groundwater or surface water.

Wastewater Collection Facilities and Associated Parts: Outfall of a Combined Sewer Overflow or a Sanitary Overflow from a Manhole or Wet Well The subcategory includes a combined sewer or partially separated sanitary sewer outfall that discharges combined sewer overflow (CSO), or a manhole that discharges the sanitary sewer overflow (SSO), or a wet well outfall that discharges sanitary sewage pumping station overflow (PSO), and forms part of a wastewater collection facility that may discharge to land or surface water. The circumstances that are considered to determine if these are a significant drinking water threat are the volume of sewage that the system is designed to convey per day and for pathogens, the potential for the discharge from the system to result in the presence of pathogens in groundwater or surface water.

WASTEWATER COLLECTION FACILITIES AND ASSOCIATED PARTS: SEWAGE PUMPING STATION OR LIFT STATION WET WELL, A HOLDING TANK OR A TUNNEL

Under this subcategory, chemical significant drinking water threats include a holding tank or a tunnel that forms part of a wastewater collection facility not including a wet well, and stores sanitary sewage containing human waste and that may discharge sewage to groundwater, when the wastewater collection facility is designed to convey more than 100,000 cubic metres of sewage per day.

Pathogen significant drinking water threats include a wet well, a holding tank or a tunnel that forms part of a wastewater collection facility as part of a sanitary sewage pumping station or lift station and stores sanitary sewage containing human waste, when a spill may result in the presence of one or more pathogens in groundwater or surface water. Wastewater Treatment Facilities and Associated Parts Significant drinking water threats for this subcategory include a final effluent outfall or a sewage treatment plant overflow outfall that is part of a wastewater treatment facility, a sewage lagoon that forms part of a wastewater treatment facility and that may discharge sewage to groundwater or a sewage treatment plant process tank or a sewage treatment plant holding tank that is part of a wastewater treatment facility and that may discharge sewage to groundwater. The circumstances that are considered to determine if these are a significant drinking water threat are the volume that the wastewater treatment facility is designed to discharge on an annual basis, if a discharge may result in the presence of one or more pathogens in groundwater or surface water or if a spill may result in the presence of one or more pathogens in groundwater or surface water.

Deleted: A combined sewer is a sewage system that conveys both stormwater and sanitary waste. This threat subcategory includes combined sewers that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. The circumstances that are considered to determine if this activity is a significant drinking water threat are the average daily discharge volume (on an annual basis) at the associated wastewater treatment facility and the potential for the discharge to result in the presence of pathogens or a specific set of chemicals in groundwater or surface water. Where the discharge may be a source of pathogen contamination, any discharge volume is considered a significant drinking water threat.¶

INDUSTRIAL EFFLUENT DISCHARGE¶

The industrial effluent discharge subcategory includes systems that discharge to surface water and have as their primary function the collection, transmission, or treatment of industrial sewage. These activities can only be significant drinking water threats in an intake protection zone or wellhead protection area E. The circumstances that are considered to determine if the activity is a significant drinking water threat differ depending on whether the discharge from the system is a potential source of pathogens or of chemicals.¶ Where the discharge is a potential source of pathogens, the activity is considered a significant drinking water threat where its primary functions include conveying sewage from a meat plant. Where the discharge is a potential source of chemicals, the factors considered to determine if the activity is a significant drinking water threat are whether or not the system is part of a facility for which National Pollutant Release Inventory (NPRI) reporting is required and the potential for the discharge to result in the presence of a specific set of chemicals in groundwater or surface water.¶

Deleted: STORAGE OF SEWAGE¶

Moved (insertion) [1]

Deleted: The sanitary sewers and related pipes threat subcategory includes any part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include any part of the facility that is a sewage storage tank or works designed for storage.¶

Deleted: a sewage collection system

Deleted: is

Deleted: conveyed by the system

Deleted: or a specific set of chemicals

Deleted: The storage of sewage subcategory includes treatment tanks or storage tanks that are part of sewage works within the meaning of the Ontario Water Resources Act that treats or stores sewage.¶

Deleted: SEWAGE TREATMENT PLANT BYPASS DISCHARGE TO SURFACE WATER¶

Deleted: Sometimes the treatment capacity of a sewage treatment plant is overwhelmed and partially treated or untreated sanitary waste is released (bypassed) into the receiving surface water.¶

Deleted: SEWAGE TREATMENT PLANT EFFLUENT DISCHARGES (INCLUDES LAGOONS)

Deleted: The sewage treatment plant effluent discharges subcategory includes lagoons and wastewater treatment facilities that discharge directly to land or surface water through a means of discharge.¶

Deleted: DISCHARGE OF UNTREATED STORMWATER FROM A STORMWATER RETENTION POND¶

Deleted: The discharge of untreated stormwater subcategory includes facilities that are designed to discharge stormwater from a stormwater retention pond to land or surface water. The subcategory includes stormwater retention ponds that are designed to store stormwater for a period of time before discharging it to land or surface water.¶

POLICY TEXT

POLICY S-1

Threat Subcategory	Applicable Area
	WHPA A-D
Onsite Sewage Works	10

Applicable Activities: Onsite sewage works that are subject to the Ontario Building Code Act, 1992 that are existing significant drinking water threats or would be future significant drinking water threats.

Deleted: Sewage systems as defined in section 1 of O. Reg. 332/12 (Building Code) made under

Deleted: Septic System

Deleted: 10

Deleted: Septic System Holding Tank

Deleted: -

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-1(1)	SA	MC	Municipality	E/F	Report by February 1 of each year to the Ganaraska Region Source Protection Authority on the implementation of the mandatory maintenance inspection program ¹ for the preceding calendar year. The report must, at minimum, include the following information: <ul style="list-style-type: none"> a) The number and location of inspections carried out under the maintenance inspection program during the reporting year; b) The number and location of inspections that were not compliant with the <u>onsite sewage works</u> inspection guideline; and c) For the properties identified in (b), a description of the deficiencies in the system, the orders issued by the inspector, and any follow-up with the system owner. 	S-1(2)
S-1(2)	MON	MC	Municipality	E/F	Copy the municipality and building official on all reporting required by Policy S-1(1) unless the municipality is the Principal Authority under the <i>Ontario Building Code Act</i> .	N/A

Deleted: septic

¹The details of the inspection program are specified in the *Ontario Building Code* (O. Reg. 332/12) and the Ministry of Municipal Affairs and Housing Sewage System Inspection Guide.

POLICY S-2

Threat Subcategory	Applicable Area			
	IPZ	WHPA A-D		
Industrial Effluent Discharge	-	10	-	-
Onsite Sewage Works	-	10	▼	-
Stormwater Management Facilities and Drainage Systems: Outfall from a stormwater Management Facility or a Stormwater Drainage System	-	10	▼	-
Stormwater Management Facilities and Drainage Systems: Stormwater Infiltration Facility	-	10	-	-
Sewage Works Storage - Treatment or Holding Tanks Wastewater Collection Facilities and Associated Parts: Sanitary Sewers	-	10	-	-
Wastewater Collection Facilities and Associated Parts: Outfall of a Combined Sewer Overflow or a Sanitary Overflow from a Manhole or Wet Well	-	10	▼	▼
Wastewater Collection Facilities and Associated Parts: Sewage Pumping Station or Lift Station Wet Well, a Holding Tank or a Tunnel	-	10	-	-
Wastewater Treatment Facilities and Associated Parts	▼	▼	▼	▼
Modeled disinfection failure	▼	-	-	-

Applicable Activities: Sewage systems that are subject to the *Ontario Water Resources Act* that are existing significant drinking water threats and require a Prescribed Instrument.

- Deleted:** works as defined in section 1(1) of the
- Commented [PL6]:** Delete two right columns once those edits are accepted.
- Deleted:** Septic System
- Deleted:** 10
- Deleted:** 10
- Deleted:** Septic System Holding Tank
- Deleted:** Combined Sewer Discharge
- Deleted:** Industrial Effluent Discharge
- Deleted:** 10
- Deleted:** 8
- Deleted:** Storage of Sewage
- Deleted:** Sewage Treatment Plant Bypass Discharge to Surface Water
- Deleted:** Sewage Treatment Plant Effluent Discharges (Includes Lagoons)
- Deleted:** -
- Deleted:** 10
- Deleted:** -
- Deleted:** -

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-2(1)	PI	MC	MOECP	E	Review all existing Prescribed Instruments related to these sewage activities to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity. <u>At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and protocols for emergency responses related to protecting the drinking water source.</u>	G-2(2)
S-2(2)	SA	S	MOECP	E	Conduct regular inspections of the sewage works to ensure compliance with the amendments referred to in (1).	G-2(2)

POLICY S-3

Threat Subcategory	Applicable Area
	WHPA A-D
Industrial Effluent Discharge	10
Onsite Sewage Works	10
Stormwater Management Facilities and Drainage Systems: Outfall from a stormwater Management Facility or a Stormwater Drainage System	10
Stormwater Management Facilities and Drainage Systems: Stormwater Infiltration Facility	10
Wastewater Collection Facilities and Associated Parts: Outfall of a Combined Sewer Overflow or a Sanitary Overflow from a Manhole or Wet Well	10
Wastewater Collection Facilities and Associated Parts: Sewage Pumping Station or Lift Station Wet Well, a Holding Tank or a Tunnel	10
Wastewater Treatment Facilities and Associated Parts	10

Applicable Activities: The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage that would be a future significant drinking water threat and would require a Prescribed Instrument.

- Deleted:** , except a wastewater collection facility that collects or transmits sewage containing human waste.
- Deleted:** Septic System
- Deleted:** Septic System Holding Tank
- Deleted:** -
- Deleted:** Combined Sewer Discharge from a Stormwater Outlet to Surface Water
- Deleted:** Industrial Effluent Discharge
- Deleted:** 8
- Deleted:** Storage of Sewage
- Deleted:** -
- Deleted:** Sewage Treatment Plant Bypass Discharge to Surface Water
- Deleted:** Sewage Treatment Plant Effluent Discharges (Includes Lagoons)
- Deleted:** -
- Deleted:** Discharge of Untreated Stormwater from a Stormwater Retention Pond

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-3(1)	PI	MC	MOECP	F	<p><u>Except for low-risk systems that qualify for Consolidated Linear Infrastructure preauthorization, all other future occurrences of the activity shall only be permitted when:</u></p> <p>a) <u>The proposed activity is intended to replace an existing activity or activities and the instrument for the proposed activity contains conditions that ensure that it does not become a significant drinking water threat.; and</u></p> <p>b) <u>The proposed activity would be more protective of drinking water.</u></p>	G-2(2) S-3(3)
S-3(2)	LUP	MC	Approval Authority under the Planning Act	F	<p><u>Except for low-risk systems that qualify for Consolidated Linear Infrastructure preauthorization, all other future occurrences of the activity are prohibited. This does not apply for an activity that meets the conditions of Policy S-3(1).</u></p>	G-10(2)

- Deleted:** <#>Future occurrences of the activity shall only be permitted when:¶
- <#>The proposed activity is intended to replace an existing activity or activities;¶
- <#>The proposed activity would be more protective of drinking water; and ¶
- <#>The instrument for the proposed activity contains conditions that ensure that it does not become a significant drinking water threat.
- Deleted:** F

S-3(3a)	MON	MC	MOECP	F	<p>Where a proposed future activity meets the conditions of Policy S-3(1), the following content is recommended to be included in the report required by policy G-2(2):</p> <ul style="list-style-type: none"> a) A description of how the replacement activity will be more protective of drinking water than the existing activity or activities; b) A description of the conditions of the Prescribed Instrument that will ensure that the activity does not become a significant drinking water threat; and c) A description of any orders issued as a result of an inspection. 	N/A
<u>S-3(3b)</u>	<u>MON</u>	<u>MC</u>	<u>Municipality</u>	<u>F</u>	<p><u>Where a proposed future activity is preauthorized for a Consolidated Linear Infrastructure Approval, the municipality shall prepare, by February 1 each year, a report a summary of terms and conditions in any Consolidated Linear Infrastructure Approvals that are protecting drinking water and make that report available to the applicable Source Protection Authority.</u></p>	

POLICY S-4

Threat Subcategory	Applicable Area
	WHPA A-D
Onsite Sewage Works	10

Applicable Activities: Onsite sewage works that are subject to the Ontario Building Code Act, 1992 that are existing significant drinking water threats.

Deleted: Sewage systems as defined in section 1 of O. Reg. 332/12 (Building Code) made under the

Deleted: Septic System

Deleted: Septic System Holding Tank

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-4(1)	SA	MC	Municipality	E	Require by means of a bylaw that the system is connected to municipal sanitary sewers and related pipes where connection is feasible given financial and technical constraints. This bylaw must be established within one year.	S-4(2)
S-4(2)	MON	MC	Municipality	E	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of how (1) was satisfied; and b) A summary of any systems connected to municipal sanitary sewers and related pipes.	N/A
S-4(3)	LUP	MC	Approval Authority under the <i>Planning Act</i>	E	Require a policy to support the objectives given in (1).	G-10(2)

POLICY S-5

Threat Subcategory	Applicable Area
	WHPA A-D
Onsite Sewage Works	10

Applicable Activities: Onsite sewage works that are subject to the Ontario Building Code Act, 1992 that would be future significant drinking water threats.

Deleted: Sewage systems as defined in section 1 of O. Reg. 332/12 (Building Code) made under the

Deleted: Septic System

Deleted: Septic System Holding Tank

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-5(1)	LUP	MC	Approval Authority under the <i>Planning Act</i>	F	Require a policy to support the following: <ul style="list-style-type: none"> a) Where connection to municipal sanitary sewers and related pipes is feasible given financial and technical constraints, new development will be serviced by a municipal sewage collection system; and b) Where connection to municipal sanitary sewers and related pipes is not feasible, new development will be serviced by a sewage system constructed to standards of the <i>Ontario Building Code</i> to ensure that the activity is not a significant drinking water threat. 	G-10(2) S-5(2)
S-5(2)	MON	MC	Approval Authority under the <i>Planning Act</i>	F	The following content is recommended to be included in the report required by policy G-10(2): <ul style="list-style-type: none"> a) A summary of any approvals of <u>onsite sewage works</u> in areas where they would be significant threats. Where the approval authority is not the municipality, the report will be copied to the applicable municipality.	N/A

Deleted: septic systems

POLICY S-6

Threat Subcategory	Applicable Area	
	IPZ	WHPA A-D
Wastewater Collection Facilities and Associated Parts: Sanitary Sewers,	-	10
Wastewater Collection Facilities and Associated Parts: Outfall of a Combined Sewer Overflow or a Sanitary Overflow from a Manhole or Wet Well		
Wastewater Collection Facilities and Associated Parts: Sewage Pumping Station or Lift Station Wet Well, a Holding Tank or a Tunnel		
Modeled disinfection failure		

Applicable Activities: Wastewater collection facilities and associated parts that collect or transmits sewage that are existing significant drinking threats; and disinfection failures at wastewater treatment facilities that are existing significant drinking water threats.

Deleted: containing human waste
Deleted: Sanitary Sewers and Related Pipes

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-6(1)	SA	MC	Municipality	E	Ensure that there is a <u>current</u> emergency response plan in place that is suitable to respond to a system failure or disinfection failure that could result in the introduction of pathogens into surface water or groundwater.	S-6(2)
S-6(2)	MON	MC	Municipality	E	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) Updates or amendments to the plan, including provisions to ensure potentially impacted water treatment plants are notified of a disinfection failure; b) <u>A summary</u> of training undertaken in support of the plan; and c) <u>A summary</u> of incidents that required the use of the emergency response plan. d) <u>A summary of terms and conditions in any Consolidated Linear Infrastructure Approvals that are protecting drinking water.</u>	N/A
S-6(3)	SA	MC	Municipality	E	<u>Prioritize</u> any maintenance and asset management activities related to disinfection infrastructure to ensure that facilities located in vulnerable areas are given adequate priority.	S-6(4)
S-6(4)	MON	MC	Municipality	E	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) The status of any maintenance and asset management activities related to disinfection	N/A

Deleted: Within two years, e
Deleted: n

Deleted: s
Deleted: s

Deleted: Within one year, p

Chapter 4: Policies

					infrastructure at facilities in vulnerable areas; and b) After one year, a summary of how maintenance and asset management activities were prioritized.	
--	--	--	--	--	--	--

POLICY S-7

Threat Subcategory	Applicable Area
	WHPA A-D
<u>Wastewater Collection Facilities and Associated Parts: Sanitary Sewers</u>	10

Applicable Activities: Sanitary sewers that collects or transmits sewage that would be future significant drinking water threats and would require a Prescribed Instrument.

- Deleted:** Wastewater collection facilities
- Deleted:** containing human waste
- Deleted:** ¶
- Deleted:** Sanitary Sewers and Related Pipes

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-7(1)	LUP	MC	Approval Authority under the <i>Planning Act</i>	F	Require that the activity complies with construction standards that will ensure that the activity is not a significant drinking water threat.	G-10(2)
S-7(2)	PI	MC	MOECP	F	Ensure that the <u>required</u> instrument contains conditions that ensure that the activity does not become a significant drinking water threat.	G-2(2)

POLICY S-8

Threat Subcategory	Applicable Area
	WHPA A-D
<u>Stormwater Management Facilities and Drainage Systems: Outfall from a stormwater Management Facility or a Stormwater Drainage System</u>	10
<u>Stormwater Management Facilities and Drainage Systems: Stormwater Infiltration Facility</u>	10
<u>Wastewater Collection Facilities and Associated Parts: Sanitary Sewers</u>	10
<u>Wastewater Collection Facilities and Associated Parts: Outfall of a Combined Sewer Overflow or a Sanitary Overflow from a Manhole or Wet Well</u>	10
<u>Wastewater Collection Facilities and Associated Parts: Sewage Pumping Station or Lift Station Wet Well, a Holding Tank or a Tunnel</u>	10

Applicable Activities: Sewage works as defined in section 1(1) of the *Ontario Water Resources Act* that are existing significant drinking water threats.

Deleted: Stormwater management facilities designed to discharge stormwater to land or surface water that are existing significant drinking water threats.

Deleted: ¶
-

Deleted: Discharge of Untreated Stormwater from a Stormwater Retention Pond

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
S-8(1)	PI	MC	MOECP	E	<u>Removed</u>	G-2(2)
S-8(2)	SA	MC	Municipality	E	<u>Ensure a stormwater management facility maintenance program is in place. The program will require regular inspection of stormwater management facilities to ensure that they are being sufficiently maintained such that the facility is not a significant drinking water threat.</u>	S-8(3)
S-8(3)	MON	MC	Municipality	E	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies and make that report available to the Ganaraska Region Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of activities undertaken as part of the maintenance program.	N/A

Deleted: Review all existing Prescribed Instruments to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.

Deleted: Develop and implement a stormwater management facility maintenance program within two years. The program will require regular inspection of stormwater management facilities to ensure that they are being sufficiently maintained such that the facility is not a significant drinking water threat.

Deleted: for the preceding calendar year

Deleted: for the preceding calendar year

Chapter 4: Policies

					b) A summary of terms and conditions in any Consolidated Linear Infrastructure Approvals that are protecting drinking water.	
--	--	--	--	--	--	--

POLICY S-9

Removed

POLICY S-10

Removed

Deleted:
Threat Subcategory ...

Deleted: 1
Threat Subcategory ...

4.4.2 AGRICULTURE

THREAT SUMMARY

The following activities associated with agriculture are prescribed to be drinking water threats by the *Clean Water Act, 2006*:

- 1) The application of agricultural source material to land;
- 2) The storage of agricultural source material;
- 3) The application of commercial fertilizer to land;
- 4) The handling and storage of commercial fertilizer;
- 5) The application of pesticide to land;
- 6) The handling and storage of pesticide; and
- 7) The use of land as livestock grazing or pasturing land, an outdoor confinement area, or a farm-animal yard.

These activities are further divided into subcategories to reflect various aspects of the activities. Since most policies developed to address these activities rely on similar approaches, these activities are often considered as a group for the purpose of policies in this Plan. However, each activity has a separate set of threat circumstances. Subcategories are given in Table 4.6. The table also indicates the policies that may apply to each activity. [The Technical Rules](#) give the full details regarding where and in what circumstances a given instance of these activities is or would be a significant, moderate, or low drinking water threat. Note that some activities may apply in contexts that are not related to agriculture (e.g., golf courses; parks). The circumstances that determine if each subcategory is a significant drinking water threat are summarized below.

Table 4.6: Summary of Threats Associated with Agriculture

Drinking Water Threat		Applicable Policies ¹	Applicable Area ²
Category	Subcategory		WHPA A-D
Agricultural Source Material	Application	A-1, A-2, A-4	10
	Storage	A-1, A-2, A-4	10
Commercial Fertilizer	Application	A-1, A-2, A-4	10
	Handling & Storage	A-1, A-4	10
Pesticides	Application	A-1, A-3, A-4	10
	Handling & Storage	A-1, A-4	10
Livestock	Grazing & Pasturing	A-1, A-4	10
	Outdoor Confinement Area or Farm Animal Yard	A-1, A-2, A-4	10

¹ General policies may also apply for these activities (see Section 4.3).

² Indicates the minimum vulnerability score that would result in a significant threat in at least one threat circumstance (color indicates the corresponding area on the policy applicability maps – see Section 4.2)

AGRICULTURAL SOURCE MATERIAL

Agricultural source materials (ASM) include a variety of materials that may be sources of nutrients or pathogens. The *Clean Water Act, 2006* applies the definition given in the *General Regulation* made under the *Nutrient Management Act*, which defines agricultural source materials as the following:

Deleted:Section Break (Next Page).....

Deleted: and the associated circumstance numbers from the Tables of Drinking Water Threats, which

- 1) Manure produced by farm animals, including bedding materials;
- 2) Runoff from farm-animal yards and manure storages;
- 3) Wash water that has not been mixed with human body waste;
- 4) Organic materials produced by intermediate operations that process the above materials (e.g., mushroom compost);
- 5) Anaerobic digestion output that does not include sewage biosolids or human body waste; and
- 6) Regulated compost that is derived from compost containing dead farm animals.

Both the application and the storage of ASM are prescribed drinking water threats. The circumstances that make these activities significant threats are described separately for each activity below.

Application

The circumstances that are considered to determine if the application of ASM is a significant threat differ depending on whether the activity is a potential source of pathogens or nutrients. Where the activity is a potential source of pathogen contamination, any application is a significant drinking water threat. Where the activity is a potential source of nutrient contamination, the amount of managed lands and livestock density are also considered (both of these factors are shown on maps in the Ganaraska Assessment Report).

Storage

The circumstances that are considered to determine if the storage of ASM is a significant threat are the type of storage facility (i.e., whether it is stored in or on a permanent nutrient storage facility or on a temporary field nutrient storage site); the location of the storage facility in relation to grade; and, where a spill from the storage facility is a potential source of nutrients, the quantity of stored material (as represented by livestock density, which is shown on maps in the Ganaraska Assessment Report).

COMMERCIAL FERTILIZER

Commercial fertilizers are synthetic substances containing nitrogen, phosphorus, potassium or other chemicals intended for use as a plant nutrient or other substances that are intended to improve the physical condition of soils or to aid in plant growth or crop yields. Both the application and the handling and storage of commercial fertilizer are prescribed drinking water threats.

Application

The application of commercial fertilizer can be a significant drinking water threat in vulnerable areas with a vulnerability score of 9 or 10. The percent managed land in the area where it is applied and the local livestock density are also factors in determining whether it is a significant threat or not (both of these factors are shown on maps in the Ganaraska Assessment Report).

Storage

Commercial fertilizer can be a significant threat when stored on a site, in any form, including liquid and solid, and is more than 2,500 kilograms, and is located in an intake protection zone or wellhead protection area, with a vulnerability score of 10.

PESTICIDES

Pesticides have the potential to contaminate sources of drinking water. If they are applied in vulnerable areas, they could make their way into groundwater and surface water. Storage of large quantities of pesticide could also pose a potential risk. The risk of pesticides in drinking water is a function of the chemical toxicity of the

Deleted: The circumstances that make t

Deleted: are

Deleted: t

Deleted: The circumstances that make the storage of commercial fertilizer a significant drinking water threat are the mass of all materials stored that contain the commercial fertilizer; the type of storage (i.e., whether it is stored where it is manufactured, processed, or wholesaled or whether it is stored for retail sale or stored in relation to its application to land); and the potential for a spill of the fertilizer (or material containing the fertilizer) to result in the presence of nitrogen or phosphorus in groundwater or surface water. ¶

[pesticide and amount of chemical present in the water. The 2021 Technical Rules describes the circumstances related to the Application and Storage of pesticides that would be significant threats.](#)

Application

[In Ontario, the use of cosmetic pesticides for homes and gardens is banned except for low-risk pesticides that are on an allowable list. The active ingredient in these pesticides must meet specific criteria set out in the Ontario Regulation 63/09. The Risk Management Officials will have to use their discretion, and may consult the allowable list, to decide whether or not a pesticide being used constitutes a significant threat and whether the Part IV policies apply.](#)

[The application pesticide in an intake protection zone and wellhead protection area ICA with a vulnerability score of 10 is a significant threat.](#)

[The application of pesticide in a wellhead protection area A or B with a vulnerability score of 10 or an intake protection zone and wellhead protection area ICA with a vulnerability score of 9 is a significant threat if the area of land which the pesticide is being applied is at least 1 hectare.](#)

[The application pesticide in an intake protection zone and wellhead protection area ICA with a vulnerability score of 8.1 is a significant threat if the area of land which the pesticide is being applied is more than 10 hectares.](#)

[For practical reasons, pesticides applied or used in small quantities such as household use, are exempt from Policies A-1 and A-4 and will instead be addressed through education and outreach.](#)

Storage

[The storage pesticide in any form including liquid or solid, in a wellhead protection area A or B with a vulnerability score of 10 or in an intake protection zone and wellhead protection area ICA with a vulnerability score of 10 is a significant threat if the quantity is more than 250 kilograms \(liquid; approximately 250 litres\).](#)

[The storage pesticide in any form including liquid or solid, in an intake protection zone and wellhead protection area ICA with a vulnerability score of 9 is a significant threat if the quantity is more than 2,500 kilograms \(liquid; approximately 2,500 litres\).](#)

LIVESTOCK

The use of land as livestock grazing or pasturing land, an outdoor confinement area¹, or a farm-animal yard are activities prescribed to be drinking water threats by the *Clean Water Act, 2006*. The circumstances that are considered to determine if these activities are significant drinking water threats include the concentration of local livestock density (given on maps in the Ganaraska Assessment Report), the number of animals (by Nutrient Unit), and the potential for these activities to result in the presence of nutrients or pathogens in groundwater or surface water. Where the activity is a potential source of pathogens, only the vulnerability score of the area would determine if the activity is a significant threat.

¹ Outdoor confinement area as defined by the *General Regulation (O. Reg. 267/03)* made under the *Nutrient Management Act*

Deleted: Pesticides have the potential to contaminate sources of drinking water. If they are applied in vulnerable areas, they could make their way into groundwater and surface water. Storage of large quantities of pesticide could also pose a risk. The risk posed by pesticides in drinking water is a function of the chemical toxicity of the pesticide and amount of chemical present in the water. The 2021 Technical Rules describes the circumstances related to the application and storage of pesticides that would be significant threats. ¶

Deleted: Pesticides include a variety of substances that may be a source of chemicals to a drinking water source. A pesticide as per the *Clean Water Act, 2006* is defined under the *Pesticide Act* as an organism, substance or thing that is manufactured, represented, sold or used as a means of directly or indirectly controlling, preventing, destroying, mitigating, attracting or repelling any pest or of altering the growth, development or characteristics of any plant life that is not a pest and includes any organism, substance or thing registered under the *Pest Control Products Act*. Substances or mixture of substances of interest under the *Clean Water Act, 2006* are as follows:¶

- Atrazine¶
- Dicamba¶
- Dichlorophenoxy Acetic Acid (D-2,4)¶
- Dichloropropene-1,3¶
- Glyphosate¶
- 2-methyl-4-chlorophenoxyacetic acid (MCPA)¶
- 4-(4-chloro-2-methylphenoxy) butanoic acid (MCPB)¶
- Mecoprop¶
- Metalaxy¶
- Metolachlor or s-Metolachlor¶
- Pendimethalin¶

The application and the handling and storage of a pesticide are prescribed drinking water threats. The circumstances that would make these activities significant threats are described separately for each activity below. ¶

Moved down [2]: For practical reasons, pesticides applied or used in small quantities such as household use, are exempt from Policies A1 and A-4 and will instead be addressed through education and outreach.

Formatted: Font color: Auto

Moved (insertion) [2]

Deleted: The circumstances that make the application of a pesticide a significant threat are based on the potential for the activity to contaminate drinking water sources with chemicals. This potential is based on the type of chemical; the vulnerability score of the area and the amount of land (hectares) to which the pesticide is applied. ¶

Deleted: THE CIRCUMSTANCES THAT MAKE THE HANDLING AND STORAGE OF A PESTICIDE A SIGNIFICANT THREAT IS BASED ON THE POTENTIAL FOR A SPILL OF THE PESTICIDE OR MATERIAL CONTAINING THE PESTICIDE TO RESULT IN THE PRESENCE OF A CHEMICAL IN A DRINKING WATER SOURCE. THIS DEPENDS ON THE TYPE OF STORAGE (I.E., IF IT IS STORED WHERE IT IS MANUFACTURED, PROCESSED, OR WHOLESALD; OR STORED FOR RETAIL SALE OR USE IN EXTERMINATION WITHIN THE MEANING OF THE PESTICIDE ACT) AND THE MASS OF ALL STORED MATERIALS THAT CONTAIN THE PESTICIDE.

Deleted: ¶

POLICY TEXT

POLICY A-

1

Drinking Water Threat		Applicable Area
Category	Subcategory	WHPA A-D
Agricultural Source Material	Application	10
	Storage	10
Commercial Fertilizer	Application	10
	Handling & Storage	10
Pesticides	Application	10
	Handling & Storage	10
Livestock	Grazing & Pasturing	10
	Outdoor Confinement Area or Farm Animal Yard	10

Applicable Activities: Any of the following activities is an existing significant drinking water threat (see Table 4.6):

- a) The handling and storage of commercial fertilizer;
- b) The use of land as livestock grazing or pasturing land;
- c) The handling and storage of pesticide; and
- d) The application of pesticide to land, where the activity does not require a Pesticide Permit under the

Pesticides Act.

Any of the following activities where the activity does not require a Nutrient Management Plan or Strategy under the *Nutrient Management Act, 2002*:

- i) The application of commercial fertilizer to land;
- ii) The application of agricultural source material to land;
- iii) The storage of agricultural source material; and
- iv) The use of land as an outdoor confinement area, or a farm animal yard.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
A-1(1)	RMP	MC	RMO	E	The activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)
A-1(2)	RMP	MC	RMO	E	Risk Management Plans required by (1) will be developed in consideration of the requirements of any applicable Prescribed Instrument, as appropriate.	G-8(4)
A-1(3)	RMP	MC	RMO	E	The Risk Management Plan required by (1) for the handling and storage of pesticide will ensure that any pesticide storage within the mandate of the Agrichemical Warehousing Standards Association obtains certification from that organization, and that documentation of the certification is provided to the Risk Management Official.	G-8(4)

POLICY A-2

Drinking Water Threat		Applicable Area
Category	Subcategory	WHPA A-D
Agricultural Source Material	Application	10
	Storage	10
Commercial Fertilizer	Application	10
Livestock	Outdoor Confinement Area or Farm Animal Yard	10

Applicable Activities: Any of the following activities is an existing significant drinking water threat (see Table 4.6) and requires a Nutrient Management Plan or Strategy under the *Nutrient Management Act, 2002*:

- a) The application of commercial fertilizer to land;
- b) The application of agricultural source material to land;
- c) The storage of agricultural source material; and
- d) The use of land as an outdoor confinement area or a farm animal yard.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
A-2(1)	SA	S	OMAFRA MOECP	E	Prioritize the review and inspection of properties located in the Ganaraska Region Source Protection Area with Nutrient Management Plans or Strategies within one year.	G-2(2) A-2(2)
A-2(2)	MON	MC	OMAFRA MOECP	E	The following content is recommended to be included in the report required by policy G-2(2): A summary of the prioritization exercise completed for (1).	N/A
A-2(3)	PI	MC	OMAFRA	E	Following the prioritization developed under (1), review all existing Nutrient Management Plans or Strategies related to these activities to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. <u>At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and where not already required, protocols for emergency responses related to protecting the drinking water source.</u> All amendments required by this policy must be completed within three years from the date that the Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.	G-2(2)

Formatted: Font color: Auto

Deleted: protocols

Chapter 4: Policies

A-2(4)	SA	S	MOECP	E	Following the prioritization developed under (1), and allowing for any implementation schedules set out within the amendments completed under (3), initiate inspections of properties with Nutrient Management Plans or Strategies for compliance with these documents within three years.	G-2(2)
--------	----	---	-------	---	--	--------

POLICY A-3

Drinking Water Threat		Applicable Area
Category	Subcategory	WHPA A-D
Pesticides	Application	10

Applicable Activities: The application of pesticide to land is an existing significant drinking water threat (see Table 4.6) and the activity requires a Pesticide Permit under the *Pesticides Act*.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
A-3	PI	MC	MOECP	E	Review all existing Pesticide Permits related to the activity to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. <u>At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and where not already required, protocols for emergency responses related to protecting the drinking water source.</u> All amendments required by this policy must be carried out within three years from the date that the Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.	G-2(2)

Formatted: Font color: Auto

POLICY A-4

Drinking Water Threat		Applicable Area
Category	Subcategory	WHPA A-D
Agricultural Source Material	Application	10
	Storage	10
Commercial Fertilizer	Application	10
	Handling & Storage	10
Pesticides	Application	10
	Handling & Storage	10
Livestock	Grazing & Pasturing	10
	Outdoor Confinement Area or Farm Animal Yard	10

Applicable Activities: Any of the following activities that would be a future significant drinking water threat (see Table 4.6):

- a) The application of agricultural source material to land;
- b) The storage of agricultural source material;
- c) The application of commercial fertilizer to land;
- d) The handling and storage of commercial fertilizer;
- e) The application of pesticide to land;
- f) The handling and storage of pesticide; and
- g) The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm animal yard.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
A-4(1)	PRO	MC	RMO	F	In a WHPA-A or IPZ-1 ² the activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act, 2006</i> . <u>This prohibition does not apply to the application of pesticide when it is ordered by Health Units/Departments, the Ministry of Environment, Conservation and Parks or municipalities for health or environmental purposes.</u>	G-7(1)
A-4(2)	RMP	MC	RMO	F	The activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)
A-4(3)	RMP	MC	RMO	F	Risk Management Plans required by (2) will be developed in consideration of the requirements of any applicable Prescribed Instrument, as appropriate.	G-8(4)
A-4(4)	PI	MC	OMAFRA MOECP	F	In WHPA-A or IPZ-1 ¹ and where a Prescribed Instrument is required, future occurrences of the activity are not permitted.	G-2(2)

Formatted: PolicyHeader

Deleted: with a vulnerability score of 9 or higher,

Deleted: ,

Deleted: with a vulnerability score of 9 or higher

Formatted: PolicyHeader

² Consult the Ganaraska Assessment Report for maps of wellhead protection areas and intake protection zones.

A-4(5)	SA	MC	Municipality	F	Where small quantities of pesticide that would be existing or future significant drinking water threats, the Municipality shall develop and initiate an ongoing education and outreach program designed to raise the awareness of the impact of pesticide use on drinking water sources and best management practices to help reduce the negative impact.
------------------------	--------------------	--------------------	------------------------------	-------------------	---

Formatted: Font: Calibri, Font color: Auto, English (United States)

Formatted: Normal, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt, After: 0 pt

4.4.3 FUEL HANDLING & STORAGE

THREAT SUMMARY

The handling and storage of liquid fuel can pose a significant threat to source of drinking. Even small amounts of liquid fuel can contaminate large quantities of groundwater and surface water resulting in water that is unfit for drinking water. The circumstances that are considered to determine if these activities are significant drinking water threats are summarized below. Infrastructure relates to the equipment and systems needed to produce, distribute, store, monitor and dispense fuel.

Formatted: Font color: Auto

MODELED FUEL THREAT SUMMARY

In 2013 additional Lake Ontario modeling work was undertaken which identified a significant drinking water threat to the Cobourg and Newcastle surface water supplies as a result of a marina fuel storage. The addition of this significant drinking water threat results in Policies G-5 and F-2 being applicable to the two drinking water systems. Please refer to Chapter 4 or the Updated Ganaraska Assessment Report for additional information on the modeled marina fuel storage spill threat.

Deleted: The handling and storage of fuel is divided into subcategories for both fuel handling and fuel storage. The circumstances that are considered to determine if these activities are significant drinking water threats are summarized below.¶

FUEL HANDLING AND STORAGE

Applicable Policies: F-1, F-2, and G-5

For wellhead protection areas with a vulnerability score of 10, handling and storage of liquid fuel related to any tank greater than 250 litres, regardless of whether it is stored above, partially above or below grade, would be a significant drinking water threat.

For intake protection zones with a vulnerability score of 10, handling and storage of liquid fuel related to any tank greater than 250 litres, stored above or partially above grade, would be a significant drinking water threat.

For intake protection zones with a vulnerability score of 9, handling and storage of liquid fuel related to any tank greater than 2,500 litres, stored above or partially above grade, would be a significant drinking water threat.

POLICY TEXT

POLICY F-1 ————— Applicable Area: groundwater

Applicable Activities: The handling and storage of fuel that would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
F-1	PRO	MC	RMO	F	The activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act, 2006</i> unless the fuel is stored for use in a back-up generator that is intended for use during a municipal emergency.	G-7(1)

POLICY F-2 ————— Applicable Area: groundwater surface water modeled

Applicable Activities: The handling and storage of fuel that is an existing significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
F-2(1)	RMP	MC	RMO	E	The activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)
F-2(2)	RMP	MC	RMO	E	<u>The risk management plan required by (1) must, at a minimum, specify the requirement to have the fuel tank inspected by a TSSA-certified technician at a frequency determined at the discretion of the Risk Management Official but no greater than every 5 years.</u>	G-8(4)

Deleted: This drinking water threat refers to the storage of liquid fuel in a tank. The circumstances that are considered to determine if the activity is a significant drinking water threat are the volume of fuel stored, the type of fuel storage, the type of chemicals that may be released during a spill of the fuel, and the location of the storage in relation to grade. The specific circumstances that would result in a significant drinking water threat are: for wellhead protection areas and intake protection zones, the activity can be a significant drinking water threat where the volume of fuel stored is greater than 2500 litres; the fuel is stored at a facility but not at a bulk plant; and a spill of the fuel has the potential to result in the presence of BTEX³ or petroleum hydrocarbons F1 (nC6-nC10) in groundwater or surface water.¶
 For a wellhead protection area, the activity can be a significant drinking water threat where the volume of fuel stored is greater than 250 litres; where the volume is greater than 250 litres but less than 2500 litres, the activity is a significant drinking water threat if located below or partially below grade; the fuel is stored at a facility¹ or a bulk plant²; and a spill of the fuel has the potential to result in the presence of BTEX³ or petroleum hydrocarbons F1 (nC6-nC10) in groundwater or surface water. Where the volume is greater than 2500 litres, the activity is a significant drinking water threat under these circumstances, where a spill of the fuel has the potential to result in the presence of petroleum hydrocarbons F2 (>nC10-nC16), F3 (>nC16-nC34), and F4 (>nC34) in groundwater or surface water. ¶
 ¶
 ¶
FUEL HANDLING¶
Applicable Policies: G-5¶
 This drinking water threat refers to the handling of liquid fuel in relation to its storage. The circumstances that are considered to determine if the activity is a significant drinking water threat are the volume of fuel stored, the type of fuel storage, the type of chemicals that may be released during a spill of the fuel, and the location of the storage in relation to grade.¶
 For wellhead protection areas and intake protection zones, the volume of stored fuel must exceed 2500 litres and a spill of the fuel must have the potential to result in the presence of BTEX³ or petroleum hydrocarbons F1 (nC6-nC10) in groundwater or surface water. The circumstances related to the type of storage and the ...

Deleted: The Risk Management Plans required by (1) must, at a minimum, specify the requirement to have the fuel tank and infrastructure inspected by a TSSA-certified technician at a frequency no less greater than every 5 years or at the discretion of the Risk Management Official.

4.4.4 ROAD SALT

THREAT SUMMARY

Both the application and storage of road salt are activities prescribed to be drinking water threats by the *Clean Water Act, 2006*. The circumstances that are considered to determine if these activities are significant drinking water threats are summarized below.

ROAD SALT APPLICATION

Applicable Policies: R-1 through R-4, and G-5

This drinking water threat refers to the application of road salt. The circumstances that are considered to determine if the activity is a significant drinking water threat are the percentage of total impervious surface area in the area where the salt is applied and the potential for the application to result in the presence of sodium or chloride in groundwater or surface water. *Total impervious surface area* is determined from mapping included in the Ganaraska Assessment Report that represents the surface area of all highways and other impervious land surfaces used for vehicular traffic, parking, and pedestrian paths. The activity is a significant drinking water threat in an area where the total impervious surface area is:

- At least 6% for an intake protection zone or wellhead protection zone ICA with a vulnerability score of 10
- At least 8% for an intake protection zone or wellhead protection area ICA with a vulnerability score of 9
- Greater than 30% for a wellhead protection area with a vulnerability score of 10.

Deleted: greater than 8% for an intake protection zone or 80% for a wellhead protection area.

ROAD SALT STORAGE

Applicable Policies: R-5, R-6, and G-5

This drinking water threat refers to the storage of road salt. The circumstances that are considered to determine if the activity is a significant drinking water threat are the mass of salt stored and the way that it is stored. The storage of salt can only be a significant threat where it is stored in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt and the mass of salt stored is:

- At least 10 kilograms in an intake protection zone or wellhead protection area ICA with a vulnerability score of 10
- At least 20 kilograms for an intake protection zone or wellhead protection area ICA with a vulnerability score of 9 or a wellhead protection area with a vulnerability score of 10
- In a quantity more than 100 kilograms, where the storage of road salt is in an enclosure such as outdoor bins, salt boxes, tarps or containers, 3-sided storage sheds or domes, or by any other means where it has the potential to be exposed to precipitation, or runoff from precipitation or snow melt. For example; where a salt box is cracked or has a broken lid; where a tarp is ripped or not secured properly.

Deleted: the type of storage facility

Deleted: greater than 500 tonnes for an intake protection zone or 5000 tonnes for a wellhead protection area.

Salt storage in an engineered salt dome or similar facility is not considered a significant drinking water threat.

POLICY TEXT

POLICY R-1

Applicable Area: groundwater

Applicable Activities: The application of road salt that is an existing significant drinking water threat or would be a future significant drinking water threat; and the activity is being undertaken on a municipal property or right of way, or on a private road or property.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-1(1)	RMP	MC	RMO	E/F	<u>The activity is designated for the purpose of section 58 of the Clean Water Act, 2006 for private owned parking lots greater than 50 parking spaces, or 1,500 square meters if the parking lot is unmarked.</u>	G-8(4)
R-1(2)	RMP	MC	RMO	E/F	Ensure that the Risk Management Plan required by (1) includes provisions for the following: a) <u>Ensure that a Salt Management Plan is in place that contains provisions to ensure that the activity is not a significant drinking water threat;</u> b) <u>A list of best management practices to be followed;</u> c) <u>record keeping and reporting requirements; and</u> <u>Where salt is applied by a contractor, ensure that the contractors are made aware of the requirements of the salt management plan.</u>	G-8(4)
<u>R-1(3)</u>	<u>SA</u>	<u>MC</u>	<u>Municipality</u>	<u>E/F</u>	<u>Where the existing and future application of road salt on roads, pedestrian paths, sidewalks and parking lots owned or maintained by the Municipality is a significant drinking water threat, the Municipality shall prepare or, review and update their salt management plan to ensure compliance with the most up-to-date Environment Canada's Code of Practice for the Environmental Management of Road Salts and Transportation Association of Canada documents.</u>	<u>R-1(7)</u>
<u>R-1(4)</u>	<u>SA</u>	<u>MC</u>	<u>Municipality</u>	<u>E/F</u>	<u>Where the existing and future application of road salt on privately owned roads, parking lots or properties is a significant drinking water threat, the Municipality shall develop and initiate an ongoing education and outreach program designed to raise the</u>	<u>R-1(7)</u>

Formatted: Font color: Auto

Deleted: The activity is designated for the purpose of section 58 of the *Clean Water Act, 2006* for privately owned parking lots greater than 50 parking spaces. The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.

Deleted: Where multiple road authorities operate within a vulnerable area, cross-boundary considerations will be addressed on an ongoing basis by all road authorities responsible for the application of road salt; ¶
 Where salt is applied by a contractor:¶
 Ensure that contractors are made aware of the requirements of the salt management plan; and¶
 Require the contractor to advise the municipality with responsibility for the drinking water system promptly if an alternate road salt product is used for road maintenance.¶
 Updating of the Salt Management Plan within one year of the approval of an updated Ganaraska Assessment Report; and¶
 Annual reporting on activities undertaken as part of the salt management plan to the Risk Management Official.

					<u>awareness of the impact road salt has on drinking water sources and best management practices to help reduce the negative impact.</u>	
<u>R-1(5)</u>	<u>SA</u>	<u>S</u>	<u>Municipality</u>	<u>E</u>	<u>The Municipality is encouraged to monitor sodium and chloride levels in raw water at the water treatment plant during spring runoff and melt periods to determine the impact of road salt on the drinking water system.</u>	<u>R-1(7)</u>
<u>R-1(6)</u>	<u>SA</u>	<u>S</u>	<u>Municipality</u>	<u>F</u>	<u>Municipal planners should consider design criteria for future parking lots and sidewalks that would reduce the requirements and impacts of road salt based on current best management practices.</u>	<u>R-1(7)</u>
<u>R-1(7)</u>	<u>MON</u>	<u>MC</u>	<u>Municipality</u>	<u>E</u>	<p><u>The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies and make that report available to the applicable Source Protection Authority.</u></p> <p><u>Recommended contents of the report include, but are not limited to:</u></p> <ul style="list-style-type: none"> <u>a) A summary of activities undertaken to prepare and update their salt management plans</u> <u>b) A summary of activities undertaken to deliver the education and outreach program related to road salt</u> <u>c) Any water quality data related to sodium and chloride in the raw water at the water treatment plant.</u> 	<u>N/A</u>

POLICY R-2 Applicable Area: groundwater



Applicable Activities: The application of road salt that is an existing significant drinking water threat or would be a future significant drinking water threat; and the application is being undertaken by the Ministry of Transportation.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-2(1)	SA	S	MTO	E/F	<p>Ensure that efforts continue to identify and implement improved ways to pragmatically and logistically address the issue of salt contamination. These efforts will include the implementation of a Salt Management Plan that contains provisions for mitigating effects of road salt on wellhead protection areas and intake protection zones.</p> <p>The Salt Management Plan must include provisions for the following:</p> <ul style="list-style-type: none"> a) Where multiple road authorities operate within a vulnerable area, cross-boundary considerations will be addressed on an ongoing basis by all road authorities responsible for the application of road salt; b) Where salt is applied by a contractor: <ul style="list-style-type: none"> a) Ensure that contractors are made aware of the requirements of the salt management plan; and ii) Require the contractor to advise the municipality with responsibility for the drinking water system if an alternate product is used for road maintenance. c) Updating of the Salt Management Plan within one year of the approval of an updated Ganaraska Assessment Report; and d) Annual reporting on activities undertaken as part of the Salt Management Plan to the Ganaraska Region Source Protection Authority. 	R-2(2)
R-2(2)	MON	MC	MTO	E/F	<p>The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p>	N/A

					a) A summary of any changes to the Salt Management Plan identified in (1) made in the preceding calendar year.	
--	--	--	--	--	--	--

POLICY R-3

Applicable Area:
groundwater



Applicable Activities: The application of road salt that is an existing significant drinking water threat or would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-3(1)	RES	S	MTO	E/F	Continue ongoing investigation and implementation of innovative practices and mitigative technologies regarding road salt application and the management of infiltration and runoff.	R-3(3)
R-3(2)	RES	S	MTO	E/F	Actively consider the creation of a pilot project utilizing new practices and mitigative technologies for road salt application or the management of runoff that could benefit drinking water sources within the Gananaska Region Source Protection Area.	R-3(3)
R-3(3)	MON	MC	MTO	E/F	The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies and make that report available to the Gananaska Region Protection Authority. Recommended contents of the report include, but are not limited to: a) The nature of relevant research initiatives as they arise; and b) A summary of relevant research activities every five years.	N/A

POLICY R-4 ————— Applicable Area: groundwater



Applicable Activities: The application of road salt that would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-4(1)	SA	S	MTO	F	Consider the location of vulnerable areas during the planning and Environmental Assessment processes for the construction of roads, other impervious land surfaces used for vehicular traffic and parking, and all impervious pedestrian paths.	R-4(2)
R-4(2)	MON	MC	MTO	F	The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority and the municipality. Recommended contents of the report include, but are not limited to: a) With respect to policy R-4(2), every five years the annual report should include a summary of how (1) was achieved for any roads within their jurisdiction.	N/A
R-4(3)	LUP	MC	Approval Authority under the <i>Planning Act</i>	F	Consider areas where the activity is a significant drinking water threat as set out in impervious surface area mapping in the Ganaraska Assessment Report during the planning processes for the construction of roads, other impervious land surfaces used for vehicular traffic and parking, and all impervious pedestrian paths.	G-10(2)

POLICY R-5 Applicable Area: groundwater

Applicable Activities: The storage of road salt over 100 kg when exposed or potentially exposed to precipitation or runoff from precipitation or snowmelt, that is an existing or future significant drinking water threat. Note: examples of “potentially exposed” are situations such as where salt is stored in outdoor bins, sheds or domes without a sealed roof or walls, salt boxes in bad conditions and tarps that are torn, too small or not anchored properly.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-5(1)	SA	MC	Municipality		Set and enforce standards for road salt storage over 100 kg that would prevent the exposure or potential exposure of road salt to precipitation or runoff from precipitation or snow melt.	R-5(2)
R-5(2)	MON	MC	Municipality		The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of Policy R-5(1) and make that report available to the Ganaraska Source Protection Authority.	NA

- Deleted: RMP
- Deleted: RMO
- Deleted: E
- Deleted: G-8(4)
- Deleted: The activity is designated for the purpose of section 58 of the *Clean Water Act, 2006*. The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.

POLICY R-6 Applicable Area: groundwater

Applicable Activities: The storage of road salt over 10 kg when exposed to precipitation or runoff from precipitation, that would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
R-6	SA	MC	Municipality	E/F	Where the existing and future storage of road salt is in a quantity greater than 10 kg and exposed to precipitation or runoff from precipitation or snowmelt, or greater than 100 kg and is potentially exposed to precipitation or runoff from precipitation or snowmelt, the Municipality shall develop and initiate an ongoing education and outreach program designed to raise the awareness of the impact road salt has on drinking	R-1(Z)

- Deleted: PRO
- Deleted: RMO
- Deleted: G
- Deleted: 7
- Deleted: 1

					<u>water sources and best management practices to help reduce the negative impact.</u>	
--	--	--	--	--	--	--

Deleted: The activity is prohibited and designated for the purpose of section 57 of the *Clean Water Act, 2006*.

4.4.5 WASTE DISPOSAL

THREAT SUMMARY

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the *Environmental Protection Act* is an activity prescribed to be a drinking water threat by the *Clean Water Act, 2006*.

Many waste disposal sites are managed by Prescribed Instruments (Environmental Compliance Approval) under the *Environmental Protection Act* (EPA). This includes sites approved to receive subject waste (i.e., hazardous waste and liquid industrial waste (LIW) defined under Part V of the EPA) and sites that can only accept municipal waste, including residential, commercial, institutional, and industrial non-hazardous wastes.

Additionally, this threat category addresses waste generation facilities that generate and store subject waste until these wastes have been treated to meet the land disposal treatment requirements. Some facilities generating or storing waste do not require an Environmental Compliance Approval (ECA). Instead, they only require registration under the Hazardous Waste Information Network (HWIN). *Ontario Regulation 347* includes provisions to manage the subject wastes on these sites. Finally, some waste generation facilities generating or storing waste do not require ECAs or registration under HWIN.

Ontario Regulation 347 specifies which hazardous waste and LIW generation facilities require ECAs, which facilities require registration, and those subject to other measures.

Given the variety of activities associated with waste disposal sites, this drinking water threat is divided into several subcategories. The circumstances that determine if each threat subcategory is or would be a significant drinking water threat are summarized in Table 4.7.

Applicable Policies: W-1 through W-4, G-5

Table 4.7: Summary of Threat Circumstances for Waste Disposal Threats

Subcategory	Circumstances Considered to Determine if a Significant Threat
<u>Disposal of Hauled Sewage to Land</u>	<ul style="list-style-type: none"> • Potential for pathogen contamination, only the vulnerability score of the area is considered • Potential for <u>chemical</u> contamination, the area of land to which the sewage is applied is also considered
<u>Application of Processed Organic Waste to Land</u>	<ul style="list-style-type: none"> • <u>The percentage of managed land and livestock density for chemical threats.</u> • <u>Presence of one or more pathogens in groundwater and surface water.</u>
<u>Landfarming of petroleum refining waste;</u>	<ul style="list-style-type: none"> • <u>For the land disposal of petroleum refining waste the area where land disposal takes place is considered (for example more than 1 ha.)</u>
<u>Landfilling (hazardous waste or liquid industrial waste)</u>	<ul style="list-style-type: none"> • <u>For the land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, the area where land disposal takes place is considered (for example less than 1 ha.)</u>

Deleted: Application of untreated septage to land

Deleted: nutrient

Deleted: Storage, treatment and discharge of tailings from mines

Deleted: Type and location of storage¶
Type of chemical found in a discharge from the storage area¶
Whether or not a facility is required to report to the National Pollutant Release Inventory

Deleted: Landfarming of petroleum refining waste; Landfilling (hazardous waste, municipal waste, industrial waste)

Deleted: The size of area where the land disposal is undertaken ¶
The type of chemical that the discharge may contain

Landfilling (municipal waste)	<ul style="list-style-type: none"> For the land disposal of municipal waste, the area where land disposal takes place is considered (for example less than 1 ha.)
Liquid industrial waste injection into a well	<ul style="list-style-type: none"> Combined rate of discharge of all wells located at the site.
PCB waste storage	<ul style="list-style-type: none"> Stored below grade in a facility or engineered cell Stored in storage tanks below grade Stored in a storage tank that is installed partially below grade Stored in an outdoor area and not in a container
Storage of hazardous sewage	<ul style="list-style-type: none"> The hauled sewage is stored in a tank or lagoon at a site in a stationary means of containment for hauled sewage, not including a site where it is produced before its collection by a hauled sewage system. The storage may result in the presence of one or more pathogens in groundwater or surface water.
Storage of Processed Organic Waste or Waste Biomass	<ul style="list-style-type: none"> Whether processed organic waste or waste biomass is stored at or above grade or partially or completely below grade. The mass of nitrogen in the processed organic waste stored. The storage may result in the presence of one or more pathogens in groundwater or surface water.
Transfer/Process Sites approved to receive Hazardous Waste or Liquid Industrial Waste	<ul style="list-style-type: none"> Whether Hazardous Waste or Liquid Industrial Waste is stored at or above grade or partially or completely below grade.
Transfer/Process Site approved to receive only Municipal Waste under Part V of the Environmental Protection Act	<ul style="list-style-type: none"> The municipal waste is stored at or above grade or partially or completely below grade.
Storage of Subject Waste at a Waste Generating Facility: site requires generator registration under Section 3 of Ontario Regulation 347.	<ul style="list-style-type: none"> The subject waste is stored at or above grade or partially or completely below grade.
Storage of Waste at a Waste Generation Facility: site that is exempt or excluded from generator registration requirements	<ul style="list-style-type: none"> Waste that is excluded for the definition of subject waste as described in subsection 1(3) of Ontario Regulation 347. Waste that is exempt from Part V of the Environmental Protection Act (exemptions listed in Rule C1.13.2 and C1.13.3 referring to Subsection 3(2) of Ontario regulation 347). The waste is stored partially or completely below grade. These facilities are the original generators of hazardous waste or liquid industrial waste and require neither registration or an Environmental Compliance Approval. Therefore Part IV policies can be used to manage these threats.
Storage, Treatment and Discharge of Tailings from Mines	<ul style="list-style-type: none"> Tailings from a mining operation stored in a pit or impoundment structure located on the surface. Whether or not the site is part of a facility for which the NPRI Notice requires a person to report.

Deleted: The type of chemical that the discharge may contain

Deleted: <#>Stored in drums above or at grade¶

Deleted: waste at disposal sites

Deleted: Location of storage¶
The type of chemical

Deleted: Storage of wastes described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste ("other" waste)

Deleted: Location of storage¶
The t

Deleted: <#>¶

POLICY TEXT

POLICY W-1 Applicable Area:  groundwater

Applicable Activities: The establishment, operation or maintenance of a waste disposal site¹ within the meaning of Part V of the *Environmental Protection Act* is an existing significant drinking water threat and the activity requires a Prescribed Instrument.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
W-1	PI	MC	MOECP	E	Review all existing Prescribed Instruments related to these activities to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity. <u>At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and protocols for emergency responses related to protecting the drinking water source.</u>	G-2(2)

POLICY W-2 Applicable Area:  groundwater

Applicable Activities: The establishment, operation or maintenance of a waste disposal site¹ within the meaning of Part V of the *Environmental Protection Act* would be a future significant drinking water threat and the activity would require a Prescribed Instrument except for a Prescribed Instrument issued for a mobile PCB waste destruction unit where that unit will be used for the sole purpose of the on-site destruction of PCB waste that originated on that site.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
W-2(1)	PI	MC	MOECP	F	Future occurrences of the activity are not permitted.	G-2(2)

W-2(2)	LUP	MC	Approval authority under the <i>Planning Act</i>	F	Future occurrences of the activity are prohibited.	G-10(2)
--------	-----	----	--	---	--	---------

POLICY W-3 Applicable Area: groundwater 

Applicable Activities: The establishment, operation or maintenance of a waste disposal site¹ within the meaning of Part V of the *Environmental Protection Act* is an existing a significant drinking water threat and the activity does not require a Prescribed Instrument.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
W-3	RMP	MC	RMO	E	The activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)

POLICY W-4 Applicable Area: groundwater 

Applicable Activities: The establishment, operation or maintenance of a waste disposal site¹ within the meaning of Part V of the *Environmental Protection Act* would be a future significant drinking water threat and the activity would not require a Prescribed Instrument.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
W-4(1)	PRO	MC	RMO	F	The activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act, 2006</i> .	G-7(1)
W-4(2)	RMP	MC	RMO	F	Removed	G-8(4)

Deleted: W-4(1) does not apply if the activity is the storage of wastes described in clauses (p), (q), (r), (s), (t), or (u) of the definition of hazardous waste, or in clause (d) of the definition of liquid industrial waste in section 1 of O. Reg. 347. Future instances of that activity are designated for the purpose of section 58 of the *Clean Water Act, 2006*. The risk management plan will be prepared in accordance with the general provisions given in policy G-8.

¹ As per S.1 *Environmental Protection Act, 1990*, *waste disposal site* means (a) any land upon, into, in or through which, or building or structure in which, waste is deposited, disposed of, handled, stored, transferred, treated or processed, and (b) any operation carried out or machinery or equipment used in connection with the depositing, disposal, handling, storage, transfer, treatment or processing referred to in clause (a).

4.4.6 DNAPLS AND ORGANIC SOLVENTS

THREAT SUMMARY

Both DNAPLs (dense non-aqueous phase liquids) and organic solvents are activities prescribed to be drinking water threats by the *Clean Water Act, 2006*. The policies developed to address these activities rely on similar approaches, so these activities are considered as a group for the purpose of this Plan. However, the circumstances and locations that determine if each activity is a significant drinking water threat are different. These factors are summarized in Table 4.8 below.

Table 4.8: Summary of DNAPL and Organic Solvent Threats

Drinking Water Threat		Applicable Policies ¹	Applicable Area ²
Category	Subcategory		WHPA A-D
DNAPLs	Storage	D-1, D-2, G-5	WHPA A-C
	Handling	D-1, D-2, G-5	WHPA A-C
Organic Solvents	Storage	D-1, D-2, G-5	10

¹ General policies may also apply for these activities (see Section 4.3)

² Indicates the minimum vulnerability score that would result in a significant threat in at least one threat circumstance (color indicates the corresponding area on the policy applicability maps – see Section 4.2) (DNAPL are significant threats within WHPA A-C irrespective of vulnerability score)

DENSE NON-AQUEOUS PHASE LIQUIDS (DNAPLS)

A dense non-aqueous phase liquid (DNAPL) is a liquid that is denser than water and has a minimal solubility in water. These substances are of special concern because of their ability to sink to the bottom of an aquifer. Both the handling and storage of DNAPLs are prescribed drinking water threats.

For an Intake Protection Zone or Wellhead Protection Area E with a vulnerability score of 9 or higher, these activities are or would be significant drinking water threats where the handling or storage of DNAPLS takes place at or above grade. For Wellhead Protection Area A to C, these activities are significant drinking water threats regardless of the grade at which handling or storage occurs.

ORGANIC SOLVENTS

Organic solvents are substances that dissolve or disperse other organic substances. The majority of organic solvents are used in industrial and commercial applications; however, these chemicals can also be found in small quantities in common household products such as paints, adhesives, degreasers, and cleaning agents. The storage of an organic solvent is an activity prescribed to be a drinking water threat by the *Clean Water Act, 2006*. The circumstances that are considered to determine if the activity is a significant drinking water threat are the volume of stored solvent, and the location of the stored solvent in relation to grade. The long list of organic solvents includes but is not limited to the following: Carbon Tetrachloride, Chloroform, Methylene Chloride, and Pentachlorophenol.

Deleted: The circumstances considered to determine if these activities are significant drinking water threats are the location of the handling or storage in relation to grade and the potential for a spill of the DNAPL to result in the presence of any of the following substances in groundwater or surface water:¶
 Dioxane-1,4¶
 Polycyclic Aromatic Hydrocarbons (PAHs)¶
 Tetrachloroethylene (PCE)¶
 Trichloroethylene or another DNAPL that could degrade to Trichloroethylene¶
 Vinyl Chloride or another DNAPL that could degrade to Vinyl Chloride

Formatted: Font color: Auto

Deleted: For an intake protection zone or wellhead protection area ICA with a vulnerability score of 9 or higher, these activities are or would be significant drinking water threats where the handling or storage of DNAPLS takes place at or above grade.; For wellhead protection areas A to C, these activities are significant drinking water threats regardless of where the handling or storage of DNAPLS take place their location in relation to grade. There is no minimum quantity of DNAPL that would result in a DNAPLS are considered a significant drinking water threat in any quantity. However, for practical reasons, DNAPLS present in very small quantities (e.g., household cosmetics or small incidental quantities) were not considered significant drinking water threats are exempt from policies D-1, D-2 and D-3 and will instead be addressed through education and outreach.¶

Deleted: ,

Deleted: and the potential for a spill of the solvent to result in the presence of any of the following substances in groundwater or surface water:

Deleted: ¶

Deleted: ¶

Deleted: ¶

Deleted: ¶

POLICY TEXT

POLICY D-1

Applicable Area:
groundwater



Applicable Activities: The handling and storage of a dense non-aqueous phase liquid [for commercial or industrial use](#) and/or the handling and storage of an organic solvent is an existing significant drinking water threat (see Table 4.8).

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
D-1	RMP	MC	RMO	E	The activity is designated for the purpose of section 58 of the <i>Clean Water Act</i> , 2006. The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)

POLICY D-2

Applicable Area:
groundwater



Applicable Activities: The handling and storage of a dense non-aqueous phase liquid [for commercial or industrial use](#) and/or the handling and storage of an organic solvent would be a future significant drinking water threat (see Table 4.8).

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
D-2	PRO	MC	RMO	F	Activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act</i> , 2006.	G-7(1)

4.4.7 NON-AGRICULTURAL SOURCE MATERIAL

THREAT SUMMARY

Non-agricultural source materials (NASM) include a variety of materials that are not produced on a farm and when applied to agricultural land may be sources of nutrients or pathogens. The *Clean Water Act* applies the definition given in the *General Regulation* made under the *Nutrient Management Act (Ontario Regulation 267/03)*. The *Nutrient Management Act* divides NASMs into three categories based on the nature of the material (Schedule 4 of Ontario Regulation 267/03). Examples include, but not limited to:

- Pulp and paper biosolids;
- Sewage biosolids;
- Processed organic waste;
- Anaerobic digestion output where less than 50% of the total material is on-farm anaerobic digestion materials (anaerobic digestion is a process used to decompose organic matter by bacteria in an oxygen-limited environment); and
- Any other material that is not from an agricultural source and that is capable of being applied to land as a nutrient (such as materials from dairy product or animal food manufacturing).

Both the application and storage of NASM can be prescribed drinking water threats.

APPLICATION

Applicable Policies: N-1, N-2, N-3 and G-5

The circumstances that make the application of NASM or biosolids to land a significant threat are based on the potential for the activity to contaminate drinking water sources with pathogens or nutrients. Where the activity is a potential source of pathogen contamination, the vulnerability score and type of NASM are considered. Where the activity is a potential source of nutrient contamination, the local concentrations of managed lands, livestock density, and vulnerability scores are considered.

STORAGE

Applicable Policies: N-1, N-2, N-3 and G-5

The circumstances that make the storage of NASM a significant threat are based on the potential for a spill of the material or runoff from the storage area to result in the presence of pathogens or nutrients in a drinking water source. The factors that are considered to determine if the activity is a significant threat are the type of storage site, the location of the stored NASM with respect to grade, the quantity of stored material, and in the case of pathogens the type of NASM being stored.

Where the non-agricultural source material is listed as Category 1, existing storage activities will be managed through Policy G-5 Education and Outreach.

Deleted: identifies the following materials that are intended to be applied to land as nutrients, but that are not necessarily produced on a farm:

Deleted: are

Deleted: Where the non-agricultural source material is listed as Category 1, existing application activities will be managed through Policy G-5 Education and Outreach.¶

POLICY TEXT

POLICY N-
1

Applicable Area:
groundwater █

Applicable Activities: The application, handling, or storage of non-agricultural source material is an existing significant drinking water threat, and the activity requires a Prescribed Instrument.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
N-1(1)	PI	MC	OMAFRA <u>MECP</u>	E	<u>OMAFRA and MECP shall review all existing Prescribed Instruments that they approve or inspect, related to these activities to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and protocols for emergency responses related to protecting the drinking water source. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the Ganaraska Source Protection Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.</u>	G-2(2)
<u>N-1(2)</u>	<u>PI</u>	<u>MC</u>	<u>OMAFRA</u>	<u>F</u>	<u>OMAFRA shall not approve any Prescribed Instruments for NASM that are prohibited by Policy N-2 .</u>	<u>N-1(1)</u>

Deleted: Review all existing Prescribed Instruments related to these activities to determine if they are adequate to ensure that the associated activities are not significant drinking water threats. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the Ganaraska Source Protection Plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.

Deleted: ¶

POLICY N-
2

Applicable Area:
groundwater

Applicable Activities: The application, handling, or storage of non-agricultural source material would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
N-2	PRO	MC	RMO	F	The activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act, 2006</i> . This policy does not apply for non-agricultural source material listed as Category 1 non-agricultural source material <u>except for non-farm herbivorous manure as</u> per the <i>General Regulation (O. Reg. 267/03)</i> made under the <i>Nutrient Management Act, 2002</i> .	G-7(1)

POLICY N-
3

Applicable Area:
groundwater

Applicable Activities: The application, handling, or storage of non-agricultural source material would be an existing significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
N-3	RMP	MC	RMO	E	Where the non-agricultural source material is listed as Category 1 non- <u>farm herbivorous manure as</u> per the <i>General Regulation (O. Reg. 267/03)</i> made under the <i>Nutrient Management Act, 2002</i> , the activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)

Deleted: future

Deleted: agricultural source material

Deleted: F

4.4.8 SNOW STORAGE

THREAT SUMMARY

Applicable Policies: O-1, O-2, O-3 and G-5

The storage of snow is a prescribed drinking water threat under the *Clean Water Act, 2006* under two circumstances:

- 1) A stormwater drainage system that serves a Snow Disposal Facility.
- 2) The infiltration or discharge of snowmelt from snow storage on a site where the predominant land use is commercial or industrial, by any means other than a stormwater drainage system outfall.

The circumstances that make the storage of snow a significant threat is based on the size of the snow storage site, the vulnerable area and the associated vulnerability score.

The policies dealing with snow storage are divided into two sections.

Policies O-1 and O-2 deals with when stored snow is relocated to one of two types of storage:

- 1) Snow storage which is managed by an Environmental Compliance Approval.
- 2) A snow dump that is not managed by an Environmental Compliance Approval.
 - Snow dump means a location for the dumping and storage of snow from an off-site location. It can include snow from mixed land uses, including industrial, commercial, institutional, or residential parking lots.
 - Because snow dumps typically receive some snow from areas where the predominant land use is commercial or industrial, snow dumps can be considered a significant threat.

Policy O-3 deals with snow being plowed into a pile on site, where the predominant land use is commercial or industrial. Depending on the vulnerable zone and score, this can be a significant drinking water threat.

For the following policies snow storage does not include snow stored along the side of a road as a result of snow plowing.

Formatted: Spanish (Spain)

Deleted: The storage of snow is a prescribed drinking water threat under the *Clean Water Act, 2006*. Typically this includes snow that is pushed into large piles on a property (e.g., stored in parking lots) or snow transported to a central site from other locations (e.g., snow disposal sites). For practical considerations, the policy specifically excludes snow stored along the side of roads as a result of snow plowing.¶

The circumstances that make the storage of snow a significant threat are based on the potential for the activity to contaminate drinking water sources with chemicals as a result of runoff. Whether or not the activity is a potential source of contamination depends on several factors: if the snow is stored at/above or below grade, the type of chemical contaminant, the size of the snow storage site, as well as its specific location (vulnerability score).¶

POLICY TEXT

POLICY O-1

Applicable Area:
groundwater

Applicable Activities: The storage of snow that is an existing significant drinking water threat, where the snow is taken to a stormwater drainage system that serves a Snow Disposal Facility that is managed by an Environmental Compliance Approval or a Snow Dump not managed by an Environmental Compliance Approval and contains snow from mixed land uses including Commercial or Industrial.

Deleted: not stored along the side of a road as a result of snow plowing.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
O-1(1)	SA	MC	Municipality	E	Assess the feasibility of relocating the <u>snow dump</u> to a site where it would not be a significant drinking water threat. If an appropriate alternate site is identified, the activity will be relocated to the alternate site.	O-1(2)
O-1(2)	MON	MC	Municipality	E	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority. Recommended contents of the report include, but are not limited to: a) The results of the feasibility exercise identified in (1).	N/A
O-1(3)	RMP	MC	RMO	E	If an appropriate alternate site is not identified per (1), the activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)
<u>O-1(4)</u>	<u>PI</u>	<u>MC</u>	<u>MECP</u>	<u>E</u>	<u>Where the existing storage of snow could be a significant drinking water threat and requires a prescribed instrument to manage, the Ministry of the Environment, Conservation and Parks review the prescribed instrument to ensure it includes appropriate terms and conditions, so that the storage of snow ceases to be a significant drinking water threat. If they are deemed to be inadequate for this purpose, they will be amended to include additional conditions that will ensure that the activities cease to be significant drinking water threats. At a minimum, the Prescribed Instrument shall include reference to the applicable source protection vulnerable area and protocols for emergency responses related to protecting the drinking water</u>	<u>G-2(2)</u>

Deleted: activity

Deleted: within one year

Deleted: within two years

					<u>source. All amendments to Prescribed Instruments required by this policy must be carried out within three years from the date that the plan takes effect or such other date as the applicable Director determines based on a prioritized review of Prescribed Instruments that govern the activity.</u>	
<u>O-1(5)</u>	<u>PI</u>	<u>MC</u>	<u>MECP</u>	<u>F</u>	<u>Future occurrences of the activity are not permitted.</u>	<u>G-2(2)</u>

POLICY O-2 Applicable Area: groundwater

Applicable Activities: The storage of snow that would be a future significant drinking water threat, where the snow is taken to a snow dump not managed by an Environmental Compliance Approval and contains snow from mixed land uses including commercial or industrial.

Deleted: The storage of snow that would be a future significant drinking water threat, where the snow is not stored along the side of the road as a result of snow plowing.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
O-2	PRO	MC	RMO	F	The activity is prohibited and designated for the purpose of section 57 of the <i>Clean Water Act, 2006</i> .	G-7(1)

POLICY O-3 Applicable Area: groundwater

Applicable Activities: The storage of snow that would be an existing or future significant drinking water threat, where the snow is stored in areas that the predominant land use is commercial or industrial.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
<u>O-3(1)</u>	<u>RMP</u>	<u>MC</u>	<u>RMO</u>	<u>E&F</u>	<u>The activity is designated for the purpose of section 58 of the Clean Water Act, 2006 for commercial or industrial parking lots greater than 50 parking spaces or 1500 square meters. The risk management plan will be prepared in accordance with the general provisions given in policy G-8.</u>	<u>G-7(1)</u>
<u>O-3(2)</u>	<u>SA</u>	<u>MC</u>	<u>Municipality</u>	<u>E&F</u>	<u>Where the existing and future snow storage on commercial or industrial parking lots or properties is a significant drinking water threat, the Municipality shall develop and</u>	

Deleted: The activity is designated for the purpose of section 58 of the Clean Water Act, 2006. The risk management plan will be prepared in accordance with the general provisions given in policy G-8.

Formatted: Font color: Auto

Formatted: Font color: Auto

					initiate an ongoing education and outreach program designed to raise the awareness of the impact snow storage has on drinking water sources and best management practices to help reduce the negative impact.	
--	--	--	--	--	---	--

4.4.9 AIRCRAFT DE-ICING

THREAT SUMMARY

Applicable Policies: P-1

Aircraft that have frost, ice, or snow on any of their critical structures (*e.g.*, wings) are not permitted to attempt take-off under the Canadian Aviation regulations. During weather conditions that would result in frost, ice, or snow, aircraft may be sprayed with de-icing and/or anti-icing fluids prior to leaving the ground. The management of runoff from de-icing of an aircraft is identified as a prescribed threat under the *Clean Water Act, 2006* due to the potential for runoff from the locations where de-icing takes place to enter a drinking water source.

The factors that are considered in the determination of whether or not the activity is a significant drinking water threat are as follows:

- The type of vulnerable area (*i.e.*, wellhead protection area or intake protection zone);
- The vulnerability score of the area; and
- The classification of the airport as remote, small, regional, or national (only regional and national airports can be significant drinking water threats).

POLICY TEXT

POLICY P-
1Applicable Area:
groundwater

Applicable Activities: The management of runoff that contains chemicals used in the de-icing of aircraft that is an existing significant drinking water threat or would be a future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
P-1(1)	RMP	MC	RMO	E/F	The activity is designated for the purpose of section 58 of the <i>Clean Water Act, 2006</i> . The Risk Management Plan will be prepared in accordance with the general provisions given in policy G-8.	G-8(4)
P-1(2)	SA	S	Relevant Airport Authorities or Operators	F	Include appropriate design standards and management practices in the development of any future airport facilities.	P-1(3)
P-1(3)	MON	MC	Ganaraska Region Source Protection Authority	E/F	Request and report on information from relevant airport authorities, operators, and Transport Canada by February 1 of each year where a future airport facility has been designed in the previous calendar year, to identify how the recommendations outlined in (2) were considered.	N/A
P-1(4)	SA	MC	RMO	F	Where an airport is being considered, work with the airport operator, the deicing service provider, the air carriers using the airport, and the companies or individuals responsible for disposal of the used deicing fluid to ensure that the Risk Management Plan recognizes and addresses concerns related to the drinking water supply. The Risk Management Plan should be consistent with the <i>Guidelines for Aircraft Ground Icing Operations</i> (Transport Canada, 2005) ¹ .	G-8(4)

¹ Transport Canada (2005) *Guidelines for Aircraft Ground Icing Operations* - TP 14052.

4.3.10 CONVEYANCE OF OIL BY WAY OF A PIPELINE

THREAT SUMMARY

The Ministry of the Environment, Conservation and Parks (MECP) revised *Ontario Regulation 287/07* in 2017 to include “*The establishment and operation of a liquid hydrocarbon pipeline*” as a prescribed drinking water threat. This has resulted in a low threat to the Creighton Heights Wellhead Protection Area and therefore a low threat policy (L-2A).

Modeling was undertaken to support the determination of a significant drinking water threat activity circumstance to the Port Hope, Newcastle, and Cobourg intakes. The conveyance of oil by way of a pipeline that would be designated as transmitting or distributing “liquid hydrocarbons”, including “crude oil”, “condensate”, or “liquid petroleum products”, and not including “natural gas liquids” or “liquefied petroleum gas”, with the meaning of the *Ontario Regulation 210/01* under the *Technical Standards and Safety Act*, or is subject to the *National Energy Board Act*. This activity is considered a significant threat only where the pipeline crosses bodies of open water and may result in the presence of BTEX in surface water (Ganaraska Assessment Report Maps 4-13 to 4-15, 2011). The following policies (L-2(1) to L-2(14)) apply only where the pipeline crosses bodies of open water (policy applicability maps, Appendix 2).

Deleted: <#>LOCAL THREATS¶

Deleted: 5

Deleted: 1

Deleted: Due to the potential for chemical contamination,

Deleted: , is considered a local drinking water threat to the Port Hope, Newcastle, and Cobourg intakes.

POLICY L-2

Applicable Area: Lake Ontario Systems, IPZ-3

Applicable Activities: Where the conveyance of oil by way of a pipeline is an existing and future significant drinking water threat.

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
L-2(1)	SA	S	Owner of the Pipeline	E/F	<p><u>Owners of pipelines shall ensure that their Environmental Protection Programs, Emergency Management Programs and Emergency Procedure Manuals shall:</u></p> <p><u>a) Include drinking water source protection information</u></p> <p><u>b) Contain risk assessments to identify areas and watercourses where a pipeline release may impact a drinking water intake and methods to mitigate risk.</u></p> <p><u>c) Contain a communications protocol, which includes the notification to the municipal drinking water plant operator and owner of the impacted or potentially impacted municipal drinking water system.</u></p> <p><u>d) Include spill response procedures including contractor names and contact information and any internal contacts for spill response.</u></p> <p><u>e) Be reviewed and updated annually with a focus on drinking water source protection information, response actions, and communication protocols.</u></p> <p><u>g) Include regular emergency response exercises with drinking water source protection included at least once every three years.</u></p>	L-2(8)
L-2(2)	SA	S	Owner of the Pipeline	E	<p><u>With regard to hydrocarbon pipelines crossing a body of open water this is considered a significant drinking water threat, the pipeline owner is to meet the current industry best practices.</u></p>	L-2(8)
L-2(3)	SA	S	Owner of the Pipeline and Approval Authorities	E/F	<p><u>The Ganaraska Region Source Protection Authority is to be included in the consultation process and given the opportunity to provide feedback for new pipelines, changes to a pipeline or change in material being transported in a pipeline.</u></p>	L-2(8)
L-2(4)	SA	S	Owner of the Pipeline	E/F	<p><u>The Ganaraska Region Source Protection Authority is to be advised of any abandonment or change of use of any pipelines.</u></p>	L-2(8)
L-2(5)	SA	S	Owner of the Pipeline	E/F	<p><u>In order to mitigate the impacts of a release, consider valve placement and any other equipment designed to reduce the impact of a pipeline leak or spill.</u></p>	L-2(8)

Deleted: 4

Deleted: L-2(5)

Deleted: Review their relevant emergency response plans or procedures within one year to ensure that they are adequate to respond to a pipeline rupture in an area where the pipeline crosses a body of open water. The emergency response plan must include, at a minimum:¶
 Specific procedures for responding to a pipeline rupture in an area where the pipeline crosses a body of open water;¶
 A communications protocol;¶
 The location of available spill response materials; and¶
 Provisions to immediately notify the affected water treatment plant and municipality in the event of a pipeline rupture.

Formatted: Font: Calibri, Font color: Auto, English (United States)

Formatted: Normal, Space Before: 0 pt, After: 0 pt

Deleted: /F

Deleted: 5

Deleted: With regard to hydrocarbon pipelines crossing a body of open water that are considered a significant drinking water threat, the pipeline owner is to, at minimum, meet the practices identified in the current edition of the *Hydrotechnical Hazard Integrity Management Recommendation Practices* document produced by the Canadian Energy Pipeline Association.

Formatted: Font color: Auto

Deleted: Review and update the emergency response plans annually.

Deleted: 7

Deleted: Conduct annual practice exercises and/or emergency response scenarios related to the emergency response plan in areas along the length of the pipeline.

Deleted: Ganaraska Region Source Protection Authority

Deleted: MON

Deleted: N/A

Deleted: MC

Deleted: Request and report on information from the Owner of the Pipeline by February 1 regarding any updates to existing emergency response plans made to address a pipeline rupture for the preceding calendar year. This report is also to be provided to relevant municipalities.

L-2(6)	SA	MC	Ganaraska Region Source Protection Authority	E/F	The Ganaraska Region Source Protection Authority is to provide to pipeline owners, information on watershed characteristics (such as flow rate, flood and erosion hazards), flood warnings and statements and other local data for the purposes of source protection, if available and as requested by the pipeline owners.	N/A
--------	----	----	--	-----	---	-----

Deleted: 5
Deleted: MON
Deleted: Request and report on information from the Owner of the Pipeline by February 1 regarding any activation of the emergency response plan for activities undertaken as a result of a pipeline rupture for the preceding calendar year. This report is also to be provided to relevant municipalities.

POLICY L-2 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
L-2(7)	SA	S	Hydrocarbon Regulators	E/F	Drinking water threats are to be included in inspection programs where a liquid hydrocarbon pipeline or a potential release from a liquid hydrocarbon pipeline would be considered a significant drinking water threat.	L-2(8)
L-2(8)	MON	MC	Ganaraska Region Source Protection Authority	E/F	The Conservation Authority is to request to receive by February 1, information from the owner of the pipeline, pertaining to pipeline maintenance within the Source Protection Area for the previous calendar year.	N/A
L-2(9)	SA	MC	Municipality	E/F	Review their relevant water treatment plant emergency response plans or procedures within one year to ensure that they are adequate to respond to a pipeline rupture in an area where the pipeline crosses a body of open water. The emergency response plan must include, at a minimum: a) Specific procedures at the related water treatment plant for responding to a pipeline rupture in an area where the pipeline crosses a body of open water; b) A communications protocol; c) The location of spill response materials available to the related water treatment plant; and d) Any other relevant information.	L-2(10) L-2(11)

Deleted: Owner of the Pipeline
Deleted: 6
Deleted: 7
Deleted: Notify the potentially affected municipality and water treatment plant prior to any pipeline maintenance activities.
Formatted: Font: Calibri, Font color: Auto, English (United States)
Formatted: Normal, Space Before: 0 pt, After: 0 pt
Deleted: 7
Deleted: Request and report on information from the Owner of the Pipeline, Approval Authorities and Hydrocarbon Regulators by February 1 on all emergency response practice exercises and maintenance activities completed in the preceding calendar year, inspection program results, signage locations, consultation activities, and the results of integrity inspections and significant pipeline maintenance that occurred where the conveyance of liquid hydrocarbon by way of a pipeline is an existing significant drinking water threat in the Ganaraska Source Protection Area. This report is also to be provided to relevant municipalities.
Deleted: 9
Deleted: 8
Deleted: 10

Chapter 4: Policies

L-2(10)	MON	MC	Municipality	E/F	<p>The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p> <ul style="list-style-type: none"> a) A summary of any updates to existing emergency response plans made to address a pipeline rupture. 	N/A
---------	-----	----	--------------	-----	--	-----

Deleted: 9

POLICY L-2 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
L-2(11)	MON	MC	Municipality	E/F	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of any activation of the emergency response plan for activities undertaken as a result of a pipeline rupture.	N/A
L-2(12)	SA	MC	Municipality	E/F	Review and update the emergency response plans annually.	L-2(10)
L-2(13)	SA	S	MOECP	E/F	Provide mapping of the areas where a pipeline crosses a body of open water to the Spills Action Centre to assist in spill response.	L-2(14)
L-2(14)	MON	MC	MOECP	E/F	The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of the actions taken to implement policy L-2(12).	N/A

Deleted: 10

Deleted: 9

Deleted: 11

Deleted: 13

Deleted: 12

Deleted: 13

Chapter 4: Policies

POLICY L-2A

Applicable Area: Creighton Heights WHPA-B

Applicable Activities: Where The establishment and operation of a liquid hydrocarbon pipeline. is an existing and future low drinking water threat

<u>Policy No.</u>	<u>Tool</u>	<u>Legal Effect</u>	<u>Implementer</u>	<u>E/F</u>	<u>Policy Text</u>	<u>Monitoring Policy</u>
<u>L-2A(1)</u>	<u>SA</u>	<u>S</u>	<u>Owner of the Pipeline</u>	<u>E/F</u>	<p><u>Owners of pipelines shall ensure that their Environmental Protection Programs, Emergency Management Programs and Emergency Procedure Manuals shall:</u></p> <ul style="list-style-type: none"> <u>a) Include drinking water source protection information</u> <u>b) Contain risk assessments to identify areas and watercourses where a pipeline release may impact a drinking water intake and methods to mitigate risk.</u> <u>c) Contain a communications protocol, which includes the notification to the municipal drinking water plant operator and owner of the impacted or potentially impacted municipal drinking water system.</u> <u>d) Include spill response procedures including contractor names and contact information and any internal contacts for spill response.</u> <u>e) Be reviewed and updated annually with a focus on drinking water source protection information, response actions, and communication protocols.</u> <u>g) Include regular emergency response exercises with drinking water source protection included at least once every three years.</u> 	<u>L-2(8)</u>

4.5 OTHER POLICIES

This section includes several optional policies that are permitted by the *Clean Water Act, 2006*.

4.5.1 TRANSPORTATION CORRIDORS

Deleted: 6

POLICY OT-1

Applicable Activities: Spills along transportation corridors within a vulnerable area

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-1(1)	SA	S	Municipality	E/F	Update local emergency response plans and/or spill contingency plans to address a potential spill along highways as defined in the <i>Highway Traffic Act</i> ¹ , shipping lanes, and railways. Emergency response plans should include: <ul style="list-style-type: none"> a) The location of all applicable wellhead protection areas and intake protection zones; b) Specific procedures for responding to a spill; c) A communications protocol; and d) The location of available spill response materials. 	OT-1(3)
OT-1(2)	SA	S	Municipality	E/F	Review and update the emergency response plans annually.	OT-1(3)
OT-1(3)	MON	S	Municipality	E/F	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority. Recommended contents of the report include, but are not limited to: <ul style="list-style-type: none"> a) A summary of the updates that occurred as a result (1) and (2). 	N/A

POLICY OT-1 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-1(4)	SA	S	MOECP	E/F	Update their emergency response plans and/or spill contingency plans for highways as defined in the <i>Highway Traffic Act</i> ¹ , shipping lanes, and railways by: <ul style="list-style-type: none"> a) Revising their notification protocol to directly notify all potentially affected water treatment plant operators; b) Using available data and models to predict the extent and duration of contamination caused by the spill, and to help determine the parties to be notified; and c) Ensure that information about the predicted extent and duration of contamination caused by the spill is communicated to all responsible parties who are responding to the spill (<i>e.g.</i>, the originators of the spill, emergency response/clean-up personnel, municipal health departments, and water treatment plant operators). 	G-2(2) OT-1(7)
OT-1(5)	SA	S	MOECP	E/F	Conduct testing of their emergency response plans and/or spill contingency plans commencing within three years, followed by regular emergency response preparedness exercises to address a potential spill (frequency and priority to be determined in consultation).	G-2(2) OT-1(7)
OT-1(6)	SA	S	MOECP	E/F	Provide mapping of all vulnerable areas to the Spills Action Centre to assist in spill response.	G-2(2) OT-1(7)
OT-1(7)	MON	S	MOECP	E/F	The following content is recommended to be included in the report required by policy G-2(2): <ul style="list-style-type: none"> a) A summary of updates that occurred as a result of (4). b) The results of testing response/contingency plans per (5) and; c) Confirmation of mapping being provided per (6). 	N/A

¹ As per *Highway Traffic Act, 1990*, "highway" includes a common and public highway, street, avenue, parkway, driveway, square, place, bridge, viaduct or trestle, any part of which is intended for or used by the general public for the passage of vehicles and includes the area between the lateral property lines thereof.

4.5.2 TRANSPORT PATHWAYS

POLICY OT-2

Applicable Activities: Transport pathways¹ within wellhead protection areas A, B and C and intake protection zones 1 and 2 (with a vulnerability score of 8 or higher).

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-2(1)	SA	S	Municipality	E/F	<p>Develop and initiate within two years an ongoing education and outreach program that is designed to inform the owners and operators of transport pathways about the following:</p> <ul style="list-style-type: none"> a) The potential for the transport pathway to endanger the municipal water supply; b) Best management practices for upgrading transport pathways to minimize the potential for impacts to the water supply; and c) For wells subject to <i>Ontario Regulation 903</i> of the <i>Ontario Water Resources Act</i>, their legal obligations with respect to well construction, maintenance, and abandonment. <p>The education and outreach program can be harmonized with existing education and outreach programs, such as the Ontario Drinking Water Stewardship Program (ODWSP) or the Policy G-5 program, where this would result in an increase in efficiency or cost-effectiveness.</p> <p>The municipality may enter into an agreement with a conservation authority or a third party that identifies the third party as the implementing body for this policy and any related reporting requirements.</p>	OT-2(3)
OT-2(2)	SA	S	Municipality	F	<p><u>Municipalities shall give the source protection authority and the source protection committee notice of the transport pathway proposals in a wellhead protection area or intake protection zone as per Section 27(3) of O. Reg. 287/07.</u></p>	OT-2(3)

Deleted: 6

Deleted: W

Deleted: P

Deleted: A

Deleted: I

Deleted: P

Deleted: Z

Deleted: In a WHPA-A or IPZ-1, establish a bylaw prohibiting the approval of a proposal to engage in an activity that will result in the creation of a new transport pathway (including geothermal heating systems).²¹
This bylaw must be established in one year.

				<p><u>For any municipal approvals for the construction of transport pathways within wellhead protection areas A or intake protection zones 1, the municipality shall not approve any proposals unless the application includes a statement from a qualified person stating that the proposal will not significantly increase the vulnerability of the municipal water source to being contaminated by land-based activities as identified in the source protection plans. The statement from the qualified person and any background information may be subject to review by a third-party peer review.</u></p> <p><u>Prior to approving any applications for the construction of transport pathways within wellhead protection areas B and C, E (E with a score of 8 or 9) and intake protection zones 2 (with a vulnerability Score of 8 or higher), the municipality shall:</u></p> <ol style="list-style-type: none"> <u>1. Consult with the Ganaraska Region Source Protection Authority prior to approving any applications to determine the impact on the vulnerable area (including changes to the delineation or vulnerability score of the wellhead protection area or intake protection zone that would require amendments to the Ganaraska Assessment Report and or Ganaraska Source Protection Plan).</u> <u>2. Require the proponent of development applications to demonstrate that the municipal water supply is not endangered including what best management practices would be used to mitigate any adverse effects of proposed transport pathway.</u> <u>3. Incorporate a condition of approval for the development application(s) that any wells on the subject property that are no longer in use or are substandard are decommissioned or repaired, in accordance with <u>Ontario Regulation 903</u>.</u> <p><u>For Earth Energy (Geothermal) Systems, in addition to their role under the <i>Building Code Act</i>, municipalities are strongly encouraged to require additional measures to ensure that new earth energy systems within wellhead protection areas do not endanger the raw water supply of a municipal drinking water system. The municipality should:</u></p> <ul style="list-style-type: none"> <u>• In wellhead protection area A, prohibit all types of earth energy systems.</u> 	
--	--	--	--	---	--

Formatted: Font color: Auto

Formatted: Font: Italic

Deleted: . Incorporate a condition of approval for the development application(s) that any wells on the subject property that are no longer in use or are substandard are decommissioned in accordance with *Ontario Regulation 903*.

					<ul style="list-style-type: none"> <u>In wellhead protection area B, require a qualified hydrogeologist oversee the design and installation of new earth energy systems (with the exception of horizontal closed looped systems) to ensure that the construction meets the requirements of the Ontario Building Code and will not result in the contamination of the groundwater.</u> <u>Keep records of the location, size and design of new earth energy systems within the wellhead protection areas.</u> <p><u>For any other municipal approvals for the construction of transport pathways within wellhead protection areas A, B and C, E (for E with a score of 8 or 9) and intake protection zones 1 and 2 (with a vulnerability score of 8 or higher), the municipality shall consult with the Source Protection Authority prior to approving any applications to determine the impact on the vulnerable area (wellhead protection area or intake protection zone) and to determine what best management practices would be required in the design to mitigate any adverse effects of proposed transport pathway.</u></p>	
OT-2(3)	MON	S	Municipality	E/F	<p>The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Source Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p> <ol style="list-style-type: none"> A summary of the activities undertaken as part of the education and outreach program; A summary of any bylaws created to satisfy (2). 	N/A
OT-2(4)	SA	S	MOECP	E/F	<p>The Ministry of the Environment, Conservation and Parks (MOECP) is strongly encouraged to undertake an updated risk-based analysis of the compliance program associated with the Wells Regulation 903 as amended, made under the <i>Ontario Water Resources Act</i>.</p> <p>The program analysis should consider:</p> <ol style="list-style-type: none"> Increased MOECP field presence with well contractors; 	OT-2(6)

					<p>b) Complaint response prioritization where the presence of a transport pathway would endanger sources of municipal drinking water; and</p> <p>c) Focusing resources in areas where improperly constructed, maintained, or abandoned wells may increase the potential threat to municipal drinking water sources.</p> <p>Action to implement this analysis should be initiated within two years from the date the source protection plan takes effect.</p>	
--	--	--	--	--	--	--

POLICY OT-2 CONTINUED

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-2(5)	MON	S	MOECP	E/F	<p>The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority.</p> <p>Recommended contents of the report include, but are not limited to:</p> <p>a) A summary of the program analysis completed under (5).</p>	N/A

¹ Transport pathway means a condition of land resulting from human activity that increases the vulnerability of a raw water supply of a drinking water system contained in this Source Protection Plan.

Transport pathways may include, but are not limited to, the following:

For groundwater systems:

- a) Wells or boreholes;
- b) Unused or abandoned wells;
- c) Pits and quarries;
- d) Mines;
- e) Construction activities involving deep excavations (such as building foundations, basements, parking garages);
- f) Underground storm sewer, sanitary sewer & water distribution system infrastructure

For surface water systems:

- a) Storm drainage infrastructure (e.g. storm sewer lines, culverts, ditches); and
- b) Tile drains.

² *Ontario Regulation 287/07, Section 27(3)*: If a person applies to a municipality for approval of a proposal to engage in an activity in a WHPA or a surface water IPZ that may result in the creation of a new transport pathway or the modification of an existing transport pathway, the municipality shall give the source protection authority and the source protection committee notice of the proposal and shall include a description of the proposal, the identity of the person responsible for the proposal and a description of the approvals the person requires to engage in the proposed activity.

4.6.3 EXTENSION OF EDUCATION PROGRAMS TO INDIGENOUS COMMUNITIES

Deleted: FIRST NATIONS

POLICY OT-3

Applicable Activities: Education and Outreach for Drinking Water Systems not in the Terms of Reference

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-3(1)	E & O	S	Municipality	E/F	Municipalities are encouraged to extend education and outreach programs into <u>indigenous communities</u> .	OT-3(2)
OT-3(2)	MON	S	Municipality	E/F	The municipality shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority. Recommended contents of the report include, but are not limited to: a) A summary of any initiatives extended to First Nations reserves, and the outcomes of those initiatives.	N/A

Deleted: First Nations reserves

4.6.4 COLLECTION OF CLIMATE CHANGE DATA

POLICY OT-4

The Ganaraska Source Protection Plan is based on science, primarily related to water quantity and water quality. Climate change has the potential to affect both water quantity and water quality, so it is important to assess and monitor the impacts of climate change and detail the results in the Ganaraska Assessment Report on a continuing basis. This will help determine what measures are necessary in terms of planning for; future municipal water delivery and policies to protect source of drinking water. The Technical Rules outline the minimum criteria for what needs to be included in any climate change risk assessments that are to be incorporated into the Assessment Report. The following strategic policies encourage various stakeholders to collect climate change data in order to help determine the potential effects on municipal drinking water.

Applicable Activities: Climate change data collection

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-4(1)	SA	S	Various (See Policy Text)	E/F	Environment Canada, the Ontario Ministry of the Environment, Conservation and Parks, the Ontario Ministry of Northern Development, Mines, Natural Resources and Forestry, municipalities, and conservation authorities are encouraged to collect climate change data on an ongoing basis with a focus on the potential impact of climate change on vulnerable areas and on the drinking water supplies within those areas. Municipalities, this can be accomplished by using the Conservation Ontario Climate Change Vulnerability Assessment Tool and/or developing a Climate Action Plan. Municipalities should share the completed assessment results with the Source Protection Authority to aid in future amendments to the Source Protection Plan and Assessment Report and meet the requirements of the Technical Rules on climate change.	OT-4(3)
OT-4(2)	SA	S	MOECP MNDMNR	E/F	The Province of Ontario is encouraged to provide ongoing funding to local agencies to collect climate data to expand existing climate change data collection programs to include a focus on the potential effects on	OT-4(3)

Chapter 4: Policies

					municipal drinking water systems in the Ganaraska Region Source Protection Area.	
OT-4(3)	MON	S	Various [See OT-4(1)]	E/F	Report by February 1 each year to the Ganaraska Region Source Protection Authority providing details of any climate change data collection initiatives undertaken in (1) and (2) impacting the Ganaraska Region Source Protection Area for the preceding calendar year.	N/A

4.6.5 COLLABORATION WITH OTHER JURISDICTIONS

POLICY OT-5

Applicable Activities: Collaboration with other jurisdictions

Policy No.	Tool	Legal Effect	Implementer	E/F	Policy Text	Monitoring Policy
OT-5(1)	SA	S	MOECP	E/F	To raise the profile of the importance of Lake Ontario as a source of drinking water for residents of Ontario and to encourage collaboration on protecting our shared drinking water sources, the Ministry of the Environment, Conservation and Parks is requested to reach out to Conservation Authorities, Environment Canada, United States government agencies, and others to discuss the findings and policies arising from source protection planning.	OT-5(2)
OT-5(2)	MON	S	MOECP	E/F	The ministry shall prepare, by February 1 each year, an annual summary of the actions it has taken to achieve the outcomes of the source protection plan policies for the preceding calendar year and make that report available to the Ganaraska Region Protection Authority. Recommended contents of the report include, but are not limited to: a) Details of any collaboration opportunities related to Lake Ontario and source protection planning which impacts the Ganaraska Region Source Protection Area for the preceding calendar year.	N/A

glossary

TERM	DEFINITION
Activity (Land Use Activity)	One or a series of related processes, natural or anthropogenic that occur within a geographical area and may be related to a particular land use. As per S.2 <i>Clean Water Act 2006</i> , “activity” includes a land use.
Drinking Water	(a) water intended for human consumption, or (b) water that is required by an Act, regulation, order, municipal by-law or other document issued under the authority of an Act, (i) to be potable, or (ii) to meet or exceed the requirements of the prescribed drinking water quality standards.

Drinking Water System	A system of works, excluding plumbing, that is established for the purpose of providing users of the system with drinking water and that includes: <ul style="list-style-type: none"> (a) any thing used for the collection, production, treatment, storage, supply or distribution of water; (b) any thing related to the management of residue from the treatment process or the management of the discharge of a substance into the natural environment from the treatment system; and (c) a well or intake that serves as the source or entry point of raw water supply for the system.
Drinking Water Threat	An activity or condition that adversely affects or has the potential to adversely affect the quality or quantity of any water that is or may be used as a source of drinking water, and includes an activity or condition that is prescribed by the regulations as a drinking water threat.
Land Use	A particular use of space at or near the earth’s surface with associated activities, substances and events related to a particular land use designation.
Implementer	The body responsible for implementation of the policy.
Issue Contributing Area	The geographic area that encompasses the source of a drinking water issue. Under the <i>Clean Water Act, 2006</i> , all activities that contribute to the issue in the Issue Contributing Area become significant drinking water threats.
Municipal Drinking Water System	A drinking water system or part of a drinking water system, <ul style="list-style-type: none"> (a) that is owned by a municipality or by a municipal service board established under the <i>Municipal Act, 2001</i> or a city board established under the <i>City of Toronto Act, 2006</i>; (b) that is owned by a corporation established under sections 9, 10 ,and 11 of the <i>Municipal Act, 2001</i> in accordance with section 203 of that <i>Act</i> or under sections 7 and 8 of the <i>City of Toronto Act, 2006</i> in accordance with sections 148 and 154 of that <i>Act</i>; or (c) from which a municipality obtains or will obtain water under the terms of a contract between the municipality and the owner of the system, or (d) that is in a prescribed class.
National Airport	An airport that serves the national capital region or the Greater Toronto Area, or an airport with annual passenger traffic of 200,000 persons or more.
Official Plan	An official plan prepared in accordance with part III of the <i>Planning Act</i> .
Operating Authority	In respect of a drinking water system, the person or entity that is given responsibility by the owner for the operation, management, maintenance, or alteration of the system.
Planning Board	A board established under section 9 or 10 of the <i>Planning Act</i> .

Prescribed Instrument	An instrument that is issued or otherwise created under a provision prescribed by the regulations of: <ul style="list-style-type: none"> (a) the <i>Aggregate Resources Act</i>; (b) the <i>Conservation Authorities Act</i>; (c) the <i>Crown Forest Sustainability Act, 1994</i>; (d) the <i>Environmental Protection Act</i>; (e) the <i>Mining Act</i>; (f) the <i>Nutrient Management Act, 2002</i>; (g) the <i>Oil, Gas and Salt Resources Act</i>; (h) the <i>Ontario Water Resources Act</i>; (i) the <i>Pesticides Act</i>; or (j) any other <i>Act</i> or regulation prescribed by the regulations
Provincial Tables of Circumstances	The Ministry of the Environment and Climate Change publication "Provincial Tables of Circumstances", dated March 2014, as amended from time to time, accessible via the source protection homepage of ontario.ca or the reports and legislation page of trentsourcprotection.on.ca.
Regional Airport	An airport with an annual passenger traffic that is less than 200,000 persons and that is not a remote airport or a small airport.
Regulatory Authority	An entity responsible for issuing a Prescribed Instrument.
Restricted Land Uses	A tool provided under section 59 of the <i>Clean Water Act, 2006</i> used to identify where either a section 57 prohibition or section 58 risk management plan policies are required for future significant drinking water threats.
Risk Management Official	The Risk Management Official appointed under Part IV of the <i>Clean Water Act, 2006</i> . The Risk Management Official is responsible for making decisions about risk management plans and risk assessments and must meet the prescribed criteria in the regulations under the <i>Clean Water Act, 2006</i> .
Risk Management Plan	A tool available under section 58 of the <i>Clean Water Act, 2006</i> . The risk management plan identifies the measures that a person engaged in an activity will take to ensure the activity is no longer a significant drinking water threat.
Significant Drinking Water Threat	A drinking water threat which poses or has the potential to pose a significant risk to drinking water.
Significant Threat Policy	<ul style="list-style-type: none"> (a) a policy set out in a source protection plan that, for an area identified in the assessment report as an area where an activity is or would be a significant drinking water threat, is intended to achieve an objective referred to in paragraph 2 of subsection 22 (2) under the <i>Clean Water Act, 2006</i>, or (b) a policy set out in a source protection plan that, for an area identified in the assessment report as an area where a condition that results from a past activity is a significant drinking water threat, is intended to achieve the objective of ensuring that the condition ceases to be a significant drinking water threat.
Source Protection Area	An area established by subsection 4 (1) of the <i>Clean Water Act, 2006</i> , or by the regulations.

Source Protection Plan	A plan prepared under the <i>Clean Water Act, 2006</i> intended to protect existing and future municipal sources of drinking water.
Specify Actions	Policies that specify the actions to be taken to implement the source protection plan or to achieve the plan's objectives.
Spill	Has the same meaning as in subsection 91(1) of the <i>Environmental Protection Act</i> : when used with reference to a pollutant, means a discharge, <ul style="list-style-type: none"> (a) into the natural environment, (b) from or out of a structure, vehicle or other container, and (c) that is abnormal in quality or quantity in light of all the circumstances of the discharge.
Tables of Drinking Water Threats	The Ministry of the Environment and Climate Change publication "Table of Drinking Water Threats: <i>Clean Water Act, 2006</i> " dated November 16, 2009, as amended from time to time, accessible via trentsourceprotection.on.ca .
Technical Rules	The Ministry of the Environment, Conservation and Parks document titled "Technical Rules: Assessment Report" as amended from time to time, and made under section 107 of the <i>Clean Water Act, 2006</i> .
Total Impervious Surface Area	The surface area of all highways and other impervious land surfaces used for vehicular traffic, parking, and pedestrian paths.
Transport Pathways	A condition of land resulting from human activity that increases the vulnerability of a raw water supply of a drinking water system set out in clause 15(2)(e) of the <i>Act</i> .
Transportation Corridor	A term defining highways (as outlined in subsection 1 (1) of the <i>Highway Traffic Act</i>), railway lines or shipping lanes.

Deleted: and Climate Chang

APPENDIX 3: APPLICABLE LEGAL PROVISION OF POLICIES

List A

Title	Significant threat policies that affect decisions under the <i>Planning Act</i> and <i>Condominium Act, 1998</i>
Opening Statement	Clause 39 (1)(a), subsections 39 (2), (4) and (6), and sections 40 and 42 of the <i>Clean Water Act, 2006</i> apply to the following policies:
Content	G-1(1-3); G-7(2); G-9(3); G-10(1); S-3(2); S-4(3); S-5(1); S-7(1); R-4(3); W-2(2)

List B

Title	Moderate and low threat policies that affect decisions under the <i>Planning Act</i> and <i>Condominium Act, 1998</i>
Opening Statement	Subsection 39 (1) (b) of the <i>Clean Water Act, 2006</i> applies to the following policies:
Content	No Applicable Policies

List C	
Title	Significant threat policies that affect prescribed instrument decisions
Opening Statement	Subsection 39 (6), clause 39 (7) (a), section 43 and subsection 44 (1) of the <i>Clean Water Act</i> , 2006 apply to the following policies:
Content	G-1(1-2,4); G-2(1); S-2(1); S-3(1); S-7(2); S-8(1); A-2(3); A-3; A-4(4); W-1; W-2(1); N-1

List D	
Title	Moderate and low threat policies that affect prescribed instrument decisions
Opening Statement	Clause 39 (7) (b) of the <i>Clean Water Act</i> , 2006 applies to the following policies:
Content	No Applicable Policies

List E	
Title	Significant threat policies that impose obligations on municipalities, source protection authorities and local boards
Opening Statement	Section 38 and subsection 39 (6) of the <i>Clean Water Act</i> , 2006 applies to the following policies:
Content	G-3(1); G-4(1-3); G-5(1-7); G-6(3-5); G-7(2); G-9(2-3); G-10(1-2); G-11(1-2); S-1(1-2); S-3(2); S-4(1-3); S-5(1-2); S-6(1-4); S-7(1); S-8(2-3); R-4(3); W-2(2); O-1(1-2); P-1(3); L-2(8,11)

List F	
Title	Monitoring policies referred to in subsection 22 (2) of the <i>Clean Water Act</i> , 2006
Opening Statement	Section 45 of the <i>Clean Water Act</i> , 2006 applies to the following policies:
Content	G-2(2); G-3(2); G-4(3); G-5(7); G-6(5); G-7(1); G-8(4); G-10(2); G-11(2); S-1(2); S-3(3); S-4(2); S-5(2); S-6(2,4); S-8(3); A-2(2); R-2(2); R-3(3); R-4(2); O-1(2); P-1(3); L-2(4,5,7,9,10,13)

List G	
Title	Policies related to section 57 of the <i>Clean Water Act</i> , 2006
Opening Statement	The following policies relate to section 57 (prohibition) of the <i>Clean Water Act</i> :
Content	G-1(1-2,4); S-10; A-4(1); F-1; R-6; W-4(1); D-2; N-2; O-2

List H	
Title	Policies related to section 58 of the <i>Clean Water Act</i> , 2006

Chapter 4: Policies

Opening Statement	The following policies relate to section 58 (risk management plans) of the <i>Clean Water Act</i> :
Content	G-8(1-3); S-9; A-1(1-3); A-4(2-3); F-2(1-2); R-1(1-2); R-5; W-3; D-1; N-3; O-1(3); P-1(1,4); W-4(2)

List I	
Title	Policies related to section 59 of the <i>Clean Water Act, 2006</i>
Opening Statement	The following policies relate to section 59 (restricted land use) of the <i>Clean Water Act</i> :
Content	G-9(1-3)

List J	
Title	Strategic Action policies
Opening Statement	For the purposes of section 33 of Ontario Regulation 287/07, the following policies are identified as strategic action policies:
Content	G-6(1-2); OT-1(1-7); OT-2(1-5); OT-3(1-2); OT-4(1-3); OT-5(1-2)

List K	
Title	Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or Source Protection Authorities.
Content	A-2(1,4); G-6(1,2); P-1(2); R-2(1); R-3(1,2); R-4(1); S-2(2); L-2(1-3, 6,12)

Policy No.	Legal Effect	<i>Environmental Protection Act</i> - Waste sites and Systems	<i>Nutrient Management Act</i> - Nutrient Management Strategies	<i>Nutrient Management Act</i> - Nutrient Management Plans	<i>Nutrient Management Act</i> - NASM Plans	<i>Ontario Water Resources Act</i> - Sewage Works	<i>Pesticides Act</i> - Permits
G-2(1)	Must Conform	X	X	X	X	X	X
S-2(1)	Must Conform					X	
S-3(1)	Must Conform					X	
S-7(2)	Must Conform					X	
S-8(1)	Must Conform					X	
A-2(3)	Must Conform		X	X			
A-3	Must Conform						X
A-4(4)	Must Conform		X	X			X
W-1	Must Conform	X					
W-2(1)	Must Conform	X					

Chapter 4: Policies

N-1	Must Conform	X			X		
-----	--------------	---	--	--	---	--	--

Policy No.	Legal Effect	Policy affects decisions under the <i>Planning Act</i> and <i>Condominium Act</i> , 1998 (Lists A and B)	Policy affects Prescribed Instruments decisions (Lists C and D)	Significant threat policies that impose obligations on municipalities, source protection authorities and local boards (List E)	Monitoring Policies referred to in s. 22(2) of the CWA (List F)	Part IV Policies - Significant threat policies that are designated in the plan as requiring a risk management plan under s.58, are prohibited under s.57, or to which s.59 of the CWA applies (Lists G, H and I)	Strategic Action Policies (List J)	Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or Source Protection Authorities. (List K)
A-1(1)	Must Conform					X		
A-1(2)	Must Conform					X		
A-1(3)	Must Conform					X		
A-2(1)	Strategic							X
A-2(2)	Must Conform				X			
A-2(3)	Must Conform		X					
A-2(4)	Strategic							X
A-3(1)	Must Conform		X					
A-4(1)	Must Conform					X		
A-4(2)	Must Conform					X		
A-4(3)	Must Conform					X		
A-4(4)	Must Conform		X					
D-1	Must Conform					X		
D-2	Must Conform					X		
F-1	Must Conform					X		
F-2(1)	Must Conform					X		
F-2(2)	Must Conform					X		
G-1(1)	Must Conform	X	X					
G-1(2)	Must Conform	X	X					
G-1(3)	Must Conform	X						
G-1(4)	Must Conform		X			X		
G-2(1)	Must Conform		X					
G-2(2)	Must Conform				X			
G-3(1)	Must Conform			X				
G-3(2)	Must Conform			X	X			
G-4(1)	Must Conform			X				
G-4(2)	Must Conform			X				
G-4(3)	Must Conform			X	X			
G-5(1)	Must Conform			X				
G-5(2)	Must Conform			X				
G-5(3)	Must Conform			X				
G-5(4)	Must Conform			X				
G-5(5)	Must Conform			X				
G-5(6)	Must Conform			X				
G-5(7)	Must Conform			X	X			
G-6(1)	Strategic							X

Chapter 4: Policies

Policy No.	Legal Effect	Policy affects decisions under the <i>Planning Act</i> and <i>Condominium Act, 1998 (Lists A and B)</i>	Policy affects Prescribed Instruments decisions (Lists C and D)	Significant threat policies that impose obligations on municipalities, source protection authorities and local boards (List E)	Monitoring Policies referred to in s. 22(2) of the CWA (List F)	Part IV Policies - Significant threat policies that are designated in the plan as requiring a risk management plan under s.58, are prohibited under s.57, or to which s.59 of the CWA applies (Lists G, H and I)	Strategic Action Policies (List J)	Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or Source Protection Authorities. (List K)
G-6(2)	Strategic							X
G-6(3)	Must Conform			X				
G-6(4)	Must Conform			X				
G-6(5)	Must Conform			X	X			
G-7(1)	Must Conform				X			
G-7(2)	Must Conform	X		X				
G-8(1)	Must Conform					X		
G-8(2)	Must Conform					X		
G-8(3)	Must Conform					X		
G-8(4)	Must Conform				X			
G-9(1)	Must Conform					X		
G-9(2)	Must Conform			X		X		
G-9(3)	Must Conform	X		X		X		
G-10(1)	Must Conform	X		X				
G-10(2)	Must Conform			X	X			
G-11(1)	Must Conform			X				
G-11(2)	Must Conform			X	X			
L-2(1)	Strategic							X
L-2(2)	Strategic							X
L-2(3)	Strategic							X
L-2(4)	Must Conform			X	X			
L-2(5)	Must Conform			X	X			
L-2(6)	Strategic							X
L-2(7)	Must Conform			X	X			
L-2(8)	Must Conform			X				
L-2(9)	Must Conform			X	X			
L-2(10)	Must Conform			X	X			
L-2(11)	Must Conform			X				
L-2(12)	Strategic							X
L-2(13)	Must Conform				X			
N-1	Must Conform		X					
N-2	Must Conform					X		
N-3	Must Conform					X		
O-1(1)	Must Conform			X			X	
O-1(2)	Must Conform			X	X			
O-1(3)	Must Conform					X		
O-2	Must Conform					X		
OT-1(1)	Strategic						X	
OT-1(2)	Strategic						X	

Chapter 4: Policies

Policy No.	Legal Effect	Policy affects decisions under the <i>Planning Act</i> and <i>Condominium Act</i> , 1998 (Lists A and B)	Policy affects Prescribed Instruments decisions (Lists C and D)	Significant threat policies that impose obligations on municipalities, source protection authorities and local boards (List E)	Monitoring Policies referred to in s. 22(2) of the CWA (List F)	Part IV Policies - Significant threat policies that are designated in the plan as requiring a risk management plan under s.58, are prohibited under s.57, or to which s.59 of the CWA applies (Lists G, H and I)	Strategic Action Policies (List J)	Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or Source Protection Authorities. (List K)
OT-1(3)	Strategic						X	
OT-1(4)	Strategic						X	
OT-1(5)	Strategic						X	
OT-1(6)	Strategic						X	
OT-1(7)	Strategic						X	
OT-2(1)	Strategic						X	
OT-2(2)	Strategic						X	
OT-2(3)	Strategic						X	
OT-2(5)	Strategic						X	
OT-2(6)	Strategic						X	
OT-3(1)	Strategic						X	
OT-3(2)	Strategic						X	
OT-4(1)	Strategic						X	
OT-4(2)	Strategic						X	
OT-4(3)	Strategic						X	
OT-5(1)	Strategic						X	
OT-5(2)	Strategic						X	
P-1(1)	Must Conform					X		
P-1(2)	Strategic							X
P-1(3)	Must Conform			X	X			
P-1(4)	Must Conform					X		
R-1(1)	Must Conform					X		
R-1(2)	Must Conform					X		
R-2(1)	Strategic							X
R-2(2)	Must Conform				X			
R-3(1)	Strategic							X
R-3(2)	Strategic							X
R-3(3)	Must Conform				X			
R-4(1)	Strategic							X
R-4(2)	Must Conform				X			
R-4(3)	Must Conform	X		X				
R-5	Must Conform					X		
R-6	Must Conform					X		
S-1(1)	Must Conform			X				
S-1(2)	Must Conform			X	X			
S-2(1)	Must Conform		X					
S-2(2)	Strategic							X
S-3(1)	Must Conform		X					
S-3(2)	Must Conform	X		X				

Policy No.	Legal Effect	Policy affects decisions under the <i>Planning Act</i> and <i>Condominium Act</i> , 1998 (Lists A and B)	Policy affects Prescribed Instruments decisions (Lists C and D)	Significant threat policies that impose obligations on municipalities, source protection authorities and local boards (List E)	Monitoring Policies referred to in s. 22(2) of the CWA (List F)	Part IV Policies - Significant threat policies that are designated in the plan as requiring a risk management plan under s.58, are prohibited under s.57, or to which s.59 of the CWA applies (Lists G, H and I)	Strategic Action Policies (List J)	Significant threat policies to be implemented by stakeholders other than municipalities, local boards, or Source Protection Authorities. (List K)
S-3(3)	Must Conform				X			
S-4(1)	Must Conform			X				
S-4(2)	Must Conform				X			
S-4(3)	Must Conform	X						
S-5(1)	Must Conform	X		X				
S-5(2)	Must Conform			X	X			
S-6(1)	Must Conform			X				
S-6(2)	Must Conform			X	X			
S-6(3)	Must Conform			X				
S-6(4)	Must Conform			X	X			
S-7(1)	Must Conform	X		X				
S-7(2)	Must Conform		X					
S-8(1)	Must Conform		X					
S-8(2)	Must Conform			X				
S-8(3)	Must Conform			X				
S-9(1)	Must Conform					X		
S-10(1)	Must Conform					X		
W-1	Must Conform		X					
W-2(1)	Must Conform		X					
W-2(2)	Must Conform	X		X				
W-3	Must Conform					X		
W-4(1)	Must Conform					X		
W-4(2)	Must Conform					X		

APPENDIX 4: POLICIES BY IMPLEMENTER

The following table lists the policies in the Ganaraska Source Protection Plan by implementing body.

Implementer		Policy No.
Approval Authority under the <i>Planning Act</i>	General	G-1(1-4); G-7(2); G-9(2-3); G-10(1-2)
	Sewage Systems	S-3(2); S-4(3); S-5(1-2); S-7(1)
	Road Salt	R-4(3)
	Waste Disposal Sites	W-2(2)
Ganaraska Region Conservation Authority	General	G-4(1-3)
	Other	OT-4(1,3)
	Aircraft De-icing	P-1(3)

Implementer		Policy No.
Ganaraska Region Source Protection Authority	Local Threat	L-2(4-5,7)
Environment Canada	Other	OT-4(1,3)
Ministry of Agriculture, Food, and Rural Affairs	General	G-1(1-2,4); G-2(1-2)
	Agriculture	A-2(1-3); A-4(4)
	Non-Agricultural Source Material	N-1
Ministry of the Environment, Conservation and Parks	General	G-1(1-2,4); G-2(1-2)
	Sewage Systems	S-2(1-2); S-3(1,3); S-7(2); S-8(1)
	Agriculture	A-2(1-2,4); A-3; A-4(4)
	Waste Disposal Sites	W-1; W-2(1)
	Non-Agricultural Source Material	N-1
	Local Threat	L-2(12-13)
Ministry of Northern Development, Mines, Natural Resources and Forestry	Other	OT-1(4-7); OT-2(4,5); OT-4(1-3); OT-5(1-2)
	Other	OT-4(1-3)
Ministry of Transportation	General	G-6(1-2,5)
	Road Salt	R-2(1-2); R-3(1-3); R-4(1-2)
Municipality	General	G-1(1-2); G-3(1-2); G-5(1-7); G-6(3-5); G-11(1-2)
	Sewage Systems	S-1(1-2); S-4(1-2); S-6(1-4); S-8(2-3)
	Local Threat	L-2(8-11)
	Snow Storage	O-1(1-2)
	Other	OT-1(1-3); OT-2(1-3); OT-3(1-2); OT-4(1,3)
Relevant Airport Authorities or Operators	Aircraft De-icing	P-1(2)
Owner of the Pipeline	Local Threat	L-2(1-3, 6)
Risk Management Official	General	G-1(1-2,4); G-7(1); G-8(1-4); G-9(1)
	Sewage Systems	S-9; S-10
	Agriculture	A-1(1-3); A-4(1-3)

Implementer	Policy No.
Fuel	F-1; F-2(1-2)
Road Salt	R-1(1-2); R-5; R-6
Waste Disposal Sites	W-3; W-4(1,2)
DNAPLs and Organic Solvents	D-1; D-2; D-3(1-2)
Non-Agricultural Source Material	N-2; N-3
Snow Storage	O-1(3); O-2
Aircraft De-icing	P-1(1,4)

APPENDIX 5: SUMMARY OF CONSULTATION ACTIVITIES

The source protection planning process is open and public. The *Clean Water Act, 2006* and the *General Regulation* require that municipalities, First Nations, affected property owners, other stakeholders and the public have the opportunity to collaborate and provide input during the entire source protection planning process.

This appendix provides a summary of the consultation activities and timelines carried out by the source protection committee during the *Terms of Reference*, *Assessment Report*, and *Source Protection Plan* phases of this program. Source protection planning documents during each phase of consultation were made available through the website (www.trentsourceprotection.on.ca), as well as at municipal offices and conservation authority offices (digital and hardcopy).

Each consultation phase also included notification to municipalities, stakeholders, and the public through newspaper advertisements, distribution of public notices, written correspondence to landowners, press releases, and website postings. In addition, conservation authorities conducted outreach activities through displays at trade shows, newsletters, special events, presentations to municipal councils and interest groups, as well as delivered education activities (*i.e.*, Ontario Drinking Water Stewardship Program) to increase awareness of the *Clean Water Act, 2006* and source protection planning.

TERMS OF REFERENCE (2008)

Consultation on *Draft Proposed Terms of Reference*

The *Draft Proposed Terms of Reference* for the Ganaraska Region Source Protection Area was made available for public input and comment for a 35-day consultation period from May 21, 2008 to June 25, 2008. Six public meetings were held from June 11 to 16, 2008 at different locations throughout the source protection region (Marmora, Trenton, Port Hope, Peterborough, Haliburton, and Lindsay).

Consultation on the *Proposed Terms of Reference*

A second 30-day comment period from August 12 to September 11, 2008 was conducted on the *Proposed Terms of Reference*.

ASSESSMENT REPORT (2009-2011, 2014)

Pre-Consultation on Technical Findings

Nine open houses were held in conjunction with source protection committee meetings between September 15 and December 17, 2009. The public were advised of these open houses through newspaper advertisements, distribution of notices to landowners and stakeholders, press releases, and the Trent Conservation Coalition Source Protection Region website.

Consultation on the *Draft* Proposed Ganaraska Assessment Report

The source protection committee posted the *Draft* Proposed Ganaraska Assessment Report for a 37-day comment period from June 2 to July 9, 2010. Six public meetings were held between June 23 and July 2, 2010 in communities throughout the Trent Conservation Coalition Source Protection Region (Baltimore, Norland, Havelock, Peterborough, and Stirling). Notification of consultation on the *Draft* Proposed Ganaraska Assessment Report included correspondence to approximately 25 property owners inviting participation in the process and to provide updates on identified significant drinking water threats.

Consultation on the Proposed Ganaraska Assessment Report

A second consultation period lasting 30 days was held from September 10 to October 10, 2010 for stakeholders to provide comments on the Proposed Ganaraska Assessment Report.

Consultation on the Revised Ganaraska Assessment Report

During the preparation of the Proposed Ganaraska Assessment Report in 2010, tight deadlines required that some work be deferred until 2011. The remaining technical studies were completed early in 2011 and the document was amended and made available for public review and comment from May 4 to June 3, 2011. Based on comments received by the province and others, the Amended Proposed Ganaraska Assessment Report was updated and submitted to the Ministry of the Environment and Climate Change for approval on June 28, 2011.

Consultation on the Updated Ganaraska Assessment Report

After approval of the Ganaraska Assessment Report in October 2011, further public consultation occurred between November 18 and December 20, 2013 regarding additional modeling that was undertaken which identified significant drinking water threats: marina gasoline storage tank ruptures (fuel spill) impacting the Cobourg and Newcastle surface water supplies; and wastewater treatment plant disinfection failures impacting the Cobourg, Newcastle, and Port Hope surface water supplies.

SOURCE PROTECTION PLAN (2011-PRESENT)

Municipal Engagement

Five municipal working groups, representing each of the five source protection authorities within the Trent Conservation Coalition Source Protection Region met throughout 2011 and early 2012 to review and provide input on policy concepts and *draft* source protection policies. Three municipal forums were held in Peterborough (December 2, 2010; June 8, 2011; September 20, 2011) for elected municipal officials and staff to receive updates on the source protection planning process, provide input on preliminary policy concepts, and discuss implementation issues.

Notice of Plan Preparation

All stakeholders, including all landowners identified as having significant drinking water threats on their property, were sent notification in May 2011 that the Trent Conservation Coalition Source Protection Committee had begun the preparation of their source protection plans. Through this notification these property owners and stakeholders were invited to participate in the planning process.

Pre-consultation

The source protection committee consulted on the *draft* source protection policies with the parties that were identified as being responsible for implementation including municipalities, government agencies, conservation authorities/source protection authorities, and several industry associations. This consultation took place between September 2, 2011 and January 20, 2012. The correspondence provided to implementers included the *draft* wording of the proposed source protection policies, rationale for the policies, and an invitation to provide written feedback. To allow parties responsible for implementation with the opportunity to ask questions and seek clarification on the content of the *draft* source protection policies, meetings were held throughout this consultation period.

Consultation on *Draft* Proposed Ganaraska Source Protection Plan

The source protection committee consulted on the *Draft* Proposed Ganaraska Source Protection Plan for a 37-day comment period between March 19 and April 23, 2012. Six public meetings were held in communities throughout the source protection region (Baltimore, Minden, Lindsay, Havelock, Peterborough, and Codrington). The notification of consultation on the *Draft* Proposed Ganaraska Source Protection Plan included written correspondence to approximately 15 significant drinking water threat property owners inviting participation in the process. In conjunction with the notification to landowners with significant drinking water threats, the source protection committee chose to also advise property owners with the potential to have significant drinking water threats in the future that the plan was available for consultation. Approximately 8500 landowners received hand delivered written correspondence from the Trent Conservation Coalition Source Protection Committee prior to the public meetings held during the 37-day consultation period.

Consultation on Proposed Ganaraska Source Protection Plan

Following the 37 day consultation period, the source protection committee considered feedback on the *Draft* Proposed Ganaraska Source Protection Plan as a result of written comments received, and made changes to the document where warranted. The Proposed Ganaraska Source Protection Plan was then submitted to the Ganaraska Region Source Protection Authority for final consultation with the public. The Proposed Ganaraska Source Protection Plan was available to the public and implementing bodies for a 31 day consultation period which ran from June 27 through July 27, 2012. All written comments received by the source protection authorities during this consultation period were submitted with the Proposed Ganaraska Source Protection Plan to the Minister of the Environment and Climate Change for consideration.

Consultation on Revisions to the Proposed Ganaraska Source Protection Plan

Following submission of the plan to the Minister of the Environment and Climate Change, the Trent Conservation Coalition Source Protection Committee received comments from the ministry regarding the policies in June and November 2013. An additional review of the policies was conducted by the source protection committee and municipal working groups. The source protection committee consulted on the

resulting revisions during a 33-day comment period which took place between January 13 and February 14, 2014. All written comments received during this period were considered by the committee before the Proposed Ganaraska Source Protection Plan was re-submitted to the Ministry of the Environment and Climate Change in March 2014.

Further comments on the Revised Source Protection Plans were provided by the Ministry of the Environment and Climate Change and Climate Change on June 26, 2014. Those comments were considered by the Source Protection Committee and resulted in a small number of changes to the policies and explanatory document. These changes included an amendment to the Ganaraska Assessment Report that made it so that a policy in the Ganaraska Source Protection Plan would apply to Enbridge Pipelines Inc., which was not previously affected. Consultation with Enbridge included a meeting with Enbridge staff and written correspondence.

APPENDIX 6: POLICY CODES SUMMERIZED BY IMPLEMENTING BODY AND COMPLIANCE/TARGET DATE

Implementer	Compliance Date for Legally Binding Policies / Target Date for Non-legally Binding Policies							Monitoring Policies Annual
	Ongoing	Immediate/ When Plan Takes Effect (Future Only)	1 year	2 years	3 years	5 years	Within 5yr Official Plan Review & 3yrs of Official Plan Conformity	
MUNICIPAL								
Municipality	G-3(1) G-6(4) S1-(1) OT-1(2) OT-4(1) L-2(11)	G-6(3) G-11(1) OT-1(1) OT-3(1)	O-1(1) OT-2(2) S-4(1) S-6(3) L-2(8)	G-5(1) G-5(2) G-5(3) G-5(4) G-5(5) G-5(6) OT-2(1) S-8(2) S-6(1)				G-3(2) G-5(7) G-6(5) G-11(2) OT-1(3) OT-2(3) OT-3(2) OT-4(3) S-1(2) S-4(2) S-6(2) S-6(4) S-8(3)
Planning Approval Authority (Planning Act)	S-7(1) R-4(3)	S-3(2) W-2(2)					G-7(2) G-9(3) G-10(1) S-4(3) S-5(1)	G-10(2) S-5(2)

Implementer	Compliance Date for Legally Binding Policies / Target Date for Non-legally Binding Policies							Monitoring Policies Annual
	Ongoing	Immediate/ When Plan Takes Effect (Future Only)	1 year	2 years	3 years	5 years	Within 5yr Official Plan Review & 3yrs of Official Plan Conformity	
Planning Approval Authority (Planning Act and Ontario Building Code)	G-9(2)							
Risk Management Official		A-4(1) A-4(2) A-4(3) D-2 F-1 N-2 N-3 O-2 P-1(4) Q-2 R-6 S-10 W-4(1) W-4(2) G-9(1)	G-8(2)			A-1(1) A-1(2) A-1(3) D-1 F-2(1) F-2(2) G-8(3) G-8(1) O-1(3) P-1(1) Q-1 R-1(1) R-1(2) R-5 S-9 W-3		G-7(1) G-8(4)
CONSERVATION AUTHORITY / SOURCE PROTECTION AUTHORITY								
Conservation Authority	OT-4(1) G-4(1) G-4(2)							OT-4(3) G-4(3)
Source Protection Authority								P-1(3) L-2(4) L-2(5) L-2(7)
PROVINCIAL								

Implementer	Compliance Date for Legally Binding Policies / Target Date for Non-legally Binding Policies							Monitoring Policies Annual
	Ongoing	Immediate/ When Plan Takes Effect (Future Only)	1 year	2 years	3 years	5 years	Within 5yr Official Plan Review & 3yrs of Official Plan Conformity	
MOECP	S-2(2) OT-5(1) OT-4(1) OT-4(2)	A-4(4) S-3(1) S-7(2) W-2(1) G-2(1) OT-1(4) OT-1(6) L-2(12)	A-2(1)	OT-2(4)	A-2(4) A-3 OT-1(5) S-2(1) S-8(1) W-1			A-2(2) G-2(2) L-2(13) OT-1(7) OT-2(5) OT-5(2) S-3(3)
MNDMNRF	OT-4(1) OT-4(2)							OT-4(3)
MTO	R-4(1) R-2(1) R-3(1) R-3(2)	G-6(1) G-6(2)						G-6(5) R-2(2) R-3(3) R-4(2)
OMAFRA		A-4(4) G-2(1)	A-2(1)		A-2(3) N-1			A-2(2) G-2(2)
FEDERAL								
Environment Canada	OT-4(1)							OT-4(3)
PRIVATE COMPANIES/AGENCIES								
Owner of Pipeline	L-2(2) L-2(3) L-2(6)		L-2(1)					
Relevant airport authorities/operators		P-1(2)						

NOTICE OF CHANGES TO THE GANARASKA SOURCE PROTECTION
PLAN MADE UNDER SECTION 51 OF THE CLEAN WATER ACT

4.5 LAST UPDATED: DECEMBER 2021

The following amendments were made to the **Ganaraska Source Protection Plan** pursuant to Section 51 of Ontario Regulation 287/07 of the Clean Water Act.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
O.REG 287/07 S.51(1)	Table of Contents	Amendments were made to update the title of 3.1.2 in the Table of Contents, and add the titles of Appendix 3 Tables 1 and 2.
	List of Tables - Table 3.3	An amendment was made to reflect the name change of Table 3.3.
	Chapters 2 and 3	Capitalization of “Source Protection Region” where referred to as the proper name of the Trent Conservation Coalition Source Protection Region.
	Section 2.3	In the 4 th sentence, the addition of the word ‘the’ before the “type of vulnerable area”.
	Section 3.1.2	An amendment was made to the title of the section from “EFFECTIVE DATES” to “EFFECTIVE, COMPLIANCE AND TARGET DATES”.
	Table 3.3	An amendment was made to add a column and descriptive definitions in the table 3.3 to provide clarity between the effective and compliance/target dates.
	Subsection 3.2.2	An amendment was made by inserting the word “Progress” to the section header and throughout the paragraph to clarify the type of annual report, and the addition of the May 1, 2018 deadline for submitting the first report to the Minister of the Environment and Climate Change.
	Policy L-2	An amendment was made by adding the words “and future” to the Applicable Activities text.
Section 4.4.1 – Sewage Systems	Sewage threat subcategory terminology changed to be consistent with provincial tables of circumstance: Sewage Holding Tank / Septic System Holding Tank, etc.	

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	Section 4.4.1 – Sewage Systems – Table 4..5	“Sewage System or Sewage Works:” added to “Threat Subcategory” heading and additional policy applicability tables.
	Section 4.4.1 - Sewage Systems	Sewage threat subcategory terminology changed to be consistent with provincial tables of circumstance. This includes Table 4.5 and threat applicability tables appearing at the beginning of each sewage systems policy. Terminology also changed for titles of each threat subcategory, where applicable, and in descriptions.
	Section 4.4.1 - Sewage Systems - Policy S-2(2)	An amendment was made to change MC to S in the legal effect column.
	Section 4.4.1 - Sewage Systems - Policy S-3	“Discharge of Untreated Stormwater from a Stormwater Retention Pond” added to policy applicability table. It was already included in the list in the main table at the beginning of the section.
	Section 4.4.1 - Sewage Systems - Policy S-6(1)	An amendment was made by adding the word groundwater to the policy text.
	Section 4.4.1 - Sewage Systems - Policy S-8	“Stormwater from a stormwater retention pond” added into the applicable activities description.
	Acknowledgements	The Otonabee Conservation Authority logo was updated to the new logo.
	Summary of Amendments	An amendment was made to add a prefacing page titled “Summary of Amendments” illustrating the major Section 51 amendments.
	Chapter 4, Policy S-1; S-2; S-3; S-4; S-5; S-6; S-7; S-8; S-9; S-10; A-1; A-2; A-3; A-4;D1;D2	An amendment was made to add more detail to the policy headers within each policy as the original headers were too vague.
	Appendix 6	An amendment was made to add a table as an appendix for Policy Codes Summarized By Implementing Body and Compliance/Target Date.
	Appendix 7	An amendment was made to include the full list of Section 51 amendments as an appendix.
	Glossary	Addition of definitions for Land Use and Activities. Removal of definition of Municipal Planning Authority as not a term used in the Plan.
	Section 3.1.3	An amendment was made to add an “s” to the end of “Amendment” in the title.
O.REG 287/07 S.51(2)	Table of Contents	An amendment was made to add Appendix 6 and Appendix 7 and to update page numbers.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	Table 4.4	An amendment was made to include the WHPA-C vulnerability score of “2,4,6”.
	Glossary	An amendment was made to Tables of Drinking Water Threats within the Glossary to add “accessible via trentsourceprotection.on.ca”.
	Executive Summary	An amendment was made to add a paragraph indicating that this plan is a living document that is amended to improve and adapt to new science and
	Section 2.2.4	An amendment was made to add the word “originally” and to denote that the assessment report is “updated as required”.
	Section 2.3.1	An amendment was made to remove the example that DNAPLs can be a significant threat in IPZ-1, IPZ-2 and IPZ3 as some of the information is
	Section 4.2	An amendment was made to update policy header and applicability map examples to reflect WHPA and IPZ situations in the GSPP.
O.REG 287/07 S.51(4)	Section: 2.2.3 Source Protection Committee; 2.4.1 Policy Development Process; 2.4.5 Explanatory Document; 3.1.2 Effective, Compliance and Target Dates; 3.1.3 Amendment To This Plan; 3.2.2 Annual Progress Report	An amendment was made to reflect the change of the Minister of Environment to Ontario Minister of Environment and Climate Change.
	Section 4.3.2 - Policy G-10(2)	An amendment was made to the policy text to add the “applicable Source Protection Authorities”.
	Section: Acknowledgements; Source Protection Committee; Section: Acknowledgement; Source Protection Committee; List of Acronyms; Glossary; 2.2.3 Source Protection Committee; 2.2.4 Key Deliverables; 2.3.2.2 Local Drinking Water Threats; 2.3.3.2 Wellhead Protection Area-Q (Water Quantity); 2.4.1 Policy Development Process; 4.4.1 Septic Systems; Appendix 4: Policies By Implementer; Appendix 6: Policy Codes Summarized by Implementing Body and Compliance/Target Date	An amendment was made to reflect the change of the Ontario Ministry of the Environment (MOE) to Ontario Ministry of the Environment and Climate Change (MOECC). Further amendments were made to change MOECC to Ministry of the Environment, Conservation and Parks (MOECP)
	Chapter 4, Policy G-2(1); G-2(2); G-6(1); S-2(1); S-2(2); S-3(1); S-3(3); S-7(2);S-8(1); A-2(1); A-2(2); A-2(4); A-3; A-4(4); W-1; W-2(1); OT-1(4);OT-1(5); OT-1(6); OT-1(7); OT-2(4); OT-2(5); OT-4(1); OT-4(2);OT-5(1); OT-5(2) ; L-2(12); L-2(13)	
	Section: Acknowledgements; Appendix 4: Policies By Implementer; Appendix 6: Policy Codes Summarized by Implementing Body and Compliance/Target Date	An amendment was made to reflect the change of the Ontario Ministry of Natural Resources (MNR) to Ontario Ministry of Natural Resources and Forestry (MNRF). Further amendments were made to change MNRF to Ministry of Northern Development, Mines, Natural Resources and Forestry (MNDMNRF)
	Section 4.6.4 - Policy OT-4(1); OT-4(2)	

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	2.2.3 Source Protection Committee; 2.4.1 Policy Development Process; 2.4.5 Explanatory Document; 3.1.2 Effective, Compliance and Target Dates; 3.2.2 Annual Progress Report; Source Protection Plan (2011-Present); 3.1.3 Amendment to this Plan; Table 3.3	An amendment was made to reflect the change of the Minister of Environment to Minister of Environment and Climate Change. Further amendments were made to change MOECC to Ministry of the Environment, Conservation and Parks (MOECP)
	List of Acronyms; Policy S-1 Note 1	An amendment was made to reflect the change of the Ministry of Municipal Affairs and Housing (MMAH) to Ministry of Municipal Affairs (MMA). Further amendments were made to change MMA to Ministry of Municipal Affairs and Housing (MMAH)
	Table 3.1	
	Policy S-1; S-4; S-5	
	Section 4.4.1 - Policy S-1	An amendment was made to reflect the change of O. Reg. 350/06 to O. Reg. 332/12.
O.REG 287/07 S.51(6)	Subsection 4.1.2	An amendment was made to allow the new header be displayed as a sample.
	Section 4.3.1 - Policy G-9(2)	An amendment was made to alter the policy text from "Forward applications" to "Direct proponents applying" to reflect s.51 of the <i>Clean Water Act, 2006</i> .
	Section 4.3.2 - Policy G-5(6)	Add the following Footnotes: As per S.1 O.Reg 213/01: "facility" means an installation where fuel oil or used oil, when such oil is used as a fuel, is handled, but does not include a facility referred to in Ontario Regulation 217/01 (Liquid Fuels) and as per S.1 O.Reg 217/01: "facility" means a permanent or mobile retail outlet, bulk plant, marina, cardlock/keylock, private outlet or farm where gasoline or an associated product is handled other than in portable containers.
	Section 4.3.2 - Policy G-6(3)	Remove "at a minimum" to fix the obvious error that the intent of the policy to ensure that signs to do not need to be placed on every road (dirt track, trail) and to bring in line with reasonable measure of placing signs on main roads at the discretion of the implementing body.
	Section 4.3.2 - Policy G-11(1)	Added "other relevant documentation", and the word "reasonable". Update Municipal Master Emergency Plans and other relevant documentation to identify vulnerable areas where SDWTs can occur and outline reasonable actions to be implemented in the event these areas are compromised.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	Section 4.4.1 - Policy S-1	An amendment was made to change the policy text to include a clause to omit the municipality copying the report when the municipality is the Principal Authority under the Ontario Building Code Act.
	Section 4.4.5 - Policies W-1, W-2, W-3 and W-4	Add the following footnote: s.1 Environmental Protection Act 1990: “waste disposal site” means, (a) any land upon, into, in or through which, or building or structure in which, waste is deposited, disposed of, handled, stored, transferred, treated or processed, and (b) any operation carried out or machinery or equipment used in connection with the depositing, disposal, handling, storage, transfer,
	Section 4.4.5 - Policy W-4(2)	Changed the source of the definition of liquid industrial and hazardous waste to Section 1 of Ontario Regulation 374.
	Section 4.5 – Policy L-2(8)	Addition of (d) “Any other relevant information”.
	Section 4.6 - header	Remove sentence indicating Policies are applicable to any WHPA and IPZ regardless of vulnerability score.
	Section 4.6.1 - Policy OT-1(1)	Change “must include” to “should include” include, as using Must with Strategic Legal Effect was confusing for implementers and not in line with explanatory document. Added the following footnote for Highway Traffic Act 1990 in Policy OT-1(1) : “highway” includes a common and public highway, street, avenue, parkway, driveway, square, place, bridge, viaduct or trestle, any part of which is intended for or used by the general public for the passage of vehicles and includes the area between the lateral property lines thereof. (https://www.ontario.ca/laws/statute/90h08)
	Section 4.4.1 – Policy S-1(2)	An amendment was made to remove “Risk Management Official” from the policy text. Septic system inspections are not required to be reported to Risk Management Officials.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	Section 2.4.3	An amendment was made to remove the sentence "Monitoring policies must also be developed to address drinking water issues where monitoring of the issue is advisable." Which is incorrect.
	Section 4.4.3	An amendment was made to add "The handling and" before "Storage" for policy F-1 and F-2's applicable activities. An amendment was made to change "partially above grade" to "partially below grade"
	Section 4.6.2 header	Remove WHPA D as cannot get a score high enough in WHPA D for a significant threat.
	Section 4.6.2 - Policy OT-2	Addition made to Transport Pathway Footnote "...In the Assessment Report a transport pathway for groundwater means 3m from the top of the aquifer used as the municipal drinking water source and penetrates/short circuits aquitard. Further amendments were made in 2021 to remove this statement.
	Policies G-2(2); G-3(2); G-4(3); G-5(7); G-6(5); G-7(1); G-8(4); G-10(2); G-11(2); S-1(2); S-3(3); S-4(2); S-5(2); S-6(2,4); S-8(3); A-2(2); R-2(2); R-3(3); R-4(2); O-1(2); P-1(3); L-2(4,5,7,9,10,13)	An amendment was made to clarify that the annual summary required by the ministry is for the preceding calendar year.
	List of Acronyms	An amendment was made to correct the omission of the Ministry of Natural Resources and Forestry from the list of acronyms. All Ministries updated with current titles.
	Appendix 3: Applicable Legal Provision Policies	List E was updated to remove L-2(3-5,7,9), List F was updated to remove L-2(3), List K was updated to remove L-2(11).
	Appendix 3: Table 2 - Policy Summary Matrix	Remove "x" in List E column for policies L-2(4,5,7,9,10).
	Appendix 4B	An amendment was made to only include Ganaraska municipalities in the table.
	Glossary	An amendment was made to add "Provincial Tables of Circumstances" to the Glossary.
O.REG 287/07 S.51(9)	Chapter 4 – Throughout	An amendment was made to remove the Threat Circumstances column from the threat summary tables for each policy.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA SOURCE PROTECTION PLAN	DESCRIPTION OF CHANGE
	Chapter 4 – Throughout	An amendment was made to remove reference to WHPA-E, as they do not exist in the GRSPA; as well as IPZ applicable areas except where local or modeled threats exist.

NOTICE OF CHANGES TO THE GANARASKA ASSESSMENT REPORT MADE UNDER SECTION 51 OF THE CLEAN WATER ACT

4.6 LAST UPDATED: MARCH 2018

The following amendments were made to the **Ganaraska Assessment Report** (as per s.22(1)(1) of the Clean Water Act 2006, is a component of the Ganaraska Source Protection Plan) pursuant to Section 51 of Ontario Regulation 287/07 of the Clean Water Act.

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA ASSESSMENT REPORT	DESCRIPTION OF CHANGE
O.REG 287/07 S.51(1)	Table 5.4-2; Table 5.4-3; Table 5.4-4	An amendment was made to correct the typographical error of “or” to “of” in “The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the <i>Environmental Protection Act</i> ”.
	4.4.3 Listing of Conditions that are Drinking Water Threats	An amendment was made to correct the typographical error of “know” to “known”.
O.REG 287/07 S.51(4)	Subsection: Source Protection Committee; Acknowledgements; Preface; Water Budget and Water Quantity Stress Assessment; 1.4 Scope and Purpose of the Assessment Report; 1.5.1 Source Protection Committee; 1.5.2 Public Consultation; 1.6 Project Timeline; 2.5.1.2 Surface Water Quality Summary; 2.5.2 Groundwater Quality; 2.5.2.2 Provincial Groundwater Monitoring Network; 2.5.2.3 Ministry of the Environment and Climate Change Water Well Records Database; 2.5.2.4 Regional Groundwater Studies; 2.7 References; 3.2.7.1 Regional Groundwater Movement; 3.2.7.3 Groundwater Flow Directions; 3.2.7.4 Surface Water and Groundwater Interactions (Groundwater Discharge); 3.2.7.5 Provincial Groundwater Monitoring Network; 3.2.8.1 Permits to Take Water; 3.2.11 References; 3.3 Tier 1 Water Budget and Water Quantity Stress Assessment; 3.3.2.1.1 Permitted Water Use; 3.3.4 Q Reserve Values; 3.3.5 Stress Assessment Summary; 3.3.6 References; 4.2.6 References; 4.3.2.3 Water Treatment Plant Operator Interviews; 4.4.2.4 Circumstances Under Which Each Activity Is Or Would Be A Significant, Moderate, or Low Drinking Water Threat; 5.2.1.4 Uncertainty Analysis; 5.3.2.2 Data Review and Identify Potential Drinking Water Issues; 5.4.1.2 Listing Drinking Water Threats – Conditions; 5.4.1.3 Identify Areas for Significant, Moderate, or Low Threats – Activities; 5.4.4 References; 6.1.1.1.3 Identification of Uppermost Aquifer; 6.1.7 References; 7.1	An amendment was made to reflect the change of the Ontario Ministry of the Environment (MOE) to Ontario Ministry of the Environment and Climate Change (MOECC).

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA ASSESSMENT REPORT	DESCRIPTION OF CHANGE
	Consideration of Great Lakes Agreements; Definition of Terms; Groundwater Vulnerability (For Municipal Systems) Table 2-4; Table 2-9; Table 2-19; Table 2-20; Table 4.1-1; Table 4.2-9; Table 5.1-1	
	Subsection: Acknowledgements; 2.7 References; 3.2.1.3 Evapotranspiration; 3.2.2.1 Bedrock Geology; 3.2.2.2 Topography; 3.2.2.3 Surficial Geology; 3.2.11 References; 6.1.2.1 Paleozoic Area; 7.1.3 Great Lakes Charter; 7.1.6 References; 8.1.7 References; Conceptual Water Budgets; Tier 1 Water Budget; Significant Groundwater Recharge Areas Table 3.2-15	An amendment was made to reflect the change of the Ontario Ministry of Natural Resources (MNR) to Ontario Ministry of Natural Resources and Forestry (MNRF).
	Subsection: Additional Content; Next Steps; 1.3 Overview of Source Protection Planning Process; 1.5.1 Source Protection Committee; 1.6 Project Timeline; 7.1.4 Great Lakes Targets; 10.4 Preparation of Source Protection Plan	An amendment was made to reflect the change of the Minister of Environment to Minister of Environment and Climate Change.
	Maps 4-7, 4-8, 4-9, 5-7, 5-9, 5-11, 6-9, 6-13	An amendment was made to update the URL reference to the 76 tables of drinking water threats to a reference that is compliant with the Accessibility for Ontarians with Disabilities Act (AODA): "The Provincial Tables of Circumstances can be accessed from: the source protection homepage of ontario.ca or the reports and legislation page of http://trentsourceprotection.on.ca ".

Chapter 4: Policies

O.REG 287/07 S.51(6)	Ganaraska Assessment Report Map Reference: 4-13, 4-14, 4-15	<p>Removed potential contaminant pathways upstream of modeled pipeline threat since contaminant pathways are downstream of modeled pipeline threat points;</p> <p>Added modeled pipeline threat locations and associated pipeline reference;</p> <p>Removed label from intake point since intake relates to title of map;</p> <p>Added superscripts and more detailed legend to clarify the type of modeled threat (pipeline, waste water treatment plant outflow, marina fuel);</p> <p>Added additional wording to the legend to indicate for General (G) and Other (OT) policies please refer to assessment report maps;</p> <p>Updated Cobourg Municipal Boundary in Main Maps</p>
----------------------	---	---

TYPE OF TYPOGRAPHICAL ERROR	GANARASKA ASSESSMENT REPORT	DES
	Ganaraska Assessment Report Map Reference: 5-3, 5-4, 5-5	<p>Formatted: Left: 2.54 cm, Right: 2.54 cm, Bottom: 2.54 cm, Header distance from edge: 1.25 cm, Footer distance from edge: 1.25 cm</p> <p>Added the word prescribed to clarify the table of threats relates to prescribed threats, and not local threats;</p> <p>Added additional wording to table to indicate for General (G) and Other (OT) policies please refer to assessment report maps;</p> <p>Updated Cobourg Municipal Boundary in Main Maps and Overview Maps.</p>
	Glossary	Added "Tables of Drinking Water Threats" to the Glossary.
	Ganaraska Assessment Report Maps 5-7, 5-9, 5-11	Updated threat circumstance summary tables to include all WHPA scores where significant, moderate and low threats occur.